

# Soil Series Information for Reclamation Planning in Alberta Volume 1

CANADIANA

AVR 26 1994







CONSERVATION AND RECLAMATION COUNCIL Reclamation Research Technical Advisory Committee



# Alberta's Reclamation Research Program

Regulating surface disturbances in Alberta is the responsibility of the Conservation and Reclamation Council. The Council Chairman is from Alberta Environmental Protection. The Council oversees a reclamation research program, established in 1978, to identify the most efficient methods for achieving acceptable reclamation in the province. Funding for the research program is provided by Alberta's Heritage Savings Trust Fund, Land Reclamation Program.

To assist with the development and administration of the research program, the Council appointed the inter-departmental Reclamation Research Technical Advisory Committee (RRTAC). Committee members represent the Alberta Departments of Agriculture, Food and Rural Development, Energy, and Environmental Protection, and the Alberta Research Council. The Committee updates research priorities, reviews research proposals, organizes workshops, and otherwise acts as the coordinating body for reclamation research in Alberta.

Additional information on the Reclamation Research Program may be obtained by contacting:

Chris Powter, Chairman
Reclamation Research Technical Advisory Committee
Alberta Environmental Protection
3rd Floor, Oxbridge Place
9820 - 106 Street
Edmonton, Alberta T5K 2J6
(403) 427-4147

Additional copies of this report may be obtained at a cost of \$10.00 plus GST from:

Publication Services Queen's Printers 11510 Kingsway Avenue Edmonton, Alberta T5G 2Y5 (403) 427-4952

Prices quoted in the Reclamation Research Reports section of this Report do not include GST. Please make cheques payable to The Provincial Treasurer.

This report may be cited as:

Pedocan Land Evaluation Ltd., 1993. Soil Series Information for Reclamation Planning in Alberta. Alberta Conservation and Reclamation Council Report No. RRTAC 93-7. ISBN 0-7732-6041-2. Various pagings.

Soil Series Information for Reclamation Planning in Alberta Volume 1

by

Pedocan Land Evaluation Ltd.

Prepared for


ALBERTA CONSERVATION AND RECLAMATION COUNCIL (Reclamation Research Technical Advisory Committee)



# Reclamation Research Technical Advisory Committee









Members: Chris Powter (Chairman) - Alberta Environmental Protection; Dennis Bratton - Alberta Environmental Protection; Reinhard Hermesh - Alberta Environmental Centre; Leon Marciak - Alberta Agriculture, Food and Rural Development; Steve Moran - Alberta Research Council; Hari Sahay - Alberta Energy; Sam Takyi - Alberta Environmental Protection; Wayne Tedder - Alberta Agriculture, Food and Rural Development.

## **DISCLAIMER**

This report is intended to provide government and industry staff with up-to-date technical information to assist in the preparation and review of Conservation and Reclamation Approvals, and development of guidelines and operating procedures. This report is also available to the public so that interested individuals similarly have access to the most current information on land reclamation topics.

The opinions, findings, conclusions, and recommendations expressed in this report are those of the authors and do not necessarily reflect the views of government or industry. Mention of trade names or commercial products does not constitute endorsement, or recommendation for use, by government or industry.

The information and interpretations for each soil series in this manual are presented as typical examples - not as rules or regulations.

## **REVIEWS**

This report was reviewed by members of RRTAC and the Oil and Gas and Plains Coal Reclamation Research Program Committees. Special thanks to Bob Howitt of the Alberta Research Council for his input.

## **FUNDING**

Funding for this work was provided by the Alberta Heritage Savings Trust Fund, Land Reclamation Program through the Alberta Conservation and Reclamation Council. RRTAC wishes to thank Mr. Ian Scott of the Canadian Association of Petroleum Producers for co-funding the project.

## **TABLE OF CONTENTS**

		ugo
PART	I. BACKGROUND INFORMATION AND GUIDELINES	
1.	INTRODUCTION	1
1.1	Underlying Principle Protection of Soil and Land Resources	
1.1	Reclamation Planning	
1.3	Purpose and Use of this Manual	
1.5	1 dipose and ose of this Mandai	
2.	DESCRIBING, NAMING AND MAPPING SOILS	2
2.1	Profiles, Pedons and Series	
2.2	Soil Correlation Areas and Soil Names File	
2.3	Soil-landscapes	
2.4	Characteristics of Soil Landscapes	
3.	INTERPRETING SOIL SERIES FOR RECLAMATION PLANNING	11
3.1	Soil Quality Ratings for Reclamation	11
3.2	Soil Horizons and Soil Handling	11
3.3	Soil Handling Case Examples	14
3.4	Topsoil Interpretations	17
3.5	Wind Erosion Risk Ratings	17
3.6	Water Erosion Risk Ratings	17
3.7	Subsoil Interpretations	21
4.	REFERENCES	21
APPE	NDICES	
A.	Rating Tables and Land Regions of Alberta	23
LIST (	OF TABLES	
1.	Summary of soil parent material types and landforms	5
2.	Codes for soil parent material types and texture groups used in Alberta Soil Names -	
	Generation 2	7
3.	Classes of stoniness and boulderiness in relation to surface coverage and spacing	
	between fragments	8
4.	Soil structure codes	
5.	Soil reaction classes	10
6.	Classification of severity of soil salinity	11
7.	Values of K & C for wind erosion for various surface texture classes	17
8.	LS values associated with landforms in Alberta	20
9.	Examples of predicted annual soil loss (A) for typical soil series/landform situations	20

## TABLE OF CONTENTS (Continued)

		Page
LIST C	OF FIGURES	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	A theoretical soil profile with explanation of horizons The limits of Malmo soil are defined by several characteristics which separate it from other soil series in the area SCA Map The relationship between the soil profile, the pedon and the soil delineation Surface expression terms for describing landforms Illustration of soil structure and effect on water permeability Two texture triangles in common use Soil profile terminology used by pedologists, reclamation planners, and construction operators Typical soil profiles in the Plains, Northern Forest, and Eastern Slopes Regions R factor map for Alberta Nomograph for assigning risk classes using the K and LS factors Soil erodibility (K) factor nomograph	3 4 5 6
PART I	SOIL SERIES INFORMATION AND INTERPRETATIONS ORDERED BY SOIL CORRELATION AREA	
1. 1.1 1.2	INTRODUCTION  Background to the Generation 2 Alberta Soil Names File  List of Soils Included in Part II	30 30 36
LIST O	F FIGURES	
1. 2 3. 4. 5.	Soil Correlation Area 1 to 6,8, 9 and 16 Soil Correlation Area 7, 10 to 12 and 21 Soil Correlation Area 13 and 14 Soil Correlation Area 17, 18 and 22 Soil Correlation Area 19, 20, 23 and 24	31 32 33 34 35

## Chairman's Note

This manual is a first draft which is intended to be used on a trial basis. As people develop more experience in the field with each soil series the interpretations may need to be changed.

You are encouraged to send in suggestions for changes to the manual. Please send them to:

Chris Powter
Head, Issues Management Branch
Land Reclamation Division
Alberta Environmental Protection
3rd Floor, 9820 - 106 Street
EDMONTON, Alberta T5K 2J6

Your submission should identify the soil series, the location you worked with it, your suggested changes, and name and phone number.



### **PART I**

# BACKGROUND INFORMATION AND GUIDELINES



#### 1. INTRODUCTION

This RRTAC manual has been published to provide reclamation and conservation planners with information and guidelines to help understand and use soil inventory data. This manual does not replace the need for site-specific soil inventory information — it merely provides guidelines for interpreting the maps and reports. The information and interpretations are presented as typical examples — not as rules or regulations.

The soil series included in this manual correspond to those in the Generation 2 Alberta Soil Names File (Alberta Soil Series Working Group 1992), which is part of the Alberta Soil Information System (Alta SIS). For access to any published Alberta Soil Survey information contact Publications, Alberta Research Council, Edmonton (Phone 450-5390).

Part 1 of this manual is a background and explanatory section that describes the terminology used in soil surveys and presents the assumptions and conventions upon which the interpretations are based. Part 2 presents typical data and interpretations for each soil series in Alberta. The interpretations were made by applying the guidelines presented in Part 1, and checking the results against experience and established practice.

## 1.1 <u>Underlying Principle — Protection of Soil</u> and Land Resources

Our soil landscapes are recognized as primary resources that are essential for production of food and fibre, and for maintaining water quality and other values. The issue of declining soil quality, especially of agricultural soils, was widely recognized in the 1970's and 80's. That recognition developed into numerous soil conservation initiatives, including the formation of active farm conservation groups in Alberta and elsewhere. Regulations and practices for soil reclamation after surface disturbances related to coal mining, sand and gravel extraction, pipeline construction, and other activities also evolved. The protection of soil quality and return of equivalent land capability following soil disturbance activities requires appropriate construction and reclamation techniques for the particular soil type, location, and land use. Techniques must also be appropriate for, and acceptable to, the industry involved.

This soils planning manual presents guidelines for interpreting soil survey information for preparing soil protection plans.

Protection of the soil resource means "maintaining soil quality"; or "returning equivalent capability" or more simply, "soil conservation". The concepts of soil quality (in the context of land reclamation) and guidelines for rating soil quality, can be found in the publication "Soil Quality Criteria Relative to Disturbance and Reclamation" prepared by the Soil Quality Criteria Working Group, 1987.

#### 1.2 Reclamation Planning

Effective reclamation of disturbed lands is very much dependent on good planning. The main constituents of a reclamation plan are:

- 1. suitable site selection
- 2. description of existing site conditions
- 3. choice of final land use
- 4. soil handling and scheduling
- 5. establishment of final landform
- 6. water management and erosion control
- 7. soil reconstruction, and
- 8. revegetation

Detailed information on the pre-disturbance site conditions is an important component of reclamation planning. This baseline information includes data on slopes, elevations, aspects, drainage patterns, vegetation and soil conditions. Soil information can be used to determine the need for amendment or to select soils suitable for salvage. Description of vegetation provides information on plant species adapted to local climatic and soil conditions.

The choice of final land use should be determined at an early stage in the planning process, so that the economics and practicality of various reclamation options can be assessed. The appropriate land use should be chosen after discussion between the landowner(s), developer and various regulatory agencies.

The post-development landform should be compatible with the post-development land use objective and drainage regime. A critical feature of reclamation planning is to prevent erosion of the disturbed area, and to protect off-site water quality conditions.

#### 1.3 Purpose and Use of this Manual

This manual identifies the key characteristics of each soil series in Alberta that are of interest to those involved in planning, soil handling and reclamation. It presents interpretations of topsoil and subsoil characteristics in terms of how they affect construction planning and operations, and how they relate to risk of soil quality degradation.

The interpretations are **intended to be used as guidelines** for interpreting soil maps and reports when developing a soil protection plan. **These are not rules**; many other factors must be considered before selecting appropriate soil handling and reclamation techniques. This manual does not replace the need for soil survey information of appropriate scale on a project, but rather it provides guidelines for interpreting project-specific information.

The following procedure is recommended when using this manual. Step 1: Identify the soil series you are working with from a soil map of appropriate scale (usually done for your project). Step 2: Look up the soil in Part 2 of this manual and compare the key characteristics listed to those of your soil to ensure a good match. Step 3: Check the interpretations that are relevant to your information requirement.

#### 2. DESCRIBING, NAMING AND MAPPING SOILS

Soils are natural, dynamic bodies that are integral parts of the landscape and the environment. A pedologist (a soil scientist specialized in soil classification and mapping and land use interpretations) describes and classifies soil individuals, and maps soil-landscapes.

There are a number of properties of the soil and it's environment described to characterize a soil and to classify, or name, a soil. Before you can predict the response of a soil to management actions you must know the characteristics of the soil profile, the landform and surface geological materials, and the climate.

#### 2.1 Profiles, Pedons and Series

A **soil profile** (Figure 1) is a two-dimensional crosssection of the soil, through it's horizons (horizontal layers) that is described and used to characterize and classify the soil.

Soil Classification is the "proper" identification of a soil using the Canadian System of Soil Classification which recognizes soil orders, great groups, subgroups, families and series. Many of the properties used to identify the appropriate classification come from a profile description.

A **soil pedon** is the smallest 3-dimensional unit in a landscape regarded as a soil individual.

A **Soil Series** is a category in the system of soil taxonomy, and more specifically it is a subdivision of a soil family. The link between a defined soil series (the concept) and a real body of soil is the pedon.

Soil series (within families of mineral soils) are differentiated on the basis of the following properties:




Figure 1. A theoretical soil profile with explanation of horizons.

- Color, including mottling
- 2. Texture
- 3. Structure
- 4. Consistence
- Thickness and degree of expression of horizons and of the solum
- 6. Abundance of coarse fragments
- Depth to bedrock, permafrost, or contrasting material
- 8. Depth to free carbonates
- 9. Depth to and concentration of soluble salts
- 10. pH
- 11. Lithology

The reader is referred to the Canadian System of Soil Classification, (1987 edition) for further information on soil series definition, and to the Soil Survey Handbook, (1987 edition) for information on using series in mapping.

A **Soil Series** is identified by a geographic name that has been picked as a "code name" or "nickname" to

identify a particular soil and all of its characteristics, just as a person's name does. For example, once the user is familiar with the Duchess soil, all of the accessory information (and communication of it) is understood by reference to the soil name. The Alberta Soil Names File Generation 2, describes and names all of the soils currently recognized.

The limits of a soil series (Figure 2) are described in terms of soil horizons, texture, structure, color, parent material, and other characteristics.




Figure 2. The limits of Malmo soil are defined by several characteristics which separate it from other soil series in the area (Mico, Penhold, etc.). After Coen (1983)

#### 2.2 Soil Correlation Areas and Soil Names File

The Province of Alberta has been subdivided into 24 Soil Correlation Areas (SCA's) based on recognition of climatic parameters that affect soil development, soil use, and soil management (Alberta Soil Series Working Group 1992). The SCA map (Figure 3) boundaries generally coincide with the ecoregion boundaries of Strong and Leggat (1992), and therefore also coincide with Reclamation Species Suitability regions.

Soil correlation areas also correspond to (or may be divisions of) the soil zones. Soil Correlation Area 1, for example, is coincident with the Brown Soil Zone. Soil zone maps are available from Publications, Alberta Research Council, Edmonton (Ph: 450-5390).

The historic list of names and the coding practices have been standardized and correlated in the

Generation 2 Soil Names File. The Users' Handbook for Alberta Soil Names includes a Soil Correlation Areas (SCA) Map in addition to the listings of Soil Names and coding rules and explanations. Each of the 24 SCA's has a unique set of soil series names that can be used within that SCA. This practice ties each soil series to a soil-climate (eco-climate) region, which was considered desirable for most land use interpretations. The Generation 2 Soil Names Users' Handbook and the map and names files are available from Publications, Alberta Research Council (ph: 450-5390), in hard copy or in digital form.

#### 2.3 Soil-landscapes

Soil and landscape parameters are used to map the extent and distribution of soils in a landscape. A soil map is a two-dimensional representation of the mapper's understanding of soil distribution across a landscape (a soil-landscape).


The terminology used to describe soil-landscape properties and characteristics (as in Figure 4) comes mostly from protocols established by the Canada Expert Committee on Soil Survey. The terminology is explained briefly in the following paragraphs. For indepth explanations the reader is referred to the following reports:


- Canada Expert Committee on Soil Survey, 1987. <u>The Canadian System of Soil Classifi-cation</u>, Second Edition, Research Branch, Agriculture Canada. Publication 1646.
- Canada Expert Committee on Soil Survey, 1987. <u>Soil Survey Handbook</u>, Volume 1., Research Branch, Agriculture Canada. Technical Bulletin 1987-9E.
- Canada Expert Committee on Soil Survey, 1982. <u>The Canada Soil Information System</u> (CanSIS) Manual for Describing Soils in the <u>Field</u>. Research Branch, Agriculture Canada Publication No. LRRI 82-52.

Soil profiles and soil pedons are observed and described while <u>mapping</u> in order to identify the soil series that characterizes a delineated part of the soil-landscape (Figure 4). We use the properties of the **characteristic series** to identify "typical properties" of the soil area such as topsoil color, topsoil thickness, and parent material type and texture.

#### 2.4 Characteristics of Soil Landscapes

**2.4.1 Soil Variability** concepts must be understood prior to making or using soil maps, and prior to applying statistical tests to soil data.





gure 4. The relationship between the soil profile, the pedon and the soil delineation.

question often asked is, "what are the limits of perty x within series ABC?". Usually what the estioner really desires to know is the **spatial riability** of property x within a land area identified

COUNCIL

Resources Research - Alberta

Canada

on a soil map as being predominantly series ABC. This is very different from knowing the allowable range of property x within the definition of series ABC (the **conceptual variability**). Soil series in Alberta are currently identified and described by presenting the "central concept" or "modal profile" that typifies the series (we cannot bring the entire "soil" into the lab and analyze it). A central concept does not have variability. Descriptive statistics describing ranges, means, etc. of various properties of each series are not available.

Users of soil information must appreciate that soils do not have normal distributions, and they do not occur randomly in the landscape. Key soil properties should display equal variance within series, but not between series. Soils change systematically and (usually) predictably in distance and direction, both vertically and horizontally (soils are anisotropic and variation is spatially correlated).

**2.4.2** Landforms (Table 1 and Figure 5) and Soil Parent Material or surface geological material in which the soil has formed (Tables 1 and 2), are key characteristics of a soil-landscape. Landforms are classified by their method of deposition (by glaciers, by running water, by wind, etc.) and by their surface form (hummocky, ridged, etc.). Parent materials are classified by type (method of deposition) and by texture group (coarse, medium, fine) as in Table 2.

ble 1. Summary of soil parent material types and landforms.

rent	Material Mode of Deposition		Recognizable Features	Landforms
	Morainal (glacial)	By glaciers while moving or melting	Heterogeneous mixture of boulders, sand, silt and clay; angular to rounded; non-sorted; non-stratified	Till plains; recessional moraines, drumlins
GF)	Fluvial (F) and glaciofluvial (GF)	By and in running water (e.g. river deposits)	Coarse textured; well rounded; sorted and often stratified. Crossbedding	Alluvial fans; flood plains; outwash plains; spillways; interlobate moraines; kames; eskers
GL)	Lacustrine (L) and glaciolacustrine (GL)	By running water into standing water (e.g. lake deposits)	Fine to medium textured; sorted and often varved with occasional ice-rafted pebbles. Sand and gravelly beach deposits	Deltas; lacustrine clay plains; beaches
	Eolian	By wind	Coarse silt to medium sand; very well rounded; sorted; poorly compacted.	Dunes; loess blankets and veneers
	Organic	In cool, wet depressions	Peat, organic remains in various stages of decomposition	Bogs; swamps; fens; marshes
	Colluvial	Falling by gravity	Dependent on the nature of the material from which it was derived. Colluvium derived from bedrock typically contains angular coarse fragments	Talus cones, rubbly colluvial blankets
	Bedrock	In ancient seas	Hard (lithic) bedrock of variable lithology	Rock knobs; knolls; plains and ridges
	Softrock	Usually Cretaceous - aged sediments	Soft (paralithic), sometimes saline-sodic, mudst-ones; silt stones	Plains, ridges, knolls




Figure 5. Surface expression terms for describing landforms.

Table 2. Codes for soil parent material types and texture groups used in Alberta Soil Names - Generation 2.

Anthropogenic ANTH -Bedrock, conglomerate (lithic) BRCG BRGR -Bedrock, granitic (lithic) BRLS Bedrock, limestone (lithic) Bedrock, shale (lithic) BRSH -BRSS -Bedrock, sandstone (lithic) Bedrock, undifferentiated (lithic) BRUN -COLL Colluvial EOLI Eolian Fluvioeolian (fluvial and eolian) FLEO -

FLLC - Fluviolacustrine (fluvial and lacustrine)
FLUV - Fluvial
FNPT - Fen Peat
FOPT - Forest Peat
GLFL - Glaciofluvial

GLLC - Glaciolacustrine

GLTL - Glaciolacustrine (till-like features)
LACU - Lacustrine (post-Pleistocene)

MARL - Marl

PGFL - Preglacial Fluvial (e.g. Tertiary gravels)

SEPT - Sedimentary Peat SPPT - Sphagnum Peat

SRCN - Softrock, coarse, not saline-sodic (paralithic)
SRFN - Softrock, fine, not saline-sodic (paralithic)
SRFS - Softrock, fine, saline-sodic (paralithic)
SRUN - Softrock, undifferentiated (paralithic)

TILL - Till (morainal)

UNDM - Undifferentiated mineral UNDO - Undifferentiated organic

VOLC - Volcanic

CT Coarse Textured Group

MC - Moderately coarse textured; sandy loam and fine sandy loam

VC - Very coarse textured: sand and loamy sand

MT Medium Textured Group

ME - Medium textured: loam, silt loam and very fine sandy loam

MF - Moderately Fine textured: sandy clay loam, clay loam, and silty clay loam

FT Fine Textured Group

FI - Fine textured: clay, silty clay and sandy clay

VF - Very fine textured: heavy clay (more than 60% clay)

O Organic (peat) Group

OF - Organic Fibric

OM - Mesic

OH - Organic Humic

#### Modifiers

ST - Stony (20% to 50% by volume)

CB - Cobbly (20% to 50% by volume)

GR - Gravelly (20% to 50% by volume)

VS - Very Stony (>50% by volume)

VB - Very Cobbly (>50% by volume)

VG - Very Gravelly (>50% by volume)

**2.4.3 Usual Soil Moisture Condition** indicates the typical moisture regime of the soil (except for spring break-up or just after a rain). The descriptive terms used are:

**droughty**: indicates a soil with less capacity to supply water to a crop than is normal for the region. This may be due to sandy textures or limited rooting depth. **dry**: indicates a normal condition for a dry region (such as south-eastern Alberta)

mesic: indicates a normal condition for a mesic region (such as central Alberta)

**moist**: indicates a soil with more capacity to supply water to a crop than is normal for the region. This may be due to clay textures or depressional locations. **watertable/ponding**: indicates a soil that is usually wet due to a high watertable or ponding of runoff water.

**temporary ponding**: indicates a soil that is subject to temporary ponding after snowmelt or heavy rainfall events. 2.4.4 Surface Stoniness describes the abundance of stones on the soil surface. The class limits (Table 3) are defined in terms of the approximate amount of stones (25 to 60 cm in diameter or if flat 38 to 60 cm long) and of boulders (more than 60 cm in diameter or if flat more than 60 cm long); and of their spacing.

Table 3. Classes of stoniness and boulderiness in relation to surface coverage and spacing between fragments (after Canada Expert Committee on Soil Survey 1982).

Class and Name			Distance (metres) between stones or boulders if their diameter is			
	covered	25 cm	60 cm	120 cm		
Stones 0 Nonstony	<0.01	>25	>60	>120		
Stones 1 Slightly stony	0.01-0.1	8-25	20-60	37-120		
Stones 2 Moderately stony	0.1-3	1-8	3-20	6-37		
Stones 3 Very stony	3-15	0.5-1	1-3	2-6		
Stones 4 Exceedingly stony	15-50	0.1-0.5	0.2-1	0.5-2		
Stones 5 Excessively stony	>50	<0.1	<0.2	<0.5		

2.4.5 Soil Color is described using a standard color chart (the Munsell Color Chart) which provides codes for the color attributes of hue, value, and chroma. Almost all Alberta soils fall in the 10YR hue. The color chart also provides standard "common color names", such as dark gray for 10YR 4/1.

2.4.6 Soil Structure (Figure 6 and Table 4) describes the combination or arrangement of primary soil particles (sand, silt, clay) into definable secondary structure, often called aggregates. Structure of soil can be characterized in terms of how distinctive the structure appears or feels; the size of the aggregates, and the shape of the aggregates. Soil structure occurs as a result of soil forming processes like weathering of minerals and their movement down through the soil, the addition and decomposition of organic matter in the soil, freezing and thawing action, and wetting and drying action. Structure affects movement of water, air and roots; affects seedbed quality; and affects tillage properties.

Table 4. Soil structure codes.

Grade Structureless (N)
Weak (W)
Moderate (M)
Strong (S)

Size Very Fine (VF)
Fine (F)
Medium (M)
Coarse (C)
Very Coarse (VC)

Shape Platy (PL)
Prismatic (PR)
Columnar (COL)
Angular Blocky (ABK)
Subangular Blocky (SBK)
Granular (GR)
Massive (MA)
Single Grain (SGR)

**2.4.7 Soil Consistence** describes the degree of cohesion or resistance to deformation or rupture (soil strength). Consistence may be described when the soil is dry, moist, or wet using the terms listed below. The most common moisture condition encountered for a particular soil is used in this manual.

#### Dry (D) Consistence

LD = Loose SO = Soft

SLH = Slightly Hard H = Hard

VH = Very Hard EH = Extremely Hard

R = Rigid

#### Moist (M) Consistence

LM = Loose

VFR = Very Friable

FR = Friable
F = Firm
VF = Very Firm
EF = Extremely Firm

#### Wet (W) Consistence

N = Nonsticky

SLS = Slightly Sticky

S = Sticky VS = Very Sticky





Figure 6. Illustration of soil structure and effect on water permeability.

**2.4.8** Soil Texture is the term used to describe the particle size distribution of a soil. The determination of soil texture 'by feel' requires practice and depends on the ability to feel sand grains at one extreme of particle size and plasticity and stickiness of clays at the other. Accurate measures of particle size distribution must be performed in the laboratory. Texture classes are formed by grouping various size fractions

A soil with silty clay loam texture has approximately 55% silt, 35% clay, and 10% sand-sized particles (Figure 7). A soil with loam texture has approximately 40% silt, 20% clay, and 40% sand-sized particles.

The textural class of each soil horizon can be determined from a knowledge of the particle size distribution and the textural triangle (Figure 7).

2.4.9 Organic Carbon (OC) content is expressed as % of oven-dry weight. This is not the same as organic matter content. To convert organic carbon to organic matter the usual formula used is OC x 1.7 = OM, but the factor may actually range from 1.5 to 2.5 for different soils (Nelson and Sommers 1982), thus use of organic carbon content is preferred to a converted value. The presence of coal particles in a soil sample will increase the organic carbon value — use care in interpreting results.



#### NOTES:

- The sand portion of the sand, loamy sand and sandy loam texture classes are described more specifically based on the dominant sand size class. For example: very coarse sand, loamy very fine sand and fine sandy loam.
- 2. The texture classes may be modified by adding suitable adjectives when coarse fragments occupy >20% of the soil volume. For volumes 20% to 50% use coarse fragment class name (p. 4) plus texture (e.g., gravelly sandy loam). For volumes >50% use additional adjective very (e.g., very gravelly sand).




Figure 7. Two texture triangles in common use — both presentations give the same result.

2.4.10 Soil pH is a measure of the reaction, or acidbase status of the soil. Reaction classes used by soil surveyors are shown in Table 5. Values are for pH of a soil-water mixture, and information users should always be aware of the method used to determine soil pH. Soil pH determined by a neutral salt (such as CaCl<sub>2</sub>) method will be approximately 0.5 units lower than a water method pH.

Most agricultural crops are negatively affected by soil pH of less than about 6 or greater than about 7.8.

Many tree and shrub species can easily tolerate low pH but are not so tolerant of high pH (refer to Fedhenheuer et al. 1987).

Table 5. Soil reaction classes, after the Canada Expert Committee on Soil Survey (1982).

Reaction Class	Water pH values
Extremely acid	<4.6
Very strongly acid	4.6-5.0
Strongly acid	5.1-5.5
Medium acid	5.6-6.0
Slightly acid	6.1-6.5
Neutral	6.6-7.3
Mildly alkaline	7.4-7.8
Moderately alkaline	7.9-8.4
Strongly alkaline	>8.4

**2.4.11 Electrical Conductivity (EC)** is a measure of soil salinity. The accepted SI unit for expressing EC of soils is deciSiemens per metre — dS/m (1dS/m = 1 mS/cm = 1000 uS/cm = 1mmho/cm). Classes of severity of soil salinity used by soil surveyors are shown in Table 6. The effect of salinity on plant growth is similar to a drought effect. Crops vary in their tolerance to salinity.

Table 6. Classification of severity of soil salinity (EC<sub>sat</sub> in dS/m) after the Canada Expert Committee on Soil Survey (1982).

Depth (cm)	Non	Weak	Moderate	Strong	Very Strong
0-60	<2	2 - 4	4 - 8	8 - 16	>16
60-120	<4	4 - 8	8 - 16	16 - 24	>24

Saline soils are sometimes called "alkali" which is often confused with alkaline - meaning a basic pH level. Soil salinity is a result of the presence of water-soluble salts. Salt-affected soils can be classified as being saline or saline-sodic.

**2.4.12 Sodium Adsorption Ratio (SAR)** is a measure of the amount of soluble sodium in the soil, and is therefore a measure of sodicity. Sodic levels for agricultural soils can be described as follows (author's opinion).

not sodic	problems in clay soils	problems in most soils	problems in all soils
SAR	10	15 2	10

Sodic soils tend to hold large amounts of water and make it unavailable to crops. They also have severe structural problems, with poor aggregation and large, dense clods. Sodic soils dry slowly after wetting, are very sticky when wet ("gumbo" soils), and are very hard when dry. Sodic soils (sodic but not saline) are sometimes called "black alkali", which is a confusing term.

2.4.13 Saturation percentage (Sat%) is a measure of how much water a soil holds when saturated, expressed as percentage of oven-dry weight of the soil. Values of less than 20% indicate very droughty soils, and values greater than 80% indicate high water retention. In both cases the ability of the soil to supply water to plants is outside the desirable range. Very high Sat% values (greater than 100%) may indicate a sodic soil.

## 3. <u>INTERPRETING SOIL SERIES FOR</u> RECLAMATION PLANNING

The practice of assigning land use interpretations to soil series has been established for many years. Interpretations have been developed for assigning tax assessment values to farmland; for rating land capability for agriculture (dryland and irrigated); for rating land capability for forestry; for planning recreational and park facilities; for urban planning; for engineering applications; and for various types of environmental impact assessment. Land use interpretations are based on consideration of all characteristics of a soil.—from landform to profile.

The lower half of each Interpretation Guidelines sheet in Part 2 of this manual presents the planning interpretations made for each soil series.

#### 3.1 Soil Quality Ratings for Reclamation

The soil quality ratings provide a subjective evaluation of the quality of each soil horizon for use as "growth medium" - or the suitability of the soil material for use as topsoil or subsoil. The rating is not done for the entire "soil-body" - it is done for each horizon independently. The ratings follow the guidelines contained in the "Soil Quality Criteria Relative to Disturbance and Reclamation" (1987 published by Alberta Agriculture. Tables A1 through A5, at the end of Part 1 present the rating guidelines for the plains, northern forest, and eastern slopes regions. Figure A1, following these tables, outlines the three land regions and indicates which rating guideline was applied to each soil correlation area. The different guidelines recognize the important differences in soils and land use in the three regions.

Caution is advised in using the quality ratings to compare soils. A different rating category (for example fair vs. poor) may be due to a very slight difference in one quality variable (pH 5.5 vs 5.4) or it may indicate a much more serious change (EC 2 vs 8). The reason for the rating and the magnitude of difference should always be checked.

#### 3.2 Soil Horizons and Soil Handling

Soils have naturally developed layers or horizons with differing properties. This horizontal segregation of properties and qualities in natural landscapes is a feature we try to replace in reconstructed soil landscapes. For example, when reclaiming agricultural soils we want to replace a good quality rootzone layer and a good quality seedbed layer if such layers existed before disturbance.




Figure 8. Soil profile terminology used by pedologists, reclamation planners, and construction operators.

It is important and necessary to define the terms used to name soil horizons and material handling layers. Terminology differs between pedologists, planners and construction crews; and between different industries. When terms such as topsoil, subsoil, surface layers, rootzone material, second lift, spoil and overburden are used, their meaning must be clearly understood. The terminology used: (1) by pedologists to name soil horizons, (2) by planners to name handling layers (which may aggregate some of the pedologist's horizons) and (3) by construction crews to name the

material lifts and stockpiles, is presented in Figure 9 in an attempt at standardization. Figure 9 presents typical soil profiles in the Plains, Northern Forest and Eastern Slopes Region.

The pedologist's profile and terminology follow the Canadian System of Soil Classification (Canada Expert Committee on Soil Survey 1987a). The other profiles and terminology have been developed for this manual.




Figure 9. Typical soil profiles in the Plains, Northern Forest, and Eastern Slopes Regions.

SPOIL

BEDROCK

Bedrock

- 3.2.1 Topsoil, Upper Layer and Rootzone Material. In the Plains Region the surface soil layer is usually either:
- an Ap horizon the plowed or cultivated layer, which is generally 10 to 30 cm thick, and may be a cultivated A, B, C or O horizon.
- an Ah or Ahe horizon the organic matterenriched "true topsoil" (including any turf or sod layer) which is usually 10 to 30 cm thick. The upper part or all of the layer may be cultivated.

These horizons meet established definitions of **Topsoil**.

In the **Northern Forest Region** the surface and near surface layers of a typical forest soil are:

- an L,F, or H horizon the leaf litter layer of forest soils, which is not topsoil but an organic layer of generally 5 to 15 cm thickness.
- An Ae horizon the gray, ashy, leached layer of soils developed under forests which is usually 10 to 20 cm thick.
- an AB horizon the layer of transition from the A to the B master horizons, which is usually 5 to 15 cm thick.

None of these horizons meets established definitions or concepts of "topsoil". The term **Upper Layer** is used to refer to a combination of any of the L-F-H, Ae, AB horizons.

Organic soils occur in all three regions but are most common in the Northern Forest Region. These soils have thick O horizons, which are peat materials in varying stages of decomposition. The upper 30 cm of peat is often considered to be the "more active" soil layer and it contains rhizomes and other viable plant material. The **Surface Peat Layer** (approximately 30 cm thick) is sometimes salvaged and replaced selectively. In the **Eastern Slopes Region** the thickness of the entire soil profile is treated as one material called **Rootzone Material**.

#### 3.2.2 Subsoil Layers. The Subsoil Layer may be:

- the B, BC and C soil horizons and the unconsolidated soil parent material (usually glacial drift) above bedrock.
- the B and BC horizons but not the C and deeper parent material.
- split into Upper Subsoil and Lower Subsoil layers due to an important change in soil properties that affects soil quality. The split may be at the bottom of the B or BC or may be within the C master horizon. Most soils do not have such strongly contrasting layers.

- **3.2.3 Bedrock and Softrock**. The Bedrock and Softrock Lavers may be:
- consolidated beds of sandstone, limestone, shale or other lithologies; referred to as **Bedrock** in the Alberta Soil Names File, and most common in the Eastern Slopes Region.
- unconsolidated (soft), sedimentary beds of mudstone, siltstone, sandstone referred to as Softrock in the Alberta Soil Names File, and common in the Plains Region and Northern Forest Region.

#### 3.3 Soil Handling Case Examples

The following case examples of soil handling are included to illustrate common practices. This is not a comprehensive listing of practices.

#### 3.3.1 Soil handling examples on cultivated land.


#### Case 1:

The thickness of the plow layer (or cultivated layer) equals or exceeds the total thickness of the Ah and Ahe horizons.

#### Practice

The topsoil lift thickness equals the thickness of the plow layer (the Ap horizon).

Chernozemic or Solonetzic Soil, Cultivated Land, Shallow Topsoll




#### Case 2:

The thickness of the plow layer is less than that of the Ah and Ahe horizons.

#### Practice

The topsoil lift thickness equals the thickness of the Ah and Ahe horizons.

Chernozemic Soll, Cultivated Land, Deep Topsoil




#### Case 3:

Cultivated Organic soils with a plow layer (cultivated layer).

#### Practice

The topsoil lift thickness exceeds the thickness of the actively cultivated layer by at least 5 cm. The excess removal is intended to ameliorate "shrinkage" during removal, storage, and replacement. A normal minimum removal thickness is 25 cm.

Organic Soil, Peatland, Cultivated




#### Case 4:

Cultivated forest (Luvisol) soil with the cultivated layer underlain by the remnant of the Ae-AB horizon.

#### Practice

The topsoil lift equals the cultivated layer (Ap) thickness. The light gray-colored Ae-AB layer serves as a marker for stripping depth.

Luvisolic Soil, Cultivated Land




#### 3.3.2 Soil handling examples on rangeland.

#### Case 1:

The soil has normal Chernozemic profile development with Ah (or Ahe), B, C horizon sequence.

#### Practice

The topsoil lift thickness equals the thickness of the Ah and Ahe horizons. When the thickness of the Ah and Ahe is less than 10 cm a common practice is to salvage a minimum of 10 cm, which includes the turf, the thin Ah and Ahe and part of the B horizon (this practice is often called overstripping).




#### Case 2:

The soil has Solonetzic profile development with a very thin Ah or Ahe or Ae horizon (often discontinuous) over a Bnt "hardpan" horizon.

#### Practice

The topsoil lift consists of the materials above the hardpan — which includes the turf, and the thin Ah or Ahe. In areas of "blowouts" (eroded pits without topsoil) there will be no material salvaged.



# 3.3.3 Soil handling example on peatlands (not cultivated).

#### Case 1:

Uncultivated Organic soils.

#### Practice

No topsoil lift is normally salvaged for disturbances such as pipelines, however the top 25 cm contains seeds and rhizomes of value for revegetation.


#### Peatlands Note 1:

Peat is a resource with considerable value as a soil conditioner and source of organic carbon. It is desirable for many surface disturbance operations to salvage the entire volume of peat available.

#### Peatlands Note 2:

Shallow "channel fens" often have large volumes of subsurface water flow through the peat. The flow is confined at fairly shallow depth by clays or other fairly impermeable material. Proper reclamation of these channel fen soils requires replacement of the peat layer to maintain water flow down the channel. Blocking the flow with backfilled clay or with ramping

fill will cause flooding upstream of the blockage (problem was demonstrated in the Spruce Grove area, 1990-91). No such problem exists in bowl bogs or other peatlands where there is no subsurface flow.




## 3.3.4 Soil handling example on forest land (not cultivated).

#### Case 1:

The soil has normal, Luvisolic profile development with L-F, Ae, AB, Bt horizons.

#### Practice

The topsoil lift thickness equals the average combined thickness of the L-F (litter or duff layer) and Ae horizons. The operator salvages a specified thickness (usually about 15 cm). An optimal (for best seedbed quality) practice would be to "overstrip" into the B horizon.



#### 3.4 Topsoil Interpretations

The topsoil interpretations provide information that is useful for planning topsoil salvage and replacement programs. These are interpretations of soil data, and are intended for information only. These are not regulations.

- **3.4.1 Typical Topsoil Thickness** (in centimetres) is the usual (median) thickness of topsoil for the soil series.
- **3.4.2 Topsoil Thickness Range** (in centimetres) is the normal range of topsoil thickness for the soil series. Values outside the normal range can be found.
- **3.4.3 Color Change to Subsoil** is described as visually obvious or not obvious to the observer. An obvious color change can be used to separate topsoil from subsoil by a machine operator. Where the color change is not obvious, closer inspection and depth specifications must be used.
- **3.4.4 Topsoil Stripping Limitations** recognize several soil characteristics such as wetness and shallow depth that can limit topsoil stripping operations. The most common limitations to stripping are described below.

none:	no operational limitation				
wetness:	water table is at or near the surface, and the wet soil conditions severely limit machine operations				
very thin topsoil:	large machinery may have difficulties working with small increments of soil (both in removal and replacement operations)				
very thick topsoil:	extra effort and storage space will be required to accommodate large quantities of topsoil				
stony or gravelly:	excessive stones or gravel in topsoil may hamper workability of the material				
discontinuous:	great variability in topsoil thickness over small areas means there will be areas with no topsoil present.				

This is a particular problem in Solonetzic soil areas with

numerous "blowouts".

#### 3.5 Wind Erosion Risk Ratings

Wind Erosion Risk is estimated by the method described by Coote and Pettapiece (1989), which was a refinement of the Chepil wind erosion index (E). The attributes that affect E include surface roughness and aggregation, soil resistance to movement, drag velocity of wind at the soil surface, soil moisture shear resistance, and available moisture of the surface soil. The values used for the roughness factor and the resistance to movement factor are shown in Table 7 for various surface textures. Development of the other factors is described in Coote and Pettapiece (1989). The resulting values of E (a dimensionless index) range from 0 to greater than 1000 for Alberta soils. Three classes were developed to represent the risk of wind erosion on bare, unprotected soils as follows:

L Low E = less than 250
M Moderate E = 250-400
H High E = greater than 400

Table 7. Values of K and C for wind erosion for various surface texture classes.

Surface Texture Class	Soil Roughness and Aggregation factor, <i>K</i>	Soil Resistance to Movement by Wind, C
Sand	1.0	0.00433
Loamy sand	0.75	0.00421
Fine sand	1.0	0.00433
Loamy fine sand	0.75	0.00321
Gravelly sand	0.7	0.00433
Sandy loam	0.6	0.00393
Fine sandy loam	0.5	0.00389
Gravelly sandy loam	0.45	0.00393
Loam	0.2	0.00357
Very fine sandy loam	0.4	0.00398
Silt loam	0.2	0.00361
Clay loam	0.18	0.00329
Silty clay loam	0.19	0.00309
Silty clay	0.5	0.00277
Clay	0.6	0.00245
Heavy clay	0.65	0.00197

#### 3.6 Water Erosion Risk Ratings

A modified Universal Soil Loss Equation (USLE) approach described by Tajek, Pettapiece and Toogood (1985) was used to derive the ratings of water erosion risk. The USLE method predicts long-term average

soil loss from a land area with specific cropping and management practices. The predicted loss is an average for an entire slope. The method cannot predict the amount of soil loss from a specific storm event — especially an extreme storm. The method does however, produce comparisons of the erodibility of different soil series. A detailed description of the USLE approach can be found in the United States Department of Agriculture Handbook 537. The Universal Soil Loss Equation is stated as

 $A = R \cdot K \cdot LS \cdot C \cdot P$ 

where:

A = annual average soil loss in T/ha.

R = The precipitation factor which includes rain and snow as modified by Tajek, Pettapiece and Toogood (1985). R values for Alberta range from 400 to 700 (Figure 10) with the East Slopes Region having the highest values. Areas with equal annual R values may differ in the contribution of snowmelt to total erosivity and in the distribution of rainstorms. The R factor is highly variable.




Figure 10. R factor map for Alberta (from Tajek, Pettapiece and Toogood 1985).

K = the inherent soil erodibility factor which relates to the susceptibility of soil to detachment and transportation. K values for individual soil series are assigned by use of the Wischmeier nomograph (Figure 11) to rate measured or estimated soil properties. K values for Alberta soils range from 0.007 for very sandy soils to 0.072 for soils with silty textured topsoil overlying impermeable subsoils. The overall erosivity potential of Alberta soils is moderate to high, with 30 percent of soils having K values greater than 0.05, and only 3 percent with values less than 0.02.

LS = the topographic factor which is based on length, steepness, and shape of the slopes. The LS factor is a ratio of sod loss per unit area to that from a standard plot. The LS factor for simple slopes must be modified for complex slopes common in Alberta using guidelines in USDA Handbook 537. As the length and steepness of slopes increase, soil loss increases dramatically and the effect of the K factor becomes critical (Figure 12). Not all soil-landscape areas experience soil loss. Soils in depressional areas experience net gain rather than loss.

LS values have been calculated for typical landforms in Alberta by Tajek, Pettapiece and Toogood (1985) as shown in Table 8. Combining the K factor for a soil series with the LS factor for the appropriate landform provides the K•LS portion of the USLE calculation for a soil landscape.

C = the cropping (crop residue) cover and management factor. It is actually the ratio of soil loss under a specific crop condition to the soil loss from continually fallowed land. For reclaimed soils the C value could vary greatly.

P = the support practices factor. It is the ratio of soil loss with specific support practices to the loss from a field with up-and-down-slope cultivation. Conservation practices such as contour tillage, mulching and terracing slow runoff of water and reduce soil transport. The P factor therefore accounts for the reduction in soil loss achieved by good soil reclamation support practices.

Long-term annual soil loss estimates are **not reported** (except for a few examples in Table 9 to illustrate the method) due to the extreme variability that results between years and between locations in a single farm field. Also the C and P factors cannot be predicted and should not be assumed. These decisions are based on results of recent research by R. Howitt, Alberta Research Council.

Long-term soil loss estimates in tonnes per ha are highly inaccurate and can be misleading. We have derived our risk ratings from the soil (K) factor and the landform-slope (LS) factors only (Figure 12).




Figure 11. Nomograph for assigning risk classes using the K and LS factors.




Figure 12. Soil erodibility (K) factor nomograph (modified to SI units by Foster et al. 1981).

Table 8. LS values associated with landforms in Alberta.

Landform*	Slope (%)	Length (m)	LS	
Undulating or terraced (Mu, Ft, Lu, Lv/Lu.)	0-5	30	0.4	
Level (LI, FI)	0-5	50	0.4	
Level to inclined (LI, Li)(Peace River)	0-5	200	0.6	
Hummocky or ridged (Mh, Mr)	5-9	30	0.8	
Rolling or inclined (Mm, Mi, Mb/Rm)	5-9	100	1.5	
Inclined (Mi, Li, Mv/Ri)	5-9	200	2.0	
Hummocky or ridged (Mh, Mr)	9-15	50	2.5	
Rolling or inclined (Mm, Mi)	9-15	100	3.5	
Steeper slopes (Mh, Mvb/Rm)	>15	30	5.0	

<sup>\*</sup>F = fluvial, L = lacustrine, M = morainal, R = rock

Table 9. Examples of predicted annual soil loss (A) for typical soil series/landform situations.

SCA	Soil Series/Landform/Slope	R	K	LS	С	P	Α	Class*
1	Cavendish / Fu / <5	400	0.020	0.4	0.75	1	2.4	VL
1	Chin / Fu / <5	400	0.040	0.4	0.75	1	4.8	VL
1	Maleb / Mh / 9-15	400	0.036	2.5	0.75	1	27.0	S
1	Seven Persons / LI / <5	400	0.025	0.4	0.75	1	3.0	VL
10	Mundare / Fu / <5	600	0.020	0.4	0.75	1	3.6	VL
10	Ponoka / Fu / <5	600	0.032	0.4	0.75	1	5.8	VL
10	Angus Ridge / Mm / 5-9	600	0.020	1.5	0.75	1	13.5	M
10	Malmo / Lu / <5	600	0.021	0.5	0.75	1	4.7	VL
10	Kavanagh / SRi / <5	600	0.040	0.6	0.75	1	10.8	L
11	Nakamun / Mm / 5-9	600	0.066	1.5	0.75	1	44.5	VS
11	Cooking Lake / Mh / 9-15	600	0.057	2.5	0.75	1	64.1	VS
13	Granada / SRr / 9-15	700	0.046	3.5	0.75	1	84.5	VS
17	Braeburn / Mm / 5-9	500	0.063	1.5	0.75	1	36.6	VS
18	Donnelly / Li / <5	500	0.066	0.6	0.75	1	14.8	M

<sup>\*</sup> VL = very low, L = low, M = moderate, S = severe, VS = very severe

b = blanket, h = hummocky, i = inclined, l = level, m = rolling, r = ridged, t = terraced, u = undulating, v = veneer

#### 3.7 Subsoil Interpretations

The subsoil interpretations identify materials or conditions which limit the use of the soil material for reclamation, or limit soil handling operations.

#### 3.7.1 High Watertable

All year: Watertable is at or near the surface

year round (fens or bogs and

Gleysols).

Spring: Watertable is at or near the surface

only during the spring i.e. low lying areas that gather spring runoff or

stream terraces.

- **3.7.2 Hard Bedrock** (consolidated) bedrock occurs within about 1.5 m of the surface that usually needs blasting and results in rock fragments.
- **3.7.3 Non-Sodic Softrock** includes weathered mudstone, sandstone or siltstone. This material can be ripped or bulldozed, and ranges from good to poor quality for reclamation.
- **3.7.4 Sodic Softrock** is weathered mudstone, sandstone or siltstone that has high sodium (and sometimes soluble salts) content. This material has severe structural problems, is very slowly permeable, dries very slowly and does not support growth of grasses, shrubs or trees if left at the surface.
- **3.7.5 Gravel**, very gravelly sands and cobbly materials require special material handling to prevent these materials from coming to the surface.
- **3.7.6 Excessively Stony Layers** require special material handling to prevent these materials from coming to the surface. Stone picking will usually be required.
- 3.7.7 Instability of an exposed face results in slumps and cave-ins. If the soil texture is sandy loam, loamy sand, sand or gravel, pit or trench walls may slump. Coarse textured soil with very friable to loose consistence lack cohesion properties which often result in unstable faces. Heavy clays, especially when wet, also tend to be unstable. All soils with a high watertable are unstable and exposed faces will fail.
- **3.7.8** Solonetzic B Horizon (Bnt or hardpan layers) are an undesirable soil material due to severe structural problems and often high sodium content.

- 3.7.9 Saline or Sodic Lower Subsoil layers are undesirable for plant growth due to high EC or SAR.
- 3.7.10 Important Texture Change indicates change to a less desirable texture at depth. The soil has a substantial change in texture from the upper subsoil to the lower subsoil. Examples are: sandy loam upper subsoil over clay lower subsoil; clay loam upper subsoil over sand lower subsoil. Increasing the sand content of the upper subsoil decreases the water-holding capacity and increases drought effects in dry areas. Increasing the clay content of the upper subsoil in areas where excess moisture is common results in poorer internal drainage and lack of aeration.

#### 4. REFERENCES

- Alberta Pipeline Environmental Steering Committee
  Three-Lift Task Force, 1991. Soil handling
  procedures for problem soils during pipeline
  construction, interim guidelines. Alberta Pipeline
  Environmental Steering Committee Report
  #APESC91.
- Alberta Soil Series Working Group, 1992. Alberta soil names generation 2 user's handbook. Alberta Research Council Publications
- Canada Expert Committee on Soil Survey, 1981. A soil mapping system for Canada: revised. Agriculture Canada Land Resource Research Institute, Contribution No. 142.
- Canada Expert Committee on Soil Survey, 1982. The CanSIS manual for describing soils in the field (revised). Agriculture Canada, Land Resources Research Institute Report LRRI No. 82-52.
- Canada Expert Committee on Soil Survey, 1987a.
  The Canadian system of soil classification.
  Second edition. Agriculture Canada Publication
  1646.
- Canada Expert Committee on Soil Survey, 1987b. Soil survey handbook, volume 1. Agriculture Canada Land Resource Research Centre Technical Bulletin, 1987-9E.
- Coote, D.R. and W.W. Pettapiece, 1989. Wind erosion risk, Alberta. Agriculture Canada Publication 5255/B.
- Coen, G.M. 1983. Soil Surveys and What They Mean. 20th Alberta Soil Science Workshop, p. 50-58.

- Deloitte and Touche (ed.), 1990. Proceedings of the industry/government three-lift soils handling workshop, Alberta Land Conservation and Reclamation Council Report No. RRTAC 90-6.
- Fedkenheuer, A.W., L.J. Knapik and D.G. Walker, 1987. Minesoil and landscape reclamation of the coal mines in Alberta's mountains and foothills. Alberta Land Conservation and Reclamation Council and Coal Association of Canada, Report No. RRTAC 87-2.
- Foster, G.R., D.K. McCool, K.G. Ronard, and W.C. Moldenhauer, 1981. Conversion of the USLE to SI metric units. Journal of Soil and Water Conservation. 36: 355-354.
- Green, J., T. VanEgmond, C. Wylie, I. Jones, L. Knapik and L. Paterson, 1992. A user guide to pit and quarry reclamation in Alberta. Alberta Land Conservation and Reclamation Council, Reclamation Research Technical Advisory Committee. Report No. RRTAC 91-3.
- Hardy BBT Limited, 1989. Manual of plant species suitability for reclamation in Alberta. 2nd edition. Alberta Land Conservation and Reclamation Council Report No. RRTAC 89-4.

- Nelson, D.W. and L.E. Sommers, 1982. Total carbon, organic carbon and organic matter. In. Methods of Soil Analysis, Part 2 Chemical and Microbiological Properties, 2nd Edition, American Soc. of Agronomy No. 9, Part 2.
- Soil Quality Criteria Working Group, 1987. Soil quality criteria relative to disturbance and reclamation (revised). Alberta Soils Advisory Committee, Alberta Agriculture.
- Tajek, J., W.W. Pettapiece and K.E. Toogood, 1985. Water erosion potential of soils in Alberta: Estimates using a modified USLE. Agriculture Canada Tech. Bull. No. 1985-29.
- United States Department of Agriculture, 1978.
  Predicting rainfall erosion losses. USDA
  Handbook 537. USDA, Washington.
- Vogel, W.G., 1987. A manual for training reclamation inspectors in the fundamentals of soils and revegetation Soil and Water Conservation Society, Ankeny, Iowa.

# APPENDIX A. RATING TABLES AND LAND REGIONS OF ALBERTA

Table A1. Criteria for Evaluating Suitability of Topsoil Material for Revegetation in the Plains Region.

Rating/Property	Good (G)	Fair (F)	Poor (P)	Unsuitable (U)
Reaction (pH)	6.5-7.5	5.5-6.4 & 7.6-8.4	4.5-5.4 & 8.5-9.0	<4.5 and >9.0
Salinity (E.C.) (dS/m)	<2	2-4	4-8	>8
Sodicity (SAR)	<4	4-8	8-12	>12 <sup>1</sup>
Saturation (%)	30-60	20-30, 60-80	15-20, 80-120	<15 and >120
Stoniness Class	S0, S1	S2	S3, S4	<b>S</b> 5
Texture	FSL, VFSL, L, SL, SiL	CL, SCL SiCL	LS, SiC, C <sup>2</sup> , S, HC <sup>3</sup>	
Moist Consistence	Very friable Friable	Loose	Firm, Very firm	Extremely firm
Organic Carbon (%)	>2	1-2	<1	
CaCO <sub>3</sub> Equivalent (%)	<2	2-20	20-70	>70

Materials characterized by a SAR of 12 to 20 may be rated as Poor if texture is sandy loam or coarser and saturation % is less than 100.

<sup>&</sup>lt;sup>2</sup> C - may be upgraded to Fair or Good in some arid areas.

HC - may be upgraded to Fair or Good in some arid areas.

Table A2. Criteria for Evaluating Suitability of Subsoil Material for Revegetation in the Plains Region.

Rating/Property	Good (G)	Fair (F)	Poor (P)	Unsuitable (U)
Reaction (pH)	6.5-7.5	5.5-6.4 & 7.6-8.5	4.5-5.4 & 8.6-9.0	<4.5 and >9.0
Salinity (EC) (dS/m)	<3	3-5	5-10	>10
Sodicity (SAR)	<4	4-8	8-12	>12 <sup>1</sup>
Saturation (%)	30-60	20-30 60-80	15-20, 80-120	<15 and >120
Stone Content (% Volume)	<3	3-25	25-50	>50
Texture	FSL, VFSL, L, SiL, SL	CL, SCL, SiCL	S, LS, SiC, C, HC	Bedrock
Moist Consistence	Very friable Friable	Loose, Firm	Very firm	Extremely firm
Gypsum				d by the presence of high ess of other soluble salts.
CaCO <sub>3</sub> Equivalent (%)	ieveis of ettrief liffle	cacc <sub>3</sub> , or gyp		ess of other soluble saits.

Materials characterized by an SAR of 12 to 20 may be rated as Poor if texture is sandy loam or coarser and saturation % is less than 100.

Table A3. Criteria for Evaluating Suitability of Surface Material (upper lift) for Revegetation in the Northern Forest Region

Rating/Property	Good (G)	Fair (F)	Poor (P)	Unsuitable (U)
Reaction (pH) <sup>1</sup>	5.0-6.5	4.0-5.0 & 6.5-7.5	3.5-4.0 & 7.5-9.0	<3.5 and >9.0
Salinity (EC) <sup>2</sup> (dS/m)	<2	2-4	4-8	>8
Sodicity (SAR) <sup>2</sup>	<4	4-8	8-12	>12 <sup>3</sup>
Saturation (%) <sup>2</sup>	30-60	20-30 60-80	15-20, 80-120	<15 and >120
Stone/Rockiness Area <sup>4</sup> (% Area)	<30/<20	30-50/20-40	50-80/40-70	>80/>70
Texture	FSL, VFSL, L, SiL, SL	CL, SCL, SiCL	LS, SiC, C, HC, S	Bedrock
Moist Consistence	Very friable Friable	Loose, Firm	Very firm	Extremely firm
CaCO <sub>3</sub> Equivalent (%)	<2	2-20	20-70	>70

pH values presented are most appropriate for trees, primarily conifers. Where reclamation objective is for other end land uses, such as erosion control, and where other plant species may be more important, refer to Table A1.

<sup>&</sup>lt;sup>2</sup> Limits may vary depending on plant species to be used.

Materials characterized by a SAR of 12-20 may be rated as **poor** if texture is sandy loam or coarser and saturation % is less than 100.

<sup>4 &</sup>lt;25 cm diameter stones/rocks intercepting surface.</p>

Table A4. Criteria for Evaluating Suitability of Subsurface Material (lower lift) for Revegetation in the Northern Forest Region

Rating/Property	Good (G)	Fair (F)	Poor (P)	Unsuitable (U)
Reaction (pH) <sup>1</sup>	5.0-7.0 <sup>2</sup>	4.0-5.0 & 7.0-8.0 <sup>2</sup>	3.5-4.0& 8.0-9.0	<3.5 and >9.0
Salinity (EC) <sup>3</sup> (dS/m)	<3	3-5	5-8	>8
Sodicity (SAR) <sup>2</sup>	<4	4-8	8-12	>124
Saturation (%) <sup>2</sup>	30-60	20-30 60-80	15-20, 80-120	<15 and >120
Coarse Fragments (% Vol)	<30 <sup>5</sup> <15 <sup>6</sup>	30-50 <sup>5</sup> 15-30 <sup>6</sup>	50-70 <sup>5</sup> 30-50 <sup>6</sup>	>70 <sup>5</sup> >50 <sup>6</sup>
Texture	FSL, VFSL, L, SiL, SL	CL, SiC, SiCL	S,LS,S, C, HC	Bedrock
Moist Consistence	Very friable Friable Firm	Loose, Very Firm	Extremely firm	Hard rock
CaCO <sub>3</sub> Equivalent (%)	<5	5-20	20-70	>70

pH values presented are most appropriate for trees, primarily conifers. Where reclamation objective is for other end land uses, such as erosion control, and where other plant species may be more important, refer to Table A1.

Higher value takes into consideration that in the lower lift the pH values of the soils are generally higher. Normally the pH rating should not be different from those shown in Tables 9 and 11.

<sup>&</sup>lt;sup>3</sup> Limit may vary depending on plant species to be used.

Materials characterized by a SAR of 12-20 may be rated as **poor** if texture is sandy loam or coarser and saturation % is less than 100.

<sup>&</sup>lt;sup>5</sup> Matrix texture (modal) finer than sandy loam

<sup>&</sup>lt;sup>6</sup> Matrix texture (modal) sandy loam and coarser.

Table A5. Criteria for Evaluating Suitability of Root Zone Material in the Eastern Slopes Region.

Rating/Property	Good (G)	Fair (F)	Poor (P)	Unsuitable (U)
Reaction (pH) <sup>1</sup>	5.0-6.5	4:0-5.0 & 6.5-7.5 <sup>2</sup>	3.5-4.0& 7.5-9.0	<3.5 and >9.0
Salinity (EC) <sup>2</sup> (dS/m)	<2	2-4	4-8	>8
Sodicity (SAR) <sup>2</sup>	<4	4-8	8-12	>12 <sup>3</sup>
Saturation (%) <sup>2</sup>	20-30	30-60 60-80	15-20, 80-100	<15 and >100
Coarse Fragments (% Vol)	<30 <sup>5</sup> <15 <sup>6</sup>	30-50 <sup>5</sup> 15-30 <sup>6</sup>	50-70 <sup>5</sup> 30-50 <sup>6</sup>	>70 <sup>5</sup> >50 <sup>6</sup>
Texture	L, SiCL, SCL, SL, FSL	CL, SiL, VFSL, SC SiC,	LS, S Si, C, HC	Consolidated Bedrock
Moist Consistence	Very friable Friable Firm	Loose, Firm	Very firm	Extremely firm
CaCO <sub>3</sub> Equivalent (%)	<2	2-20	20-70	>70

pH values presented are most appropriate for trees, primarily conifers. Where reclamation objective is for other end land uses, such as erosion control, and where other plant species may be more important, refer to Table A1.

<sup>&</sup>lt;sup>2</sup> Limit may vary depending on plant species to be used.

Materials characterized by SAR of 12-20 may be rated as **poor** if texture is sandy loam or coarser and saturation % is less than 100.

<sup>4 0.2-2.5</sup> cm diameter fragments in the soil material.

<sup>&</sup>lt;sup>5</sup> Matrix texture (modal) finer than sandy loam

<sup>&</sup>lt;sup>6</sup> Matrix texture (modal) sandy loam and coarser.




Figure A1. Land Regions of Alberta.

# **PART II**

# SOIL SERIES INFORMATION AND INTERPRETATIONS ORDERED BY SOIL CORRELATION AREA

#### 1. INTRODUCTION

Part 2 of this manual presents typical data and interpretations for most soil series in Alberta. The interpretations were made by applying the guidelines presented in Part I, and checking the results against experience and established practices.

#### 1.1 Background to the Generation 2 Alberta Soil Names File

In 1992, the Alberta Soil Series Working Group revised and updated the Soil Names File in Alberta. The Province was divided into 24 Soil Correlation Areas (SCA's) based on climate and soil type. Figures 1 to 5 outline the area occupied by each SCA. As a result of these revisions, each SCA has its own set of soil names to be used in future mapping and interpretations. The SCA's and soil names used in Part II correspond to the Alberta Soil Names Generation 2 Users' Handbook, March 1993 version.

Note: "Home SCA", used in the Interpretation Guidelines, refers to the SCA where a particular soil name originated.




Figure 1. Soil Correlation Area 1 to 6, 9 and 16.




Figure 2. Soil Correlation Area 7, 10 to 12 and 21.




Figure 3. Soil Correlation Area 13 and 14.




Figure 4. Soil Correlation Area 17, 18 and 22.




Figure 5. Soil Correlation Area 19, 20, 23 and 24.

Soil Name

BEAZER

BEAZER-CA

**BEAZER-SA** 

**BEAZER-TA** 

BELLEVUE

**BELLOY-GR** 

BELLOY

BEDDINGTON

**BEAVERHILLS** 

**BEAVERHILLS-CR** 

**BEAVERHILLS-ER** 

BEAVERHILLS-SA

**BEAVERHILLS-SC** 

Code

BVH

crBVH

erBVH

saBVH

scBVH

caBZR

saBZR

taBZR

BED

BFV

BLY

arBLY

BZR

SCA

10

10

10

10

10

5

5

5

5

6

16

18

18

#### 1.2 List of Soils Included in Part II

Not every soil in the Generation 2 Alberta Names File occurs in this report although a great effort was made to collect data for all soils. The information came largely from Alberta soil survey reports and from development and reclamation plans of numerous pipelines. Some of the data collected were extrapolated for use with other similar soils. However, there remain numerous soils for which no characterization exists. Other information was omitted because of its relevance (SCA 15 - Rocky Mountains), and complicated nature (SCA 16). A large number of AA variant soils were left out from SCA 17 because of similarity to those in SCA 18.

ommanty to those in control			BELLOY-GRXC	grxcBLY	18
Soil Name	Code	SCA	BELLOY-ST	stBLY	18
3311 1141113	-		BELLOY-STXC	stxcBLY	18
ACADEMY	ADY	6	BELLOY-XC	xcBLY	18
ACADEMY-GL	gIADY	6	BELLSHILL	BEL	7
ACADEMY-SA	saADY	6	BENALTO	BEN	11
ALBRIGHT	AGH	17	BENALTO-ST	stBEN	11
ALBRIGHT-AA	aaAGH	18	BENALTO-XS	xsBEN	11
ALCAN	ALC	17	BERLAND	BER	14
ALGAR	ALG	20	BERWYN	BWY	18
ALGAR-XT	xtALG	20	BICKERDIKE	BCR	14
ALTARIO	ALT	4	BICKERDIKE-AA	aaBCR	13
ALTARIO-SC	scALT	4	BIGKNIFE	BKF	4
AMBER VALLEY	ARV	21	BIGKNIFE-AA	aaBKF	7
AMISK	AMK	21	BIGORAY	BGY	13
AMITY	AMT	7	BINGVILLE	BVL	1
ANGUS RIDGE	AGS	10	BINGVILLE-GR	grBVL	1
ANGUS RIDGE-ER	erAGS	10	BINGVILLE-SA	saBVL	1
ANGUS RIDGE-GL	gIAGS	10	BINGVILLE-XP	xpBVL	•1
ANGUS RIDGE-SA	saAGS	10	BINGVILLE-ZR	zrBVL	1
ANGUS RIDGE-SC	scAGS	10	BIRDSEYE	BDY	16
ANGUS RIDGE-ST	stAGS	10	BIRDSEYE-GR	grBDY	16
ANSELL	ASL	13	BIRKLAND	BLA	21
ANSELL-AA	aaASL	14	BITUMOUNT	BMT	20
ANSELL-AAST	aastASL	14	BLACKFOOT	BFT	5
ANSELL-ST	stASL	13	BLACKFOOT-ZR	zrBFT	5
ANTELOPE	ATP	1	BLAINE LAKE	BLL	7
ANTLER	ATL	9	BLOOMSBURY	BLB	11
		9			
ANTLER-GL	gIATL	9	BLUE RIDGE	BLR	13
ANTLER-XP	xpATL	-	BONNIE	BNN	12
ANTON	ATO	11	BONNIE-AA	aaBNN	21
ANTONIO	ANO	1	BOSCOMBE	BOB	11
ARMENA	ARM	10	BOUNDARY	BUD	17
ARROWWOOD	AWD	3	BOW VALLEY	BOV	6
ATHABASCA	ABC	21	BOW VALLEY-AA	aaBOV	9
BALZAC-AA	aaBZC	6	BOW VALLEY-ZR	zrBOV	6
BARIL	BIL	14	BOYER	BYR	22
BAWLF	BWF	10	BRAEBURN	BBN	17
BAWLF-XT	xtBWF	10	BRAEBURN-AA	aaBBN	18
BEARBERRY	BAB	13	BRAEBURN-ST	stBBN	17
BEARSPAW	BPW	9	BRAGG CREEK	BRG	16
BEATTON	BAT	18	BREMAY	BMY	13
BEAUVAIS	BVA	8	BREMAY-PT	ptBMY	13
BEAUVAIS-GR	grBVA	8	BRETON	BTN	11

Soil Name	Code	SCA	Soil Name	Code	SCA
Jon Hume	0000			Couc	OUA
BRETON-ST	stBTN	11	CODESA-GR	grCOS	18
BRETON-XP	xpBTN	11	CODESA-ST	stCOS	18
BRETON-XP	xpBTN	11	CODNER	COD	13
BRIGHTBANK	BRK	11	CODNER-PT	ptCOD	13
BROCKET	BKE	3	COLUMBINE	CMB	12
BROCKET-SA	saBKE	3	CONNOP	CON	16
BRONCO	BOC	18	COOKING LAKE	COA	11
BROSSEAU	BSU	11	COOKING LAKE-ER	erCOA	11
BROSSEAU-CRZR	crzrBSU	11	COOKING LAKE-ST	stCOA	11
BROSSEAU-ER	erBSU	11	COPTON-AA	aaCOP	14
BROWNFIELD	BFD	4	CORDEL	COR	7
BROWNFIELD-ER	erBFD	4	CORONATION	CNN	4
BUCK LAKE	BLK	13	COWLEY	CWY	5
BUCK LAKE-ST	stBLK	13	COWLEY-SA	saCWY	5
BULLPOUND	BLP	1	COWLEY-ZR	zrCWY	5
BULLPOUND-SA	saBLP	1	CRADDUCK	CRD	3
BUNTON	BUT	1	CRADDUCK-SA	saCRD	3
BURMIS	BUR	8	CRADDUCK-ST	stCRD	3
BURMIS-ZZ	zzBUR	8	CRANFORD	CFD	1
CADOMIN-AA	aaCDM	14	CRANFORD-SC	scCFD	1
CADOTTE	CTE	22	CROOKED CREEK	CCR	16
CADOTTE-AA	aaCTE	18	CROWFOOT	CFT	3
CAMP LAKE	CPL	7	CROWFOOT-CA	caCFT	3
CAMP LAKE-XT	xtCPL	7	CUCUMBER	CCB	10
CAMROSE	СМО	10	CULP-ST	stCUL	18
CAMROSE-GL	glCMO	10	CYGNET	CYG	9
CAMROSE-GLXP	glxpCMO	10	DAKEN	DKN	11
CAMROSE-SA	saCMO	10	DAKEN-PT	ptDKN	11
CAMROSE-ST	stCMO	10	DALEHURST	DAU	14
CARDINAL	CRN	18	DALEHURST-AA	aaDAU	13
CARDSTON	CTN	5	DAYSLAND	DYD	7
CARDSTON-SA	saCTN	5	DAYSLAND-GL	glDYD	7
CARDSTON-ZT	ztCTN	5	DEBOLT	DBO	18
CAROLINE CARVEL	CAR CVL	13 11	DEERLICK	DEK	14
CARWAY	CRW	8	DEERLICK-XT	xtDEK	14 13
CAVENDISH	CVD	1	DEKALTA DEL BONITA	DKT DLB	5
CAVENDISH-CRSA	crsaCVD	1	DELACOUR	DEL	6
CAVENDISH-SC	scCVD	1	DELACOUR-GL	gIDEL	6
CECIL	CCL	1	DEMAY	DMY	10
CECIL-ST	stCCL	i	DEMAY-CRSA	crsaDMY	10
CHATWIN	CTW	12	DEMMITT	DMT	17
CHILD LAKE	CHL	22	DESJARLAIS	DSJ	10
CHILD LAKE-PT	ptCHL	22	DESJARLAIS-AA	aaDSJ	7
CHIN	CHN	1	DESJARLAIS-ZR	zrDSJ	10
CHIN-SA	saCHN	1	DEVON	DEV	11
CHIN-SC	scCHN	1	DEVON-XC	xcDEV	11
CHINZ	CHZ	1	DEVON-YC	ycDEV	11
CHIP LAKE	CLK	13	DIAMOND	DIM	3
CHOKIO	CIO	3	DIDSBURY	DDY	9
CLARINDA-ST	stCLR	1	DIRLETON	DRN	12
COALDALE	CLD	3	DIRLETON-GL	gIDRN	12
COALDALE-CA	caCLD	3	DISHPAN	DHP	1
COALDALE-SA	saCLD	3	DIXONVILLE	DXV	18
COALSPUR COALSPUR-ST	CSP	14	DIXONVILLE	DXV	18
CODESA	stCSP COS	14 18	DNISTER DOIG	DNT	11 18
- CDLON	000	10	DOIG	DIG	10

Soil Name	Code	SCA	Soil Name	Code	SCA
HANALTA-ZR	zrHAN	4	HUGHENDEN	HND	4
HANLAN	HNL	14	HUGHENDEN-SC	scHND	4
HANLAN-AA	aaHNL	13	HUGHENDEN-ST	stHND	4
HANLAN-AAST	aastHNL	13	HUGHENDEN-XP	xpHND	4
HANLAN-ST	stHNL	14	HYTHE	HYH	18
HAPPY VALLEY	HPV	6	IDAMAY	IMY	3
HARDISTY	HSY	14	INDUS	IND	6
HARDISTY-ST	stHSY	14	IRMA	IRM	7
HARGWEN	HGW	14	IRMA-CR	crIRM	7
HARGWEN-AA	aaHGW	13	IRMA-GL	glIRM	7
HARMATTON	HAR	9	IRMA-SCXT	scxtIRM	7
HARMATTON-CR	crHAR	9	ISLANDS	INS	1
HARMATTON-PT	ptHAR	9	ISLANDS-SA	salNS	1
HATTONFORD	HAT	13	JAMES RIVER	JMR	13
HATTONFORD-ST	stHAT	13	JAMES RIVER-XS	xsJMR	13
HAZELMERE	HZM	17	JAMES RIVER-XT	xtJMR	13
HAZELMERE-AA	aaHZM	18	JARVIE	JVE	11
HEART	HRT	18	JARVIE-PT	ptJVE	11
HEARTBREAK	HRK	2	JARVIS	JRV	13
HEARTBREAK-AA	aaHRK	3	JARVIS-AA	aaJRV	14
HEARTBREAK-ZR	zrHRK	2	JEFFREY	JFF	10
HEGSON	HEG	2	JOANTO	JAT	5
HEISLER	HER	7	JOSEPHINE	JOP	18
HELDAR	HDR	11	JOSEPHINE-AA	aaJOP	20
HELEN	HEN	18	JOSLYN	JSN	20
HELEN-AA	aaHEN	22	JOSLYN-GLZS	glzsJSN	20
HELLIWELL	HLW	11	JUDAH	JUH	18
HELLIWELL-GL	gIHLW	11	JUDY	JUY	13
HELLIWELL-XC	xcHLW	11	KARLSBAD	KBD	1
HELLIWELL-XT	xtHLW	11	KARLSBAD-ER	erKBD	i
HELMSDALE	HMS	1	KARLSBAD-SA	saKBD	1
HELMSDALE-ST	stHMS	1	KATHLEEN	KTH	18
HEMARUKA	HUK	1	KAVANAGH	KVG	10
HEMARUKA-ER	erHUK	1	KAWOOD	KWO	11
HEMARUKA-ST	stHUK	1	KEEPHILLS	KHS	11
HEMARUKA-XP	xpHUK	1	KEG	KEG	22
HERCULES	HRL	10	KEG-PT	ptKEG	22
HIGH LEVEL	HLL	22	KEHIWIN	KHW	12
HIGH PRAIRIE	HPE	18	KEHOL	KHO	3
HIGHTOWER	HTW	14	KEHOL-ER	erKHO	3
HIGHTOWER-AA	aaHTW	13	KENZIE	KNZ	18
HIGHVALE	HGV	11	KENZIE-XC	xcKNZ	18
HILLBURN	HBR	17	KEOMA	KEO	6
HILLMER	HLM	5	KERENSKY	KSY	11
HOADLEY	HOD	11	KERENSKY-PTXC	ptxcKSY	11
HOADLEY-YP	ypHOD	11	KERENSKY-XT	xtKSY	11
HOADLEY-ZB	zbHOD	11	KESSLER	KSR	3
HOBBEMA	HBM	10	KILLAM	KLM	7
HOBBEMA-SA	saHBM	10	KILLAM-GL	glKLM	7
HOBBEMA-SC	scHBM	10	KINOSIS	KNS	20
HORBURG	HBG	13	KINOSIS-GL	gIKNS	20
HORNBECK	HBK	14	KINSELLA	KNA	7
HORSE RIVER	HRR	20	KIRRIEMUIR	KUR	4
HOTCHKISS	HKS	22	KIRRIEMUIR-ST	stKUR	4
HUBALTA	HUB	13	KITSIM	KTM	1
HUBALTA-ST	stHUB	13	KNIGHT	KNT	5
HUBALTA-XP	xpHUB	13	KNIGHT-CO	coKNT	5

Soil Name	Code	SCA	Soil Name	Code	SCA
KNIGHT-ZR LA COREY LANDRY LANDRY-XT LANFINE LANFINE-ST LANONNE LAWRENCE LEIGHTON CENTRE LEIGHTON CENTRE-GR LEITH LEITH-ER LEITH-ER LEITH-ER LEITHBRIDGE LETHBRIDGE-SC LEVI LILLIAN LINTON LAKE LIVOCK-XC LIZA LLOYD LAKE-GL LLOYD LAKE-GL LLOYD LAKE-GLSA LOBLEY LODGE LOUGHEED LUNDBRECK LUPEN MACKAY MACKAY-PT MACOLA MACOLA-XT MALEB MALEB-ST MALEB-ST MALEB-XP MALMO MALOY MANATOKAN MAPOVA-PT MARSH HEAD MASINASIN-SA MASINASIN-SA MASINASIN-SA MASINASIN-SA	ZrKNT LCY LAD xtLAD LFE stLFE LNN LRC LTC grLTC LIH erLIH LHD LDM LET scLET LEV LLN LKE xcLVK LIZ LLK gllLK glsaLLK LOB LOG LNB LDG LNB LUP MKY ptMKY MLA XtMLA MAB stMAB xpMAB MMO MLY MNT MPV aaMPV ptMPV MSH MSN saMSN stMSN	5 12 18 18 4 4 11 22 16 16 18 18 4 13 3 14 20 22 20 21 9 9 9 13 13 7 8 2 13 13 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1	Soil Name  MCMURRAY MCMURRAY-GL MCNAB MCNAB-AA MCPHERSON MCPHERSON-AA MCPHERSON-ST MEANDER MENAIK MENAIK-PT MENAIK-SA MERCOAL MESA BUTTE METISKO METISKO-SC MEWASSIN MICHICHI MICO MICO-GL MIKKWA MIKKWA-AA MILDRED MILK RIVER MILLET MINISTIK MINISTIK-XP MISSAWAWI MODESTE MOOSE HILLS MORINVILLE-GL MORNINGSIDE MOUNTAIN CREEK MUNDARE MURDALE MURDALE MURDALE-AA NAKAMUN NAMEPI NAMPA NAVARRE-SC NAVARRE	Code  MMY gIMMY MCN aaMCN MPH aaMPH aastMPH stMPH MER MAK ptMAK saMAK MCL MSB MET scMET MEW MIC MCO gIMCO MKW aaMKW MIL MKR aaMKR MLT MNK XPMNK MUL MKR aaMKR MLT MNK XPMNK MUL MKR aaMKR MLT MNK XPMNK MUL MKR AAMUD NKU MDE MHL MVL SIMVL MGS MCK MDR MUD AAMUD NKU NMP NMA NVR SaNVR ScNVR ScNVR ScNVR SCNVR SCNVR SCNVR NUT	SCA  20 20 1 3 14 13 14 20 10 10 10 14 16 4 4 11 11 18 20 20 1 3 10 11 11 11 21 11 10 10 9 17 10 17 18 11 10 10 10 10 10 10 10 10 10 10 10 10
MAPOVA-AA MAPOVA-PT MARSH HEAD	aaMPV ptMPV MSH	11 12 13	NAMPA NAVARRE NAVARRE-SA	NMA NVR saNVR	18 10 10
MASINASIN-GR MASINASIN-SA	grMSN saMSN	1	NAVARRE-SCXT NAVARRE-XT	scxtNVR xtNVR	10 10 4 4
MAYCROFT MAYCROFT-GLZR MAYCROFT-ZR MAYWOOD MCDOUGALL	MFT glzrMFT zrMFT MYW MDL	8 8 8 11	NEW DAYTON NEW DAYTON-AA NEWBROOK NEWBROOK-PT NICOT	NED aaNED NWB ptNWB NIT	3 2 21 21 12
MCGILLVARY MCGILLVARY-ZZ MCLELLAND MCLELLAND-XC	MGV zzMGV MLD xcMLD	16 16 20 20	NIOBE NORMA NORTH FORK NOSE CREEK	NIB NRM NFK NSK	9 10 5 9

		•	41		
Soil Name	Code	SCA	Soil Name	Code	SCA
NOSE CREEK-AA	aaNSK	6	PLAMONDON-XT	xtPLM	12
NOSE CREEK-SA	saNSK	9	PONOKA	POK	10
NOSEHILL	NHL	14	PONOKA-SC	scPOK	10
NOSEHILL-AA	aaNHL	13	PONOKA-SCXT	scxtPOK	10
NOSEHILL-AAST	aastNHL	13	PONOKA-XC	xcPOK	10
NOSEHILL-ST	stNHL	14	POTHOLE CREEK	POT	8
NOTIKEWIN	NKW	18	POTHOLE CREEK-AA	aaPOT	16
OCHIESE	OHS	14	PRAIRIE POINT	PPT	22
OCHIESE-AA	aaOHS	13	PRIMULA	PRM	11
OCHIESE-ST	stOHS	14	PURESCAPE	PUR	2
OCKEY	OKY	5	PURPLE SPRINGS	PLS	1
OCKEY-AA	aaOKY	8	PUTZY	PZY	15
OCKEY-GR	grOKY	5	PUTZY-GL	glPZY	15
OCKEY-ZR	zrOKY	5	RAINIER	ŘIR	1
OLDMAN	ODM	5	RAMILLIES	RAM	1
ONNEVUE	OVE	4	RAT	RAT	13
ONOWAY	ONW	11	RAVEN	RVN	11
ONOWAY-PT	ptONW	11	RAVEN-PT	ptRVN	11
ORCHARD-AA	aaORC	13	RED DEER LAKE	RDL	8
OUTPOST	OTP	8	REDWATER	RDW	11
OUTPOST-CAZR	cazrOTP	8	REDWATER-CAXT	caxtRDW	11
OWENDALE	OWD	5	REDWATER-ER	erRDW	11
OWL RIVER	OWR	21	REDWATER-SA	saRDW	11
OWL RIVER-XT	xtOWR	21	REDWATER-XT	xtRDW	11
OXLEY	OXY	5	REDWILLOW	RED	7
PARMA	PMA	22	RIBSTONE	RIB	4
PARR	PAR	3	RICH LAKE	RLK	11
PASS CREEK	PCR	13	RIMBEY	RMY	11
PATHFINDER	PHF	11	RIMBEY-CA	caRMY	11
PATRICIA	PTA	1	RIMBEY-GL	glRMY	11
PATRICIA-ER	erPTA	1	RIMBEY-GLXT	glxtRMY	11
PATRICIA-SA	saPTA	1	RIMBEY-XC	xcRMY	11
PEACE HILLS	PHS	10	RIMBEY-XT	xtRMY	11
PEACE HILLS-GLXC	glxcPHS	10	RINARD	RND	5
PEACE RIVER	PRV	18	RINARD-CA	caRND	5
PEACE RIVER-AA PEDLEY	aaPRV PDY	22 13	ROBINSON ROBINSON-AA	RSN aaRSN	16 8
PEERS	PRS	13	ROCHESTER	RCS	11
PEGASUS	PGS	13	ROCHESTER-PT	ptRCS	11
PEMUKAN	PUN	1	ROCKFORD	RFD	5
PEMUKAN-SC	scPUN	i	ROCKYVIEW	RKV	6
PENHOLD	PED	9	ROLLING HILLS	RHS	1
PENHOLD-GL	gIPED	9	ROLLING HILLS-SA	saRHS	1
PENHOLD-XC	xcPED	9	ROLLY VIEW	RLV	11
PENHOLD-XS	xsPED	9	RONALAINE	ROL	1
PENHOLD-XT	xtPED	9	RONALAINE-ST	stROL	1
PEORIA	PER	18	ROSEBANK	ROS	7
PEPPERS	PPS	14	ROSEMARY	RMR	1
PEPPERS-AA	aaPPS	13	ROSEMARY-ER	erRMR	1
PERCOTTE	PCO	13	ROSEMARY-SA	saRMR	1
PIBROCH	PIB	10	ROSEVEAR	RSV	13
PIBROCH-XP	xpPIB	10	RUTH LAKE	RUT	20
PINCHER	PNR	5	RYCROFT	RYF	18
PINEHURST	PIN	21	SADDLE	SAD	18
PINTO AA	PTO	14	SAKALO	SAK	5
PINTO-AA PLAMONDON	aaPTO PLM	13 12	SARCEE SAVAGE-PT	SRC	8 22
LAMONDON	FLIVI	12	SAVAGE-F1	ptSVG	22

Soil Name	Code	SCA	Soil Name	Code	SCA
SCOLLARD SEDGEWICK SEDGEWICK-GL SEVEN PERSONS SEVEN PERSONS-SA SEVEN PERSONS-ZR SEXSMITH SEXTON SEXTON-AA SHANDOR SHANDRO SHARP HILLS SHEEP SIMONETTE SIMONETTE-AA SLOUGHAY SMOKY-AA SNIPE SNIPE-AA SNIPE-AAPT SNIPE-PT SPEDDEN SPIRIT RIVER SPRUCE RIDGE-GR SPRUCE RIDGE-XP SPY HILL ST.LINA STANDOFF STANDOFF-CA STEBBING STERCO STERCO-AA STEVEVILLE-ST STOLBERG STRATHCONA SULLIVAN LAKE SUMMIT	SCD SDG gISDG SPS saSPS zrSPS SXH SXT aaSXT SND SHD SHL SHP STT aaSTT SLY SKY aaSKY SNP aaSNP aaptSNP ptSNP SDN SRV SPR grSPR xpSPR SPY SLN SOF caSOF SBN STC aaSTC SIL erSIL stSIL STB SCO SUL SMT	4 7 7 1 1 1 18 3 2 5 10 8 15 14 15 1 14 15 17 18 18 16 16 16 8 21 15 14 1 1 1 1 14 9 4 14	THREE HILLS-AA THREE HILLS-AAGL THRONE THRONE-SA TIGERLILY TIGERLILY-XCZB TIGERLILY-ZB TILLEY TOAD TODD CREEK TODD CREEK-GR TODD CREEK-ZZ TOFIELD TOLMAN TOM HILL TOM HILL-AA TOM HILL-AA TOM HILL-ST TORLEA TORLEA-AA TORLEA-ER TORLEA-ST TORRENS TORRENS TORRENS-AA TOUGH CREEK TRAVERS TRAVERS-ST TUCKER TWEEDSMUIR TWIN BRIDGES TWIN B	aaTHH aagITHH THR saTHR TGL xczbTGL zbTGL TIY TOD TDC grTDC zzTDC TFD TOM TML aaTML aastTML stTML TLA aaTLA erTLA stTLA TOR aaTOR TUC TVS stTVS TCK TWS TBR aaTBR TWG TWH UKT glUKT scUKT UCS stUCS VVW VAC aaVAC	7 7 7 4 4 11 11 11 11 17 16 16 16 10 13 14 13 14 4 3 4 4 15 14 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
STERCO STERCO-AA STEVEVILLE STEVEVILLE-ER STEVEVILLE-ST STOLBERG STRATHCONA SULLIVAN LAKE	STC aaSTC SIL erSIL stSIL STB SCO SUL	15 14 1 1 1 1 14 9	TWO HILLS UKALTA UKALTA-GL UKALTA-SC UNCAS UNCAS-ST VALLEYVIEW VAN CLEEVE	TWH UKT gIUKT scUKT UCS stUCS VVW VAC	11 10 10 10 11 11 11 18 3
SUMMIT-AA SUNCHILD SUNDANCE SUNDANCE-AA SUNDANCE-ST SUNDRE SUNNYNOOK SURETTE LAKE TANGENT TAWATINAW TEEPEE TEMPEST	aaSMT SCH SUC aaSUC stSUC SUD SYK SKE TAG TNW TPE TEP	15 13 14 13 13 1 1 22 18 12 17	VAN CLEEVE-CA VAN CLEEVE-ZR VENDISANT VICTOR VILNA VOLMER WABAMUN WABASH WAINWRIGHT WAMPUS WANHAM WANHAM-PT	caVAC zrVAC VST VTR VIL VOL WAB WBH WWT WPS WHM ptWHM	3 3 1 4 12 10 11 11 4 14 18
THOMAS LAKE THOMAS LAKE-XT THORSBY THREE HILLS	TOA xtTOA TBY THH	7 7 11 6	WARBURG WARDLOW WARDLOW-ER WARDLOW-SA	WBG WDW erWDW saWDW	11 1 1 1

Soil Name	Code	SCA	Modifiers
WEALD WEASONE WESTCASTLE WESTEROSE WESTEROSE-GL WETASKIWIN WHITFLAW WHITFORD WHITNEY WIESE WIESE-XT WILDA WILDHAY-AA WILDHAY-AAST WILDHAY-ST WILDWOOD WILDWOOD-PT WILLOUGHBY WILLOUGHBY-ZZ WINDFALL WINSTON WINTERBURN WINTERBURN-GL YARNLEY YOUNGSTOWN-ER	WLD WSN WCT WSR gIWSR WKN WHW WHF WNY WES xtWES WID WHY aastWHY stWHY WWO ptWWO WLB zzWLB WND WST WTB gIWTB YNY YTW erYTW	13 13 16 11 11 10 18 10 3 4 4 2 14 13 13 16 16 13 21 11 1	AA - Not modal SCA AC - Acid CA - Calcareous CB - Cobbly CO - Coarse CR - Carbonated CY - Cryic CA - DarkAp(Cult.) DL - Disturbed ER - Eroded FI - Fine GL - Gleyed GM - Grumic GR - Gravelly (entire profile) OB - Overblown OW - Overwashed PT - Peaty SA - Saline SC - Saline Subsoil ST - Stony TA - Thin A TK - Thick A XC - Clay at 30-99 cm XL - Lithic at 30-99 cm XL - Lithic at 30-99 cm XT - Till at 30 - 99 cm XT - Till at 30 - 99 cm XZ - Permafrost at 30-99 cm YC - Clay at 100-200 cm YC - Gravel at 100-200 cm YL - Lithic at 100-200 cm YL - Lithic at 100-200 cm YL - Lithic at 100-200 cm YT - Till at 100-200 cm YT - Till at 100-200 cm YT - Till at 100-200 cm YT - Fibric ZG - Gleyed Rego ZH - Humic ZL - Luvisolic ZM - Mesic ZR - Rego ZS - Solodic ZT - Solonetzic ZZ - Atypical Subgroup AB - Brunisolic



# 2. SOIL INFORMATION AND INTERPRETATIONS

#### 2.1 Soil Correlation Area #1

#### **General Description of Area**

The Brown Soil Zone of Southeastern Alberta

#### **Ecoregion/Climate**


- Dry Mixed Grass Ecoregion.
- SCA 1 is the driest and warmest part of Alberta. Agroclimate is 3A (moderate limitations
  due to drought). Growing season P-PE=-350 to -400 mm (Precipitation minus potential
  evapo-transpiration). Drought frequently limits growth of agricultural crops and native
  forage. Drought conditions frequently limit the success of revegetation projects.
- Although rains are scarce, intense thunderstorms occur in the summer months, and can result in spectacular water erosion problems.
- Strong winds occur with high frequency.
- There is seldom a good snow cover through the winter.
- Wind erosion is a frequent problem on agricultural soils and reclaimed sites. January to May is the highest risk period but wind erosion can, and does, occur in any month.

#### Soils and Landscapes

- Soil profile depth is typically between 25 and 40 cm with 5 to 10 cm of brown colored topsoil.
- Landscapes are typically morainal (till).
- Glacial drift is thin to thick.
- Soils are mostly Chernozemic but Solonetzic soils and other salt-affected soils are also significant.

#### Soil Reclamation Issues

- Very thin topsoil, which is often discontinuous and difficult to salvage and replace without mixing.
- Wind erosion of topsoil stockpiles and of traffic areas during construction.
- Wind erosion of topsoil after soil reconstruction.
- Revegetation is often limited because of drought.
- Salt-affected soils often require special handling while salinity adds to revegetation difficulty.



#### 09/01/93

SOIL SERIES:

ANTELOPE (ATP)

LANDFORM:

DUNED

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-9% DROUGHTY

SOIL CLASSIFICATION: ORTHIC REGOSOL PARENT MATERIAL:

VERY COARSE EOLIAN SANDS

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH	0-2		3/3	DARK BROWN	SGR	L	S	0.8	6.2		
C1	2-38	10YR	5/3	BROWN	SGR	L	S		6.9		
C2	38-122	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	S		7.3		
C3	122-244	10YR	4/3	BROWN	SGR	L	S		7.9		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH C1 C2 C3	0-2 2-38 38-122 122-244	F F F	P P P P	P	F G G F				P (Topsoil) P (Subsoil) P (Subsoil) P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYDICAL THICKNESS.

TIPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

Z CIII
0-5 cm
NOT OBVIOUS
VERY THIN,
DISCONTINUOUS
HIGH
.02
LOW
LOW
MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ANTELOPE SOILS OCCUR IN SAND DUNES AND INTER-DUNES. THESE SOILS ARE VERY COARSE TEXTURED AND THE EXPOSED FACES ARE UNSTABLE. THESE SOILS ARE DROUGHTY SOILS AND DIFFICULT TO REVEGETATE.

#### 09/01/93

SOIL SERIES:

ANTONIO

(ANO)

LANDFORM:

VENEER, HUMMOCKY

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: PARENT MATERIAL: ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DRY

MODERATELY COARSE GLACIOFLUVIAL/TILL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

\_\_\_\_\_\_

Horizon	Horizon Depth Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	
AP	0-10	10YR	4/3	BROWN	WFGR	VFR	SL	1.5	7.4	1.6	34.	0.2
BM	10-42	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	SL	1.	6.3	2.	42.	0.2
2CK1	42-90	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.8	0.8	57.	0.8
2CK2	90-130	10YR	6/4	LIGHT YELLOWISH BROWN	STRAT	F	SIL		7.8	4.	37.	0.7

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating			
AP	0-10	G	G	F	G	G	G	G	F (Topsoil)			
BM	10-42	F	G		F	G	G	G	F (Subsoil)			
2CK1	42-90	F	G		F	G	G	G	F (Subsoil)			
2CK2	90-130	F	G		F	F	G	G	F (Subsoil)			

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 c
THICKNESS RANGE:	5-15
COLOR CHANGE TO SUBSOIL:	NOT
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODE

10 cm
5-15 cm
NOT OBVIOUS
NONE
HIGH
.032
LOW
LOW
MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: ANTONIO SOILS ARE EQUIVALENT TO A SHALLOW BINGVILLE OVER TILL, WITH APPROXIMATELY 40 CM OF SANDY LOAM SEDIMENTS OVER TILL. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE DUE TO SANDY TEXTURES.

#### 09/01/93

SOIL SERIES:

BINGVILLE

(BVL)

LANDFORM:

UNDULATING, HUMMOCKY,

RIDGED

SOIL ZONE:

BROWN

ORTHIC BROWN CHERNOZEMIC

TYPICAL SLOPES:

PARENT MATERIAL:

SOIL CLASSIFICATION:

MODERATELY COARSE

USUAL SOIL MOISTURE:

2-9%

GLACIOFLUVIAL

SURFACE STONINESS:

DRY NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat%	SAR
AH ·	0-14	10YR	4/3	BROWN	SGR	L	SL	2.7	6.5	0.3	42.	0.3
BM	14-55	10YR	5/4	YELLOWISH BROWN	SGR	L	SL	0.6	6.7	0.2	38.	0.3
CK	55-100	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	VFSL		7.9	0.4	39.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH ·	0-14	F	G	G	. G	G	G	G	F (Topsoil)
BM	14-55	F	G		G	G	G	G	F (Subsoil)
CK	55-100	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

NONE
HIGH
.032
LOW
LOW
MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

CENCONNELLY HEADY IN THE	710
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

BINGVILLE SOILS FALL BETWEEN CAVENDISH AND CHIN FOR TEXTURE. BINGVILLE SOILS ARE GOOD IRRIGATION SOILS, BUT SUBJECT TO DROUGHT UNDER RAINFED AGRICULTURE. HIGH WIND EROSION RISK. EXPOSED FACES OF THIS MATERIAL ARE UNSTABLE.

#### 09/01/93

SOIL SERIES: SOIL ZONE:

BINGVILLE-GR (grBVL) LANDFORM:

BROWN

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC GRAVELLY MODERATELY COARSE

GLACIOFLUVIAL

TYPICAL SLOPES:

UNDULATING, HUMMOCKY,

RIDGED

2-9%

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY EXCESSIVELY

#### TYPICAL SOIL PROFILE:

Horizon	on Depth Color Code		Color Name	Structure	Texture	O.C.	рН	EC	Sat%	SAR		
АН	0-14	10YR	4/3	BROWN	SGR	L	GRSL		6.5	0.3	42.	0.3
BM	14-55	10YR	5/4	YELLOWISH BROWN	SGR	L	GRSL		6.7	0.2	38.	0.3
CK	55-100	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	GRVFSL		7.9	0.4	39.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-14	F	P		G	G	G	G	P (Topsoil)
BM	14-55	F	P		G	G	G	G	P (Subsoil)
CK	55-100	F	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm THICKNESS RANGE: 10-20 cm NOT OBVIOUS GRAVELLY COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: HIGH WATER EROSION K=: .032 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

~~~ ~~~ · · · · · · · · · · · · · · · ·	
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRAVELLY VARIANT OF BINGVILLE. THESE SOILS ARE GRAVELLY THROUGHOUT THE PROFILE OR IN LAYERS. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES:

BINGVILLE-SA (saBVL)

LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

BROWN

TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

2-9%

PARENT MATERIAL:

(SALINE)

USUAL SOIL MOISTURE:

TEMPORARY PONDING

MODERATELY COARSE

GLACIOFLUVIAL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure Consistence Texture		O.C.	рН	EC	Sat%	SAR			
APSA	0-20	10YR		BROWN-DARK BROWN	MFGR	FR	L-SL	1.4	7.1	3.7	53.	2.		
BSK	20-45	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	L-SL	0.5	7.6	4.8	43.	2.9		
CSK1	45-90	10YR	6/4	LIGHT YELLOWISH BROWN	MA	FR	L-SL		7.6	3.8	47.	2.1		
CSK2	90-180	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	VFR	LS		7.9	2.2	29.	1.4		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
APSA	0-20	G	G	F	G	F	G	G	F (Topsoil)
BSK	20-45	G	G		F	F	G	G	F (Subsoil)
CSK1	45-90	G	G		F	F	G	G	F (Subsoil)
CSK2	90-180	G	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm
10-20 cm
NOT OBVIOUS
NONE
HIGH
.032
LOW
LOW

MODERATE

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: SALINE VARIANT OF BINGVILLE. SALINE TO THE SURFACE.

#### 09/01/93

SOIL SERIES:

BINGVILLE-XP (xpBVL)

LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

BROWN

RIDGED

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC

GLACIOFLUVIAL/SOFTROCK

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

MODERATELY COARSE

USUAL SOIL MOISTURE: SURFACE STONINESS:

ST.

MOM

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR BROWN BROWN YELLOWISH BROWN 0-14 10YR 4/3 SGR FR SL 65 03 42 03 14-55 10YR 5/4 SGR FR SL 6.7 0.2 38. 0.3 55-80 10YR 6/4 LIGHT YELLOWISH BROWN SGR FR 7.9 0.4 39. 0.6

SOIL QUALITY RATINGS:

\_\_\_\_\_ O.C. pH EC Sat% Horizon Depth Consistence Texture SAR Overall Rating G 0-14 14-55 G G G G G AH G (Topsoil) G G G G G G 55-80 G F G G G F (Subsoil) G 2CK

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm 10-20 cm
STRIPPING LIMITATIONS: NONE
WIND EROSION RISK: WATER EROSION K=: .032 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: LOW MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: YES SODIC SOFTROCK: GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF BINGVILLE THAT HAS SOFT (PARALITHIC) BEDROCK WITHIN 1 M OF THE SURFACE. THE SOFTROCK MAY BE WEAKLY SALINE AND WEAKLY SODIC. IF THE SOFTROCK IS STRONGLY SALINE-SODIC THE SOIL SHOULD BE CALLED BINGVILLE-XPSC. THESE SOILS HAVE COARSE LOAMY TEXTURES AND LOOSE CONSISTENCE AND EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES: BINGVILLE-ZR (zrBVL) LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

SOIL CLASSIFICATION: REGO BROWN CHERNOZEMIC

TYPICAL SLOPES:

RIDGED 2-9%

PARENT MATERIAL: MODERATELY COARSE

USUAL SOIL MOISTURE:

DRY

GLACIOFLUVIAL

BROWN

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-14	10YR	4/3	BROWN	SGR	L	SL	2.7	6.5	0.3	42.	0.3
CK1	14-55	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	SL	0.6	6.7	0.2	38.	0.3
CK2	55-100	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	VFSL		7.9	0.4	39.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рH	EC	Sat%	SAR	Overall Rating
AH	0-14	F	G	G	G	G	G	G	F (Topsoil)
CK1	14-55	F	G		G	G	G	G	F (Subsoil)
CK2	55-100	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF BINGVILLE.

#### 09/01/93

SOIL SERIES:

BULLPOUND BROWN

(BLP)

BLANKET 1-5%

SOIL ZONE: SOIL CLASSIFICATION:

BROWN SOLONETZ

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

LANDFORM:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

NON

GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	ame Structure Consistence Texture		O.C.	рН	EC	Sat%	SAR	
АН	0-10	10YR	4/3	BROWN	MFGR	FR	SIL		5.7	0.3	72.	1.
BNT	10-35	10YR	4/3	BROWN	MMSBK	VF	SICL		7.	0.5	55.	4.1
CSK	35-110	2.5Y	4/4	OLIVE BROWN	MA	F	SICL		8.2	1.8	66.	8.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G		F	G	F	G	F (Topsoil)
BNT	10-35	P	F		G	G	G	F	P (Subsoil)
CSK	35-110	F	F		F	G	F	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	10 cm 0-15 cm
COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	NOT OBVIOUS DISCONTINUOUS
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

ana aana aan aa aa aa aa aa aa aa aa aa	~~~
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
SIONI LAIER:	IVO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: BULLPOUND SOILS HAVE A VERY TOUGH BNT HARDPAN LAYER. THE TOPSOIL IS ABSENT IN BLOWOUT PITS, WHICH ARE COMMON IN NATIVE LANDSCAPES. TOPSOIL THICKNESS DOES NOT RELATE TO SLOPE POSITION. USUALLY OCCURS IN COMPLEX PATTERNS WITH NON-SOLONETZ. C HORIZON IS WEAKLY SALINE-SODIC.

#### 09/01/93

SOIL SERIES:

BULLPOUND-SA (saBLP)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

SOIL CLASSIFICATION: BROWN SOLONETZ (SALINE) PARENT MATERIAL:

MODERATELY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure	Consistence	e Texture	o.c.	рн Е	C Sat% SAR
AHSA 0-10 BNTSA 10-35 CSK 35-11	10YR 4/3	BROWN BROWN OLIVE BROWN	MFGR MMSBK MA	FR VF F	SICL SICL		5.7 7. 8.2	72 55 66

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHSA	0-10	G	G		F		F		F (Topsoil)
BNTSA	10-35	P	F		G		G		P (Subsoil)
CSK	35-110	F	F		F		F		F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm 0-15 cm NOT OBVIOUS DISCONTINUOUS MODERATE .04 LOW

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SALINE VARIANT OF BULLPOUND. SALINE AND SODIC TO THE SURFACE.

LOW MODERATE

#### 09/01/93

SOIL SERIES:

BUNTON

(BUT)

LANDFORM:

SPILLWAY, FAN, APRON

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-56

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

								~				
Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	pН	EC	Sat%	SAR
AH	0-14	10YR	4/2	DARK GRAYISH BROWN	GR	FR	L	3.3	6.6	0.5	45.	1.6
BM1	14-28	10YR	5/3	BROWN	MMSBK	FR	L	1.2	7.2	0.5	45.	1.6
BM2	28-52	10YR	5/3	BROWN	MMSBK	F	SL	0.8	7.4	0.6	49.	0.5
CK1	52-100	10YR	5/4	YELLOWISH BROWN	SGR	F	SL		8.	0.2	71.	0.
CK2	100-107	10YR	6/3	PALE BROWN	MA	FR	LS		8.	0.2		0.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-14	G	G	G	G	G	G	G	G (Topsoil)
BM1	14-28	G	G		G	G	G	G	G (Subsoil)
BM2	28-52	F	G		G	G	G	G	F (Subsoil)
CK1	52-100	F	G		F	P	F	P	P (Subsoil)
CK2	100-107	G	P		F	G		G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	10 cm 10-15 cm NOT OBVIOUS NONE MODERATE .04 LOW LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: PROFILE DEVELOPMENT IN THESE SOILS IS USUALLY WEAK AND NOT WELL DEFINED. VERY OFTEN THESE SOILS ARE UNDERLAIN BY GRAVELLY SANDY LOAM MATERIALS BELOW THE 1 M DEPTH. EXPOSED FACES MAY BE UNSTABLE.

#### 09/01/93

SOIL SERIES:

CAVENDISH

(CVD)

LANDFORM:

UNDULATING, RIDGED

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE EOLIAN OR

SURFACE STONINESS:

NON

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
AH .	0-22	10YR	4/3	BROWN	SGR	L	LS	0.4	6.6	0.2	29.	0.3
BM	22-89	10YR	5/4	YELLOWISH BROWN	SGR	L	LS	0.2	6.8	0.2	29.	0.4
CK	89-180	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	S		7.7	0.5	31.	0.5

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH -	0-22	F	P	P	G	G	F	G	P (Topsoil)
BM	22-89	F ·	P		G	G	F	G	P (Subsoil)
CK	89-180	F	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm 15-25 cm NOT OBVIOUS

NONE HIGH .02 LOW LOW MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

CAVENDISH SOILS ARE BETWEEN ANTELOPE AND BINGVILLE IN TEXTURE. A AND B HORIZONS SHOULD BE LS, AND C HORIZONS LS OR S. THIS IS A VERY DROUGHTY SOIL. EXPOSED FACES ARE UNSTABLE DUE TO SANDY TEXTURES. CAREFUL WIND EROSION PROTECTION IS REQUIRED. CAVENDISH SOILS THAT ARE, OR WERE AT SOME TIME CULTIVATED, ARE OFTEN SEVERELY WIND-ERODED.

#### 09/01/93

SOIL SERIES:

CAVENDISH-SC (scCVD)

LANDFORM:

UNDULATING, RIDGED

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

(SALINE LOWER SUBSOIL

GLACIOFLUVIAL

VERY COARSE EOLIAN OR

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
АН	0-22	10YR	4/3	BROWN	SGR	VF	LS		6.6	0.2	29.	0.3
BM	22-89	10YR	5/4	YELLOWISH BROWN	SGR	F	S		6.8	0.2	29.	0.4
CSK	89-180	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	VFR	S		7.7		31.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	Нд	EC	Sat%	SAR	Overall Rating
АН	0-22	Р	Р		G	G	F	G	P (Topsoil)
BM	22-89	F	P		G	G	F	G	P (Subsoil)
CSK	89-180	G	P		F		G		P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	20 cm 15-25 cm NOT OBVIOUS NONE HIGH
WIND EROSION RISK: WATER EROSION K=:	HIGH .02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CAVENDISH WITH SALINE LOWER SUBSOIL, BUT A & B HORIZONS ARE NOT SALINE. OCCURS ON SANDS DEPOSITED BY WIND OR WATER, BUT NOT ON DUNES. SANDY MATERIAL RESULTS IN UNSTABLE EXPOSED FACES. CHECK FOR HIGH WATERTABLE AND CONFINING LAYER OR DISCHARGE AREA.

NO

NO

NO

NO

NO

NO NO

NO

NO

NO

## 09/01/93

SOIL SERIES:

CECIL

(CCL)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

SOLONETZIC BROWN

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL:

CHERNOZEMIC (ELUVIATED)

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	C	olor Name		Structure	Consistence		рН	EC	Sat%	SAR
AH ·	0-7	10YR	5/3		BROWN		MFGR	FR	L		0.5		0.1
BTNJ	7-28	10YR	4/4	DARK	YELLOWISH	BROWN	MMSBK	F	CL	6.6	0.4	44.	0.2
CCA	28-100	10YR	6/2	LIGHT	BROWNISH	GRAY	MA	FR	L	7.7	0.5	42.	0.2

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH -	0-7	G	G		G	G	G	G	G (Topsoil)
BTNJ	7-28	F .	F		G	G	G	G	F (Subsoil)
CCA	28-100	G	G		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVI
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

LO	cm							
5-15	cm cm							
TOI	OBVIOUS							
IONE								
/ODE	ים את בי							

04 MO WO

# SODIC SOFTROCK: GRAVEL:

STONY LAYER: FACE INSTABILITY:

SOLONETZIC B HORIZON:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

HARD BEDROCK:

SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: CECIL SOILS ARE SIMILAR TO MALEB, BUT HAVE SOLONETZIC TENDENCIES IN THE B HORIZON. THEY OCCUR IN LANDSCAPES WITH MALEB, HEMARUKA AND HALLIDAY SOILS. THE BTNJ HORIZON IS FIRM AND ONLY WEAKLY SOLONETZIC. THESE SOILS ARE SLIGHTLY TO NON SALINE-SODIC.

### 09/01/93

SOIL SERIES:

CECIL-ST (stCCL) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: SOLONETZIC BROWN

USUAL SOIL MOISTURE: DRY SURFACE STONINESS:

EXCEEDINGLY

CHERNOZEMIC (ELUVIATED)

PARENT MATERIAL: STONY MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH BTNJ CCA	0-7 7-28 28-100	10YR 10YR 10YR	5/3 4/4 6/2	BROWN  DARK YELLOWISH BROWN  LIGHT BROWNISH GRAY	MFGR MMSBK MA	FR F FR	STL STCL STL		6.6	0.5 0.4 0.5	44.	0.2

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-7	G	P		G	G	G	G	P (Topsoil)
BTNJ	7-28	F	P		G	G	G	G	P (Subsoil)
CCA	28-100	G	P		F	G	G	G	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

7 cm
5-15 cm
NOT OBVIOUS
STONY
MODERATE
.04
LOW
LOW
MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO
NO
NO
NO
NO
YES
NO
NO
NO
NO

CECIL SOILS THAT ARE STONIER THAN NORMAL ARE IDENTIFIED AS A STONY NOTES: PHASE (stCCL). OTHER THAN STONINESS, TREAT THE SAME AS CECIL.

### 09/01/93

SOIL SERIES:

CHIN

(CHN)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL:

MEDIUM GLACIOLACUSTRINE

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Texture			O.C.	рН	EC	Sat%	SAR
AH	0-13	10YR	5/3	BROWN	WFGR	FR	FSL		6.4	0.3	70.	0.3
BM	13-65	10YR	5/4	YELLOWISH BROWN	WFGR	FR	SIL		6.1	0.4	42.	0.3
BC	65-120	10YR	5/4	YELLOWISH BROWN	MA	FR	FSL		6.9	0.2	36.	1.2

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-13	G	, G		F	G	F	G	F (Topsoil)
BM	13-65	G	G		F	G	G	G	F (Subsoil)
BC	65-120	· G	G		G	G	G	G	G (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CHIN SOILS ARE VERY GOOD SOILS FOR IRRIGATION. MATERIALS ARE LOAMY (SIL-L-FSL) FLUVIAL SEDIMENTS. SOME CAN HAVE CLAY LOAM SUBSOIL LAYERS.

15 cm

# 09/01/93

SOIL SERIES:

CHIN-SA (saCHN)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

TYPICAL SLOPES:

TEMPORARY PONDING

(SALINE)

USUAL SOIL MOISTURE: SURFACE STONINESS: NON

0-5%

PARENT MATERIAL:

MEDIUM GLACIOLACUSTRINE

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Textu		Texture	O.C.	рН	EC	Sat%	SAR
APSA	0-20	10YR 10YR	4/3	BROWN DARK YELLOWISH BROWN	MFGR WFSBK	FR	L L	0.9	6.6	5.2 6.1	42.	
BMSA CSK1	40-70	10YR	5/3	BROWN	MA	F	L	0.9	7.5	7.1	57.	
CSK2	70-180	2.5Y	5/4	LIGHT OLIVE BROWN	MASTRAT	FR	SIL		8.2	8.1	45.	8.3

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSA	0-20	G	G	P	G	P	G	F	P (Topsoil)
BMSA	20-40	F	G		G	P	G	F	P (Subsoil)
CSK1	40-70	F	G		G	P	G	G	P (Subsoil)
CSK2	70-180	G	G		F	P	G	P	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15	cm	
10-2	0	cm
TOM	OB	VIOUS
NONE	3	
MODE	RA	ΓE
.04		
LOW		
LOW		
MODE	RA'	ΓE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

C.	
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

SALINE VARIANT OF CHIN. SALINE AND SODIC TO THE SURFACE. SALT CONTENT NOTES: USUALLY INCREASES WITH DEPTH.

## 09/01/93

SOIL SERIES:

CHIN-SC

(scCHN)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-5% TEMPORARY PONDING

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

(SALINE LOWER SUBSOI

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOM

PARENT MATERIAL:

MEDIUM GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Depth Color		Color Code Color Name		Structure C	o.c.	рН	EC	Sat% SAR		
0-13	10YR	5/3	BROWN	WFGR	FR	FSL	4.6	6.4	0.3	70. 0.3
13-30	10YR	5/4	YELLOWISH BROWN	WFGR	FR	SIL	1.7	6.1	0.4	42. 0.3
30-85	2.5Y	4/4	OLIVE BROWN	MA	F	L		8.2	16.7	80. 30.7
85-180	2.5Y	4/4	OLIVE BROWN	MA	F	L		7.4	14.1	60. 28.7
	0-13 13-30 30-85	0-13 10YR 13-30 10YR 30-85 2.5Y	0-13 10YR 5/3 13-30 10YR 5/4 30-85 2.5Y 4/4	0-13 10YR 5/3 BROWN 13-30 10YR 5/4 YELLOWISH BROWN 30-85 2.5Y 4/4 OLIVE BROWN	0-13 10YR 5/3 BROWN WFGR 13-30 10YR 5/4 YELLOWISH BROWN WFGR 30-85 2.5Y 4/4 OLIVE BROWN MA	0-13 10YR 5/3 BROWN WFGR FR 13-30 10YR 5/4 YELLOWISH BROWN WFGR FR 30-85 2.5Y 4/4 OLIVE BROWN MA F	0-13 10YR 5/3 BROWN WFGR FR FSL 13-30 10YR 5/4 YELLOWISH BROWN WFGR FR SIL 30-85 2.5Y 4/4 OLIVE BROWN MA F L	0-13 10YR 5/3 BROWN WFGR FR FSL 4.6 13-30 10YR 5/4 YELLOWISH BROWN WFGR FR SIL 1.7 30-85 2.5Y 4/4 OLIVE BROWN MA F L	0-13 10YR 5/3 BROWN WFGR FR FSL 4.6 6.4 13-30 10YR 5/4 YELLOWISH BROWN WFGR FR SIL 1.7 6.1 30-85 2.5Y 4/4 OLIVE BROWN MA F L 8.2	0-13 10YR 5/3 BROWN WFGR FR FSL 4.6 6.4 0.3 13-30 10YR 5/4 YELLOWISH BROWN WFGR FR SIL 1.7 6.1 0.4 30-85 2.5Y 4/4 OLIVE BROWN MA F L 8.2 16.7

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рH	EC	Sat%	SAR	Overall Rating
AH	0-13	G	G	G	F	G	F	G	F (Topsoil)
BM	13-30	G	G		F	G	G	G	F (Subsoil)
CSK1	30-85	F	G		F	U	F	U	U (Subsoil)
CSK2	85-180	F	G		G	U	G	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CHIN WITH SALINE LOWER SUBSOIL. THE TOPSOIL AND UPPER SUBSOIL ARE NOT SALINE-SODIC. THE LOWER SUBSOIL IS STRONGLY SALINE AND SODIC. CHECK FOR SEASONAL WATERTABLE OR CONFINING LAYER.

# 09/01/93

SOIL SERIES:

CHINZ

(CHZ)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: SOLONETZIC BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE:

SURFACE STONINESS: NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

DRY

PARENT MATERIAL:

MEDIUM GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	code Color Name Structure Consistenc		e Texture	O.C.	рН	EC	Sat%	SAR	
AH	0-6	10YR	4/3	BROWN	WFGR	FR	L		7.1	1.	56.	
BTNJ	6-28	2.5Y	5/4	LIGHT OLIVE BROWN	MMSBK	F	L		7.6	0.7	52.	2.4
CCA	28-100	10YR	5/2	GRAYISH BROWN	MA	FR	L		7.8	3.4	48.	1.4

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH	0-6	G	G		G	G	G	G	G (Topsoil)
BTNJ	6-28	F	G		F	G	G	G	F (Subsoil)
CCA	28-100	G	G		F	F	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	5-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	.04	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: SIMILAR TO A CHIN, BUT HAS SOLONETZIC TENDENCIES IN THE BTNJ HORIZON AND WEAKLY SALINE C.

# 09/01/93

SOIL SERIES: CLARINDA-SA (saCLR) LANDFORM:

STEEP, RIDGED

SOIL ZONE:

BROWN

TYPICAL SLOPES:

10-15%

SOIL CLASSIFICATION: REGO BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

TEMPORARY PONDING

(SALINE) PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR 0-10 10YR 4/3 BROWN L GR FR APSA · 8.2 9.9 61. 11.1 MA F CL 10-120 2.5Y 4/4 OLIVE BROWN 8.1 2.1 54. 7.1

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рĦ	EC	Sat%	SAR	Overall Rating
APSA	0-10	G	G		F	U	F	P	U (Topsoil)
CSK	10-120	F	F		F	G	G	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 10 cm 5-15 cm THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: TOPOGRAPHY MODERATE WIND EROSION RISK: WATER EROSION K=: .045 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: MO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: SALINE VARIANT OF CLARINDA. SALINE AND SODIC TO THE SURFACE.

# 09/01/93

SOIL SERIES:

CLARINDA-ST (stCLR)

LANDFORM:

STEEP, RIDGED

SOIL ZONE:

TILL

TYPICAL SLOPES:

10-15%

SOIL CLASSIFICATION: REGO BROWN CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS:

EXCESSIVELY

TYPICAL SOIL PROFILE:

Horizon	*	Color		Color Name		Texture O.C.	-	Sat% SAR
AH CK	0-10 10-120	10YR	5/3	BROWN LIGHT OLIVE BROWN	F F	STL STCL	7.4 7.9	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH CK	0-10 10-120	P F	P P		G F				P (Topsoil) P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 10 cm 5-15 THICKNESS RANGE: cm NOT OBVIOUS COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: TOPOGRAPHY, STONY WIND EROSION RISK: MODERATE WATER EROSION K=: .045 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CLARINDA THAT IS STONIER THAN NORMAL.

HIGH

# 09/01/93

SOIL SERIES:

CRANFORD

(CFD)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

PLAIN 0-9%

SOIL CLASSIFICATION:

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL: MEDIUM

GLACIOLACUSTRINE/TILL

ORTHIC BROWN CHERNOZEMIC

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AH ·	0-6	10YR	5/3	BROWN	WFGR	FR	L		6.8	0.4	31.	0.1
BM .	6-30	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	L		6.8	0.2	23.	0.2
BC	30-50	10YR	5/3	BROWN	WFSBK	FR	SIL		6.8	0.2	23.	0.2
2CCA	50-100	10YR	6/3	PALE BROWN	MA	FR	L		7.3	0.2	24.	0.3

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-6	G ·	G		G	G	G	G	G (Topsoil)
BM	6-30	F	G		G	G	F	G	F (Subsoil)
BC	30-50	G	G		G	G	F	G	F (Subsoil)
2CCA	50-100	G	G		G	G	F	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: EQUIVALENT TO A SHALLOW CHIN OVER TILL. THE TILL MAY BE WEAKLY SALINE. IF THE TILL IS STRONGLY SALINE USE CRANFORD-SC. TOPSOIL-SUBSOIL COLOR CHANGE IS NOT OBVIOUS. OVERSTRIPPING WILL NOT SERIOUSLY HARM TOPSOIL

QUALITY.

# 09/01/93

SOIL SERIES:

CRANFORD-SC (scCFD)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

PLAIN 0-9%

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC (SALINE LOWER SUBSOIL)

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

MEDIUM

SURFACE STONINESS:

NON

GLACIOLACUSTRINE/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH BM	0-6 6-30	10YR 10YR	5/3	BROWN DARK YELLOWISH BROWN	WFGR MFSBK	FR F	L L		6.8	0.4	31.	
BC	30-50	10TR 10YR	5/3	BROWN	WFSBK	FR	SIL		6.8			
2CCASA	50-100	10YR	6/3	PALE BROWN	MA	FR	L		7.3	12.2	24.	24.3

### SOIL QUALITY RATINGS:

			Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-6	G	G		G	G	G	G	G (Topsoil)
BM	6-30	F	G		G	G	F	G	F (Subsoil)
BC :	30-50	G	G		G	G	F	G	F (Subsoil)
2CCASA	50-100	G	G		G	U	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	6 cm
THICKNESS RANGE:	2-10 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CRANFORD THAT HAS A SALINE - SODIC LOWER SUBSOIL. THE LOWER SUBSOIL IS OFTEN THE TILL MATERIAL AND IT IS STRONGLY SALINE-SODIC. TOPSOIL-SUBSOIL COLOR CHANGE IS NOT OBVIOUS, BUT SOME OVERSTRIPPING WILL NOT SERIOUSLY HARM TOPSOIL QUALITY. THE LOWER SUBSOIL IS OF UNSUITABLE QUALITY AND SHOULD NOT BE LEFT ON THE SURFACE OF A RECLAIMED LANDSCAPE IF BETTER MATERIAL IS AVAILABLE.

## 09/01/93

SOIL SERIES:

DISHPAN

(DHP)

LANDFORM:

DRAINAGE CHANNELS

WATERTABLE/PONDING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-2%

PARENT MATERIAL: MODERATELY FINE LACUSTRINE SURFACE STONINESS:

SOIL CLASSIFICATION: REGO GLEYSOL (SALINE)

USUAL SOIL MOISTURE:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Color Code Color Name		Structure Consistence Texture			O.C.	рН	EC	Sat% SAR
AHSAKG	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	SICL	0.9	7.9	1.	44. 6.6
CSKG1	12-130	10YR	5/2	GRAYISH BROWN	MA	F	CL		8.3	3.4	52. 25.9
CSKG2	130-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.3	6.9	197. 18.4

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AHSAKG	0-12	F	F	P	F	G	G	F	P (Topsoil)
CSKG1	12-130	F	F		F	F	G	U	U (Subsoil)
CSKG2	130-180	F	F		F	P	Ū	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

THESE ARE SALINE SLOUGH SOILS THAT ARE SALINE-SODIC NEAR OR AT THE SURFACE. TEXTURES ARE FINE TO MODERATELY FINE. TOPSOIL IS DISCONTINUOUS, AND STRIPPING IS OFTEN DIFFICULT DUE TO WETNESS. THESE SOILS ARE VERY STICKY WHEN WET AND DRY SLOWLY.

12 cm 0-15

OBVIOUS WETNESS, DISCONTINUOUS

cm

## 09/01/93

SOIL SERIES:

DUCHESS (DHS)

LANDFORM:

VENEER 2-9%

SOIL ZONE:

BROWN SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

MEDIUM

SURFACE STONINESS:

NON

GLACIOLACUSTRINE/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-10	10YR	5/3	BROWN	WFGR	FR	SIL	3.3	6.5	0.6	53. 1.8
BNT CCA	10-30 30-70	10YR 10YR	3/3 6/4	DARK BROWN LIGHT YELLOWISH BROWN	MFSBK MA	VF FR	L L	1.6	7.2	0.6	49. 0.5 45. 1.6
2CSK	70-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		8.	8.6	71. 11.9

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G	G	G	G	G	G	G (Topsoil)
BNT	10-30	P	G		G	G	G	G	P (Subsoil)
CCA	30-70	G	G		F	G	G	G	F (Subsoil)
2CSK	70-130	F	G		F	P	F	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
5-15 cm	
NOT OBVIOUS	
DISCONTINUOUS	
MODERATE	
.049	
LOW	
MODERATE	
HIGH	

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOI	L: YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE A TOUGH BNT HORIZON OF POOR QUALITY DUE TO CONSISTENCE, BUT MAY BREAK DOWN IF CRUSHED. THE LOWER SUBSOIL IS MODERATELY SALINE AND SODIC. EQUIVALENT TO A SOLONETZ VERSION OF A CRANFORD. THE AP USUALLY INCLUDES AH AND AE. TOPSOIL MAY BE ABSENT IN LARGE PATCHES NOT RELATED TO SLOPE POSITION. STRIP TO HARDPAN (BNT) WHERE TOPSOIL IS PRESENT.

### 09/01/93

SOIL SERIES:

DUCHESS-ER (erDHS)

LANDFORM:

VENEEER

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARY PONDING

(ERODED) MEDIUM

PARENT MATERIAL:

SURFACE STONINESS:

NON

GLACIOLACUSTRINE/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence		рН	EC	Sat% SAR
АН	0-2	10YR	5/3	BROWN	WFGR	FR	SIL	6.5	0.6	53. 1.8
BNT CCA	2-30 30-70	10YR 10YR	3/3 6/4	DARK BROWN LIGHT YELLOWISH BROWN	MFSBK MA	VF FR	F F	7.2	0.6	49. 0.5 45. 1.6
2CSK	70-130	10YR	5/4	YELLOWISH BROWN	MA	F	L	8.	8.6	71. 11.9

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-2	G	G		G	G	G	G	G (Topsoil)
BNT	2-30	P	G		G	G	G	G	P (Subsoil)
CCA	30-70	G	G		F	G	G	G	F (Subsoil)
2CSK	70-130	F	G		F	P	F	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

2	cm
0-5	cm
TOM	OBVIOUS
VERY	THIN,
DISC	CONTINUOUS
MODE	ERATE
.049	)
LOW	
MODE	ERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS	
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: TOPSOIL IS VERY THIN, OR ABSENT, DUE TO HISTORIC EROSION. THE BNT IS LIMITED BY CONSISTENCE BUT MAY BREAK DOWN IF CRUSHED. THE 2C (TILL) IS SALINE-SODIC.

# 09/01/93

SOIL SERIES:

BLANKET

SOIL ZONE:

EXPANSE (EXP) LANDFORM:
BROWN TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: CALCAREOUS BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

SURFACE STONINESS: NON

PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consist		Texture	o.c.	рН	EC	Sat%	SAR
APK	0-14	10YR	3/3	DARK BROWN	WFGR	FR	L	1.6	7.8		46.	
BMK	14-25	10YR	5/3	BROWN	WMPR	FR	SIL		7.9	0.4	46.	0.2
CCA	25-90	10YR	5/4	YELLOWISH BROWN	MA	FR	L		7.9	2.2	52.	0.7

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-14	G	G	F	F	G	G	G	F (Topsoil)
BMK	14-25	G	G		F	G	G	G	F (Subsoil)
CCA	25-90	G	G		F	G	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SIMILAR TO CHIN EXCEPT CALCAREOUS TO THE SURFACE.

# 09/01/93

SOIL SERIES:

FOREMOST

(FMT) LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

PARENT MATERIAL: MEDIUM TILL

USUAL SOIL MOISTURE:

SURFACE STONINESS:

DRY MODERATELY

### TYPICAL SOIL PROFILE:

Horizon	izon Depth Col		Code	Color Name	Structure Consistence Texture		O.C.	рН	EC	Sat%	SAR	
AH	0-12	10YR	5/3	BROWN	MFGR	FR	L		7.9	0.6	49.	0.2
BM	12-45	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	L		7.4	0.3	36.	0.3
CK	45-100	10YR	6/3	PALE BROWN	MA	F	L		7.8	0.5	38.	0.6

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-12	G	G		F	G	G .	G	F (Topsoil)
BM	12-45	F	G G		G	G	G	G	F (Subsoil)
CK	45-100	F	G '		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: FOREMOST IS DEVELOPED ON A "WASHED", MODIFIED TILL, WHICH OFTEN HAS SANDY LENSES.

# 09/01/93

SOIL SERIES: FOREMOST-ST (stFMT) LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-30%

PARENT MATERIAL: STONY, MEDIUM TILL

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEM

USUAL SOIL MOISTURE: DRY

SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	epth Color Code		Color Name	Structure Consistence Te		Texture	Texture O.C.		EC	Sat%	SAR				
AH	0-12	10YR	5/3	BROWN	MFGR	FR	STL		7.9	0.6	49.	0.2				
BM	12-45	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	FR-F	STL		7.4	0.3	36.	0.3				
CK	45-100	10YR	6/3	PALE BROWN	MA	FR-F	STL		7.8	0.5	38.	0.6				

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
АН	0-12	G	P		F	G	G	G	P (Topsoil)	
BM	12-45	F	P		G	G	G	G	P (Subsoil)	
CK	45-100	F	P		F	G	G	G	P (Subsoil)	

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF FOREMOST THAT IS STONIER THAN NORMAL.

# 09/01/93

SOIL SERIES: SOIL ZONE:

GEM

BROWN

(GEM) LANDFORM: VENEER, UNDULATING

PLAIN

SOIL CLASSIFICATION:

BROWN SOLOD

TYPICAL SLOPES:

0-5%

PARENT MATERIAL:

MEDIUM

USUAL SOIL MOISTURE:

TEMPORARY PONDING

GLACIOLACUSTRINE/TILL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH .	0-10	10YR	5/3	BROWN	GR	FR	L		7.8	0.4	54.	0.6
AE	10-15	10YR	6/2	LIGHT BROWNISH GRAY	PL	VFR	SIL		6.6	0.7	61.	0.2
AB	15-25	10YR	4/3	BROWN	WFSBK	F	C		7.7	7.3	54.	7.4
BNT	25-40	10YR	3/3	DARK BROWN	COL	VF	SICL		6.6	0.7	61.	0.2
CSK	40-54	10YR	6/3	PALE BROWN	MA	F	SICL		6.7	0.5	47.	0.2
2CSK	54-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.7	0.5	48.	0.3

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G		F	G	G	G	F (Topsoil)
AE	10-15	G	G		G	G	F	G	F (Subsoil)
AB	15-25	F	P		F	P	G	F	P (Subsoil)
BNT	25-40	P	F.		G	G	F	G	P (Subsoil)
CSK	40-54	F	F		G	G	G	G	F (Subsoil)
2CSK	54-120	F	F		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:

NOT OBVIOUS NONE MODERATE .046 LOW RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	ИО

TOPSOIL TO SUBSOIL COLOR CHANGE IS NOT OBVIOUS. THE AH, AE AND AB NOTES: HORIZONS COULD ALL BE STRIPPED (TOTAL=25 CM). THEREFORE, STRIP TO HARDPAN. THE BNT MATERIAL IS UNDESIRABLE. THE SUBSOIL IS WEAKLY TO MODERATELY SALINE. THE TEXTURE CHANGE BETWEEN MATERIALS IS NOT IMPORTANT. EQUIVALENT TO A SHALLOW KARLSBAD.

10 cm 8-10

cm

# 09/01/93

SOIL SERIES:

GLEDDIES (GLS)

LANDFORM:

SPILLWAY 0-1%

SOIL ZONE:

BROWN

TYPICAL SLOPES:

WATERTABLE/PONDING

PARENT MATERIAL: FINE LACUSTRINE

SOIL CLASSIFICATION: REGO GLEYSOL (SALINE)

USUAL SOIL MOISTURE:

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AHGJ	0-5	10YR	3/1	VERY DARK GRAY	MA	VF	C		5.7	1.1	69.	6.8
CSKG1	5~90	10YR	3/1	VERY DARK GRAY	MA	F	С		6.6	0.8	83.	3.9
CSKG2	90-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		6.6	0.8	83.	3.9

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating	
AHGJ	0-5	P	P		F	G	F	F	P (Topsoil)	
CSKG1	5-90	F	P		G	G	P	G	P (Subsoil)	
CSKG2	90-120	F	P		G	G	P	G	P (Subsoil)	

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 5 cm

THICKNESS RANGE:	0-8 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN, WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	_
RISK ON <5% SLOPE:	_
RISK ON 5-9% SLOPE:	_
RISK ON 9-15% SLOPE:	-

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

THESE SOILS ARE SLOUGH SOILS (FINE TEXTURED) THAT ARE SALINE AND SOMETIMES SODIC NEAR OR AT SURFACE. THE TOPSOIL IS OF POOR (SOMETIMES UNSUITABLE) QUALITY, AND IS DISCONTINUOUS. TOPSOIL SALVAGE IS NOT ALWAYS POSSIBLE OR NECESSARY. SOILS ARE OFTEN FLOODED, OR VERY WET.

# 09/01/93

SOIL SERIES:

GOPHER

(GPH)

LANDFORM:

VENEER

SOIL ZONE:

BROWN

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ MODERATELY COARSE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

GLACIOFLUVIAL/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-12	10YR	4/3	BROWN	WFGR	VFR	SL	1.2	6.7	0.4	37. 0.7
BNT	12-48	10YR	5/3	BROWN	WFSBK	VF	SL	0.2	8.4	3.4	40. 24.
2CSK	48-80	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		8.	9.3	46. 15.7
2CSK2	80-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.9	5.7	45. 9.7

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-12	G	G	F	G	G	G	G	F (Topsoil)
BNT	12-48	P	G		F	F	G	U	U (Subsoil)
2CSK	48-80	F	G		. F	P	G	U	U (Subsoil)
2CSK2	80-180	F	G		F	. P	G	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	12 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: THE TOPSOIL-SUBSOIL COLOR CHANGE IS NOT OBVIOUS, THEREFORE, STRIP TO HARDPAN LAYER. TOPSOIL ABSENT IN BLOWOUT PITS. BNT IS VERY TOUGH AND IS SODIC. THE BNT HORIZON MAY OCCUR IN THE GLACIOFLUVIAL MATERIAL OR THE TILL. LOWER SUBSOIL (TILL) IS SALINE-SODIC. UPPER LAYERS OFTEN SLUMP WHEN TRENCHED.

## 09/01/93

SOIL SERIES:

HALLIDAY (HDY)

LANDFORM:

BLANKET 2-5%

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: BROWN SOLOD

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence 1		Texture	O.C.	pH EC		Sat% SA	AR
AP	0-12 12-30	10YR 4/3 10YR 3/4 DA		BROWN  DARK YELLOWISH BROWN	MFGR MSSBK	FR VF	L CL	1.7	7. 8.1	1.3	43. 0	
CSK1	30-70	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.7	1.9	65. 1	
CSK2	70-180	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.2	9.9	61. 11	1.1

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рн	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G	F	G	G	G	G	F (Topsoil)
BNT	12-30	P	F		F	G	G	F	P (Subsoil)
CSK1	30-70	F	F		P	G	F	U	U (Subsoil)
CSK2	70-180	F	F		F	P	F	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
10-15	cm
NOT OB	VIOUS
NONE	
MODERA	ΓE
.042	
LOW	
TATO 1	

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	SPR NO NO NO NO NO NO YES YES
DOLONILLE DI MONTELONI	

NOTES: HALLIDAY IS A "SOLOD VERSION OF A HEMARUKA". WHEN CULTIVATED THE AP USUALLY INCLUDES AH AND AB. THE COLOR CHANGE FROM TOPSOIL TO SUBSOIL IS NOT OBVIOUS, THEREFORE, STRIP TO HARDPAN. THE BNT IS NOT USUALLY AS TOUGH AS A HEMARUKA BNT. THE TILL IS DERIVED FROM THE BEARPAW FORMATION, SAME AS HEMARUKA AND STEVEVILLE.

# 09/01/93

SOIL SERIES:

HALLIDAY-ER (erHDY)

HDY) LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLOD (ERODED)

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-2	10YR	4/3	BROWN	MFGR	FR	L		7.	1.3	43.	0.5
BNT	2-30	10YR	3/4	DARK YELLOWISH BROWN	MSSBK	VF	CL				54.	
CSK1	30-70	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.7	1.9	65.	15.
CSK2	70-180	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.2	9.9	61.	11.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating		
AP	0-2	G	G		G	G	G	G	G (Topsoil)		
BNT	2-30	P	F		F	G	G	F	P (Subsoil)		
CSK1	30-70	F	F		P	G	F	U	U (Subsoil)		
CSK2	70-180	F	P		F	P	F	P	P (Subsoil)		

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

2 cm
0-5 cm
NOT OBVIOUS
VERY THIN,
DISCONTINUOUS
MODERATE
.042
LOW
LOW
MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF HALLIDAY. TOPSOIL IS VERY THIN OR ABSENT, AND COLOR CHANGE IS NOT OBVIOUS. THE BNT MATERIAL IS POOR QUALITY. THE SUBSOIL IS MODERATELY TO STRONGLY SALINE AND SODIC.

### 09/01/93

SOIL SERIES:

HALLIDAY-ST (stHDY) LANDFORM:

BLANKET 2-5%

SOIL ZONE:

BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: BROWN SOLOD

TILL

PARENT MATERIAL: STONY, MODERATELY FINE SURFACE STONINESS: VERY

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure (	Consistence	Texture	O.C.	рH	EC	Sat%	SAR
AP	0-12	10YR	4/3	BROWN	MFGR	FR	STL		7.	1.3	43.	0.5
BNT	12-30	10YR	3/4	DARK YELLOWISH BROWN	MSSBK	VF	STCL		8.1	2.1	54.	7.1
CSK1	30-70	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	STCL		8.7	1.9	65.	15.
CSK2	70-180	10YR	4/2	DARK GRAYISH BROWN	MA	F	STCL		8.2	9.9	61.	11.1

## SOIL QUALITY RATINGS:

				0 0			C2+8	SAR			
Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating		
AP	0-12	G	P		G	G	G	G	P (Topsoil)		
BNT	12-30	P	P		F	G	G	F	P (Subsoil)		
CSK1	30-70	F	P		P	G	F	U	U (Subsoil)		
CSK2	70-180	F	P		F	P	F	P	P (Subsoil)		
CSK2	70-180	F.	Р		F.	Р	F.	Р	P (Subsoi		

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

12 cm
10-15 cm
NOT OBVIOUS
STONY
MODERATE
.042
LOW
LOW

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR						
HARD BEDROCK:	NO						
NON-SODIC SOFTROCK:							
SODIC SOFTROCK:							
GRAVEL:	NO						
STONY LAYER:	YES						
FACE INSTABILITY:	NO						
SOLONETZIC B HORIZON:	YES						
SALINE OR SODIC LOWER SUBSOIL:	YES						
IMPORTANT TEXTURE CHANGE:	NO						

NOTES: VARIANT OF HALLIDAY THAT IS STONIER THAN NORMAL.

### 09/01/93

CCA

SOIL SERIES:

HELMSDALE (HMS)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

9-15%

SOIL CLASSIFICATION: REGO BROWN CHERNOZEMIC

Color Name

USUAL SOIL MOISTURE:

TYPICAL SOIL PROFILE:

Horizon Depth Color Code

Structure Consistence Texture O.C. pH EC Sat% SAR

0-12 10YR 5/3 BROWN MFGR FR L 12-100 2.5Y 5/4 LIGHT OLIVE BROWN MA FR L 0-12 10YR 5/3 BROWN

G

G

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

7.7 0.7 44 0.1 7.8 0.4 40 0.2

F (Subsoil)

SOIL OUALITY RATINGS:

12-100

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

F G

F

G

SEASONALLY HIGH W.T.:

G G

TOPSOIL INTERPRETATIONS:

0-12 G

G

G

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

G

TYPICAL THICKNESS:

COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: DISCONTINUOUS WIND EROSION RISK: MODERATE WATER EROSION K =:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

.045 LOW

LOW HIGH

NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL:

STONY LAYER: FACE INSTABILITY:

HARD BEDROCK:

SOLONETZIC B HORIZON:

SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

NO NO NO

MO

NO

NO

MO

NO

NOTES:

THESE SOILS HAVE NO B HORIZON. APK IS CALCAREOUS (OFTEN ERODED). TYPICALLY FOUND ON UPPER SLOPES IN ROLLING TO HILLY LANDSCAPES. COLOR

10 cm 5-15 cm

DISCONTINUOUS

CHANGE FROM TOPSOIL TO SUBSOIL IS NOT OBVIOUS.

### 09/01/93

SOIL SERIES:

HELMSDALE-ST (stHMS)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

9-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO BROWN CHERNOZEMIC STONY, MODERATELY FINE

SURFACE STONINESS:

USUAL SOIL MOISTURE: DRY

MODERATELY

TILL

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

0-12 10YR 5/3

BROWN 12-100 2.5Y 5/4 LIGHT OLIVE BROWN MFGR FR MA

STL FR STL 7.7 0.7 44. 0.1

SOIL QUALITY RATINGS:

7.8 0.4 40. 0.2

Horizon	Depth	Consistence	Texture	0.C.	Нд	EC	Sat%	SAR	Overall Rating
APK CCA	0-12 12-100	G G	P P		F F	G G	G G	G G	P (Topsoil) P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:

COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K =:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 5-15 cm

NOT OBVIOUS STONY, DISCONTINUOUS

MODERATE .045

T.OW LOW HIGH

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: MO GRAVEL: NO STONY LAYER: YES FACE INSTABILITY: MO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: VARIANT OF HELMSDALE THAT IS STONIER THAN NORMAL.

### 09/01/93

SOIL SERIES:

HEMARUKA (HUK)

LANDFORM:

UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ MODERATELY FINE TILL

SURFACE STONINESS:

USUAL SOIL MOISTURE:

MODERATELY

TEMPORARY PONDING

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	pH EC		Sat% SAR	
AH	0-8	10YR	4/3	BROWN	MFGR	FR	L	1.2	7.5	0.7	39.	1.8
BNT	8-15	10YR	5/3	BROWN	MSSBK	VF	CL		8.3	1.6	51.	16.3
CSK	15-160	10YR	6/3	PALE BROWN	MA	F	CL		8.3	3.4	69.	17.7

### SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
AH	0-8	G	G	F	G	G	G .	G	F (Topsoil)
BNT	8-15	P	F		F	G	G	U	U (Subsoil)
CSK	15-160	F	F		F	F	F	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm cm 10-15 NOT OBVIOUS DISCONTINUOUS, VERY

THIN MODERATE .045 LOW LOW

HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: MO SODIC SOFTROCK: NO GRAVEL: STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: THE TOPSOIL IS FAIRLY THIN AND IS DISCONTINUOUS (BLOWOUT PITS ARE COMMON). TOPSOIL THICKNESS DOES NOT CONFORM TO SLOPE POSITION. COLOR CHANGE FROM TOPSOIL TO SUBSOIL IS NOT OBVIOUS, THEREFORE, STRIP TO HARDPAN. THE BNT MATERIAL IS UNSUITABLE. THE SUBSOIL IS STRONGLY SALINE AND SODIC. THE TILL IS DERIVED FROM THE BEARPAW FORMATION. HEMARUKA SOILS USUALLY OCCUR IN COMPLEX SOIL LANDSCAPES WITH SOLODS AND CHERNOZEMICS.

# 09/01/93

SOIL SERIES:

HEMARUKA-ER (erHUK)

HUK) LANDFORM:

ANDFORM:

UNDULATING

2-5%

SOIL ZONE:

BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

(ERODED)

SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-2	10YR	4/3	BROWN-DARK BROWN	MFGR	FR	L	1.2	7.5	0.7	39. 1.8
BNT	2-15	10YR	5/3	BROWN	COL	VF	CL		8.3	1.6	51. 16.3
CSK	15-160	10YR	6/3	PALE BROWN	MA	F	CL		8.3	3.4	69. 17.7

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
AP	0-2	G	G	F	G	G	G	G	F (Topsoil)	
BNT	2-15	P	F		F	G	G	U	U (Subsoil)	
CSK	15-160	F	F		F	F	F	υ	U (Subsoil)	

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	2 cm 0-4 cm NOT OBVIOUS
STRIPPING LIMITATIONS:	DISCONTINUOUS, VERY
	THIN
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HEMARUKA SOILS THAT HAVE ERODED TOPSOILS. THESE SOILS OFTEN OCCUR IN THE BLOWOUT OR ERODED PITS ASSOCIATED WITH SOME SOLONETZIC

SOILS.

# 09/01/93

SOIL SERIES:

HEMARUKA-ST (stHUK) LANDFORM:

UNDULATING

2-5%

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

USUAL SOIL MOISTURE: STONY, MODERATELY FINE SURFACE STONINESS: VERY

TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	O.C.	рН	EC	Sat% SAR	
AH	0-13	10YR	4/3	BROWN-DARK BROWN	MFGR	FR	STL	1.8	7.6	1.2	44. 1.7	
BNT	13-45	10YR	5/3	BROWN	COL	VF	STCL		7.7	0.8	43. 1.8	
CSK	45-180	10YR	6/3	PALE BROWN	MA	F	STCL		8.6	1.9	59. 17.7	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-13	G	P	F	F	G	G	G	P (Topsoil)
BNT	13-45	P	P		F	G	G	G	P (Subsoil)
CSK	45-180	F	P		P	G	. G	U	U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	10 cm 10-15 cm NOT OBVIOUS
STRIPPING LIMITATIONS:	DISCONTINUOUS, VER
	THIN, STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
DTG** 031 0 150 GT 0DD	
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HEMARUKA SOILS THAT ARE STONIER THAN NORMAL.

1

### 09/01/93

SOIL SERIES:

HEMARUKA-XP (xpHUK)

LANDFORM:

UNDULATING

2-5%

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS: MODERATELY

TILL/SOFTROCK

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR	
AP	0-12	10YR	4/4	DARK YELLOWISH BROWN	WFGR	FR	L				
AE	12-18	10YR	5/3	BROWN	MMPL	VFR	SIL				
BNT	18-40	10YR	3/3	DARK BROWN	SMSBK	VF	CL				
2CSK	40-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L				

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP AE BNT 2CSK	0-12 12-18 18-40 40-100	G G P F	G G F G						G (Topsoil) G (Topsoil) P (Subsoil) F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	10 cm 10-15 cm NOT OBVIOUS DISCONTINUOUS, VERY THIN
WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	MODERATE .045 LOW LOW HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON TILL VENEERS. THE BNT MATERIAL IS UNDESIRABLE. THE SUBSOIL IS STRONGLY SALINE AND/OR SODIC. THE UNDERLYING WEATHERED BEDROCK OF THE BEARPAW FORMATION IS ENCOUNTERED ABOUT 0.4 M BELOW THE SURFACE AND IS STRONGLY SALINE AND/OR SODIC. TEXTURE CHANGE FROM CLAY LOAM TO LOAM AT 0.4 M IS NOT SIGNIFICANT.

# 09/01/93

SOIL SERIES:

ISLANDS

(INS)

VERY COARSE GLACIOFLUVIAL

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-1% WATERTABLE / PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO GLEYSOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code				Structure Consistence		O.C.	рН	EC	Sat% SAR
AH	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	LS		8.		
CG1	20-70	10YR	6/2	LIGHT BROWNISH GRAY	SGR	VFR	SiL		7.7		
CG2	70-100	10YR 6/6		BROWNISH YELLOW	SGR	L	GRLS		6.8		

### SOIL QUALITY RATINGS:

Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
0-20	F	, P		F				P (Topsoil)
20-70	G	· G		F				F (Subsoil)
70-100	F	P		G				P (Subsoil)
	0-20 20-70	0-20 F 20-70 G	0-20 F P 20-70 G G	0-20 F P 20-70 G G	0-20 F P F 20-70 G G F	0-20 F P F 20-70 G G F	0-20 F P F 20-70 G G F	0-20 F P F 20-70 G G F

## TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
DICK ON -59 CLODE.	_

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE SANDY-GRAVELLY SLOUGH SOILS THAT ARE NOT SALINE-SODIC. LOCATED IN RECHARGE SLOUGHS. EXPOSED FACES ARE UNSTABLE DUE TO WETNESS AND SANDY-GRAVELLY MATERIALS. MAY BE DRY IN LATE SUMMER AND FALL. AREAS OF DEPOSITION, NOT EROSION.

# 09/01/93

SOIL SERIES: ISLANDS-SA (saINS) LANDFORM:

BLANKET

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION: REGO GLEYSOL (SALINE)

PARENT MATERIAL: VERY COARSE GLACIOFLUVIAL SURFACE STONINESS: NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name S		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	
APSAK	0-17	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	LS		7.7	1.2	31.	1.2
CSKG1	17-25	10YR	5/3	BROWN	SGR	L	LS		8.6	1.	22.	6.5
CSKG2	25-100	10YR	5/3	BROWN	SGR	L	LCS		8.7	2.7	31.	7.2

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSAK	0-17	F	Р		F	G	G	G	P (Topsoil)
CSKG1	17-25	F	P		P	G	F	F	P (Subsoil)
CSKG2	25-100	F	P		P	G	G	F	P (Subsoil)

cm

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	15 cm 10-20 OBVIOUS WETNESS
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: WEAKLY SALINE VARIANT OF ISLANDS.

1

# INTERPRETATION GUIDELINES

# SCA 1

## 09/01/93

SOIL SERIES:

KARLSBAD

(KBD)

UNDULATING PLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

LANDFORM:

0-9%

SOIL CLASSIFICATION

SOIL CLASSIFICATION: BROWN SOLOD

GLACIOLACUSTRINE

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C. I	PΗ	EC	Sat%	SAR
AH	0-5	10YR	4/3	BROWN	WMGR	VFR	SIL		6.5			
AE	5-12	10YR	5/3	BROWN	MFPL	VF	SIL		6.1			
AB	12-15	10YR	3/3	DARK BROWN	MFSBK	FR	L		6.3			
BTN	15-40	10YR	3/3	DARK BROWN	MFCOL	F	CL		7.5	1.		2.
CCA	40-106	10YR	5/4	YELLOWISH BROWN	WMABK	F	SIL		8.1	1.		1.
CSK	106-120	10YR	7/3	VERY PALE BROWN	MA	F	SICL		7.5	12.	51.	6.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Over	all Rating
AH	0-5	G	G		G				G	(Topsoil)
AE	5-12	P	G		F				P	(Topsoil)
AB	12-15	G	G		F				F	(Topsoil)
BTN	15-40	F	F		G	G		G	F	(Subsoil)
CCA	40-106	F	G		F	G		G	F	(Subsoil)
CSK	106-120	F	F		G	U	G	F	U	(Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10
THICKNESS RANGE:	10
COLOR CHANGE TO SUBSOIL:	NO
STRIPPING LIMITATIONS:	VE
WIND EROSION RISK:	MO
WATER EROSION K=:	.0
RISK ON <5% SLOPE:	LO
RISK ON 5-9% SLOPE:	MO
RISK ON 9-15% SLOPE:	HI

10 cm
10-15 cm
NOT OBVIOUS
JERY THIN
MODERATE
.046
LOW
MODERATE
HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SPR
NO
YES
SOIL: YES
NO

NOTES: STRIPPING DEPTH CAN INCLUDE AH, AE AND AB HORIZONS (TOTAL=15 CM).
THEREFORE, STRIP TO HARDPAN. TOPSOIL THICKNESS INCREASES DOWNSLOPE.
SOLONETZIC SOIL. THE BTN HORIZON IS BNT-LIKE, FIRM AND RESTRICTS
DRAINAGE (DRYS SLOWLY AFTER RAIN). POOR AGRICULTURAL SOIL.

10YR 3/3

10YR 3/3

# SCA

# 09/01/93

AB

AB

SOIL SERIES:

KARLSBAD-ER (erKBD)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLOD (ERODED) MODERATELY FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

0-9%

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

3-28

DARK BROWN

DARK BROWN

MFSBK FR F MFCOL

MA

L CL 6.3

F (Topsoil)

F (Subsoil)

CSK

94-120 10YR 7/3 VERY PALE BROWN

F

SICL

7.5 1. 7.5 12. 51 6.

SOIL OUALITY RATINGS:

3-28 F BTN CSK 94-120

рН C G G

# TOPSOIL INTERPRETATIONS:

Horizon Depth Consistence Texture

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

3 0-5 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS MODERATE

.046 LOW MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES

NOTES: ERODED VARIANT OF KARLSBAD.

1

# 09/01/93

SOIL SERIES: KARLSBAD-SA (saKBD)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-9%

SOIL CLASSIFICATION: BROWN SOLOD (SALINE)

PARENT MATERIAL: MODERATELY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS: NON

TEMPORARY PONDING

GLACIOLACUSTRINE

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AHKA .	0-5	10YR	4/3	BROWN	WMGR	VFR	SIL		6.5		
AESA	5-10	10YR	5/3	BROWN	MFPL	VF	SIL		6.1		
ABSA	12-15	10YR	3/3	DARK BROWN	MFSBK	FR	L		6.3		
BTN	15-40	10YR	3/3	DARK BROWN	MFCOL	F	CL		7.5		
CCA	40-106	10YR	5/4	YELLOWISH BROWN	WMABK	F	SIL		8.1		
CSK	106-120	10YR	7/3	VERY PALE BROWN	MA	F	SICL		7.5		51

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHKA	0-5	G	G		G				G (Topsoil)
AESA	5-10	P	G		F				P (Topsoil)
ABSA	12-15	G	G		F				F (Topsoil)
BTN	15-40	F	F		G				F (Subsoil)
CCA	40-106	F	G		F				F (Subsoil)
CSK	106-120	F	F		G		G		F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
10-15	cm
NOT OB	VIOUS
VERY T	HIN
MODERA	TE
.046	
LOW	
MODERA	TE
HIGH	

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF KARLSBAD THAT IS SALINE AND SODIC TO THE SURFACE.

### 09/01/93

SOIL SERIES:

KITSIM

(KTM)

LANDFORM:

BLANKET 0-1%

SOIL ZONE: SOIL CLASSIFICATION: REGO GLEYSOL (SALINE)

BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

SLIGHTLY

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AHG CG	0-2 2-10	10YR 10YR	3/3	DARK BROWN DARK YELLOWISH BROWN	WFGR MA	FR VF	CT	4.73	5.1	0.7	88. 0.2
CSAG	10-45	10YR 10YR	4/4	BROWN-DARK BROWN	MA	VF	С	1.35	7.7	1.2	67. 9.
CSKG1 CSKG2	45-60 60-120	10YR 10YR	4/3 4/3	BROWN-DARK BROWN BROWN-DARK BROWN	MA MA	F F	Cr		7.7	2.1	70. 10.4 68. 8.8

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHG	0-2	G	F	G	P	G	P	G	P (Topsoil)
CG	2-10	P	P		F	G	G	G	P (Subsoil)
CSAG	10-45	P	P		F	G	F	P	P (Subsoil)
CSKG1	45-60	F	P		F	G	F	P.	P (Subsoil)
CSKG2	60-120	F	F		F	G	F	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	2 cm	SEASONAI
THICKNESS RANGE:	0-5 cm	HARD BEI
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SOD
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SO
	DISCONTINUOUS,	GRAVEL:
	WETNESS	STONY LA
WIND EROSION RISK:		FACE INS
WATER EROSION K=:	-	SOLONETZ
RISK ON <5% SLOPE:	_	SALINE C
RISK ON 5-9% SLOPE:	_	IMPORTAN
RISK ON 9-15% SLOPE:	_	

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE WEAKLY SALINE AND MODERATELY SODIC. THEY ARE VERY HARD AND IMPERMEABLE WHEN DRY AND EXTREMELY FIRM AND IMPERMEABLE WHEN WET.

## 09/01/93

SOIL SERIES:

MALEB

(MAB)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Depth Color Code		Color Name	Color Name Structure Consisten			o.c.	рн	EC	Sat%	SAR
AH	0-13	10YR	5/3	BROWN	MFGR	FR	L	3.9	6.6	0.7	61.	0.2
BM	13-39	10YR	5/4	YELLOWISH BROWN	MFSBK	F	L	1.5	6.7	0.5	47.	0.2
CCA	39-60	10YR	6/3	PALE BROWN	MA	F	L		7.7	0.5	48.	0.3
CK	60-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.8	0.4	54.	0.6

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-13	G	G	G	G	G	F	G	F (Topsoil)
BM	13-39	F	G		G	G	G	G .	F (Subsoil)
CCA	39-60	F	G		F	G	G	G	F (Subsoil)
CK	60-100	F	G		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VERY COMMON SOIL IN SCA1. TOPSOIL THICKENS DOWNSLOPE. IN CULTIVATED FIELDS THE PLOW LAYER IS USUALLY INTO THE B OR C HORIZON. COLOR CHANGE FROM TOPSOIL TO SUBSOIL IS NOT OBVIOUS. OVERSTRIPPING SOME B MATERIAL WHEN THE TOPSOIL IS THIN IS OFTEN PREFERRED.

# 09/01/93

SOIL SERIES:

MALEB-SA

(saMAB)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

BROWN SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC TYPICAL SLOPES:

TEMPORARY PONDING

(SALINE)

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

2-9%

PARENT MATERIAL:

MODERATELY FINE TILL

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture		рН	EC	Sat% SAR
AP	0-18	10YR	4/3	BROWN - DARK BROWN	WFGR	FR	L	2.1	7.6	1.5	52. 2.2
BSA	18-45	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL		7.7	7.3	54. 7.4
CSK	45-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.9	11.8	55. 11.2

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G	G	F	G	G	G	F (Topsoil)
BSA	18-45	F	F		F	P	G	F	P (Subsoil)
CSK	45-180	F	F		F	U	G	P	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	]

15 cm 10-15 cm NOT OBVIOUS NONE MODERATE .036

LOW LOW MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSC	IL: YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MALEB THAT IS SALINE, SODIC (AND USUALLY CARBONATED) AT OR

NEAR THE SURFACE.

## 09/01/93

SOIL SERIES:

MALEB-ST

(stMAB)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-9%

ORTHIC BROWN CHERNOZEMIC

DRY

PARENT MATERIAL:

SOIL CLASSIFICATION:

STONY, MODERATELY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

VERY

TILL

#### TYPICAL SOIL PROFILE:

AP 0-4 10YR 4/3 BROWN MFGR FR STL 2.6	6.6 0.5	43. 0.
BM 4-25 10YR 5/4 YELLOWISH BROWN MFSBK F STCL	7.6 0.5	45. 0.3
CK 25-120 2.5Y 5/4 LIGHT OLIVE BROWN MA F STCL	8. 0.6	54. 0.8

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-4	G	Р	G	G	G	G	G	P (Topsoil)
BM	4-25	F	P		F	G	G	G	P (Subsoil)
CK	25-120	F	P		F	G	G	G ,	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

5 cm		
5-20	cm	
NOT OBV	IOUS	
JERY TH	IN,	
DISCONT:	INUOUS,	STONY
MODER ATTI	₹.	

.036

LOW LOW

MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MALEB SOILS THAT ARE STONIER THAN NORMAL. STONE-PICKING PROBABLY REQUIRED, OTHERWISE HANDLE LIKE MALEB. TOPSOIL IS OFTEN VERY THIN OR ABSENT DUE TO EROSION ON UPPER SLOPES.

# 09/01/93

SOIL SERIES:

MALEB-XP

(xpMAB)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-9%

DRY

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC
PARENT MATERIAL: MODERATELY FINE

MODERATELY FINE TILL/SOFTROCK

SURFACE STONINESS:

USUAL SOIL MOISTURE:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	n Depth Color Code		Color Name Structu		Consistence	Texture	O.C.	рН	EC	Sat% S	SAR	
AH	0-13	10YR	5/3	BROWN	MFGR	FR	L		6.6	0.7	61.	0.2
BM	13-39	10YR	5/4	YELLOWISH BROWN	MFSBK	F	L		6.7	0.5	47.	0.2
CCA	39-60	10YR	6/3	PALE BROWN	MA	F	L		7.7	0.5	48.	0.3
CK	60-90	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.8	0.4	54.	0.6

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
AH	0-13	G	G		G	G	F	G	F (Topsoil)
BM	13-39	F	G		G	G	G	G	F (Subsoil)
CCA	39-60	F	G		F	G	G	G	F (Subsoil)
CK	60-90	F	G		F	G	G	G	. F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm
10-20 cm
NOT OBVIOUS
NONE
MODERATE
.036
LOW

LOW MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MALEB THAT HAS WEATHERED (PARALITHIC) BEDROCK WITHIN 1 M OF THE SURFACE. THE SOFTROCK IS SIMILAR TO THE TILL IN PHYSICAL AND

CHEMICAL PROPERTIES.

# INTERPRETATION GUIDELINES

# SCA 1

## 09/01/93

SOIL SERIES:

MASINASIN

(MSN)

UNDULATING, HUMMOCKY,

RIDGED

SOIL CLASSIFICATION:

BROWN

TYPICAL SLOPES:

LANDFORM:

2-9%

PARENT MATERIAL:

MODERATELY FINE TILL

ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DRY

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MODERATELY

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name		Structure Consistence Texture			рН	EC	Sat%	SAR
AP	0-12	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	L	2.1	6.9	2.2	46.	3.5
BM	12-35	10YR	5/4	YELLOWISH BROWN	MFSBK	F	CL		7.	0.5	50.	0.
CCA1	35-80	10YR	5/3	BROWN	MA	F	L		8.	1.		3.
CCA2	80-100	10YR	6/3	PALE BROWN	MA	F	L		8.4	1.		

#### SOIL QUALITY RATINGS:

Hori	izon Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G .	G	G	G	F	G	G	F (Topsoil)
BM	12-35	F	F		G	G	G	G	F (Subsoil)
CCA1	L 35-80	F	G		F	G		G	F (Subsoil)
CCA2	80-100	F	G		F	G			F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	12 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	.04	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: MASINASIN IS MAPPED ONLY SOUTH OF ETZIKOM COULEE (APPROXIMATELY). TOPSOIL THICKNESS INCREASES DOWNSLOPE. COLOR CHANGE TO SUBSOIL IS OBVIOUS.

## 09/01/93

SOIL SERIES: SOIL ZONE:

MASINASIN-GR (grMSN)

BROWN

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

PARENT MATERIAL: GRAVELLY, MODERATELY FINE USUAL SOIL MOISTURE: DRY

TILL

LANDFORM:

UNDULATING, HUMMOCKY,

RIDGED

TYPICAL SLOPES:

2-9%

SURFACE STONINESS: VERY

#### TYPICAL SOIL PROFILE:

											-
Depth Color Code Color Name		Structure Consistence Texture 0.		O.C.	рН	EC	Sat% SAR	3			
0-12	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	GRL		6.6	0.3	0.	-
12-30	10YR	4/3	BROWN-DARK BROWN	MMSBK	F	GRCL		6.9	0.2	0.	
30-100	10YR	5/3	BROWN	MA	F	GRCL		8.	0.4	0. 0.	. 6
	0-12 12-30	0-12 10YR 12-30 10YR	0-12 10YR 4/2 12-30 10YR 4/3	0-12 10YR 4/2 DARK GRAYISH BROWN 12-30 10YR 4/3 BROWN-DARK BROWN	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR FR 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK F	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR FR GRL 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK F GRCL	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR FR GRL 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK F GRCL	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR FR GRL 6.6 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK F GRCL 6.9	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR FR GRL 6.6 0.3 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK F GRCL 6.9 0.2	0-12 10YR 4/2 DARK GRAYISH BROWN MFGR FR GRL 6.6 0.3 0. 12-30 10YR 4/3 BROWN-DARK BROWN MMSBK F GRCL 6.9 0.2 0.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	P		G	G	G		P (Topsoil)
BM	12-30	F	P		G	G	G		P (Subsoil)
CK	30-100	F	P		F	G	G	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	12 cm 10-15 cm NOT OBVIOUS GRAVELLY MODERATE .040 LOW LOW
RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRAVELLY VARIANT OF MASINASIN.

# INTERPRETATION GUIDELINES

SCA 1

## 09/01/93

SOIL SERIES:

MASINASIN-SA

(saMSN) LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

BROWN

ORTHIC BROWN CHERNOZEMIC TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION:

(SALINE)

IIIICAL DEGILD.

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	На	EC	Sat% SAR
APKSA BKSA	0-15 15-50	10YR 10YR	3/3	DARK BROWN BROWN	MFGR MFSBK	FR F	CL	2.4	8.	6.6	56. 24.7 64. 25.9
CKSA	50-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL			15.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APKSA	0-15	G	F	G	F	P	G	U	U (Topsoil)
BKSA	15-50	F	F		F	U	F	U	U (Subsoil)
CKSA	50-120	F	F		P	U	G	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MASINASIN SOILS THAT ARE CARBONATED AND SALINE-SODIC AT OR NEAR THE SURFACE. THESE SOILS HAVE VERY SEVERE LIMITATIONS FOR GROWTH OF CROPS, AND HAVE UNSUITABLE QUALITY RATINGS OF TOPSOIL AND SUBSOIL.

# 09/01/93

SOIL SERIES:

MASINASIN-ST (stMSN)

LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

BROWN

TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEM

2-9%

PARENT MATERIAL:

STONY, MODERATELY FINE

USUAL SOIL MOISTURE: DRY SURFACE STONINESS:

VERY

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-10	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	STL	3.9	6.6	0.5	63.	0.
BM	10-15	10YR	5/4	YELLOWISH BROWN	MFSBK	F	STL		7.2	0.8	57.	0.
CCA	15-120	2.5Y	6/4	LIGHT YELLOWISH BROWN	MA	F	STL		7.9	0.5	54.	1.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	P	G	Ģ	G	F	G	P (Topsoil)
BM	10-15	F	P		G	G	G	G	P (Subsoil)
CCA	15-120	F	P		F	G	G	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOI	L: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MASINASIN SOILS THAT ARE STONIER THAN NORMAL. OTHER THAN STONE PICKING HANDLE LIKE MASINASIN.

### 09/01/93

SOIL SERIES:

MCNAB

(MCN)

LANDFORM:

SPILLWAY, FAN, APRON

SOIL ZONE:

BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION:
PARENT MATERIAL:

ORTHIC REGOSOL (SALINE)
MEDIUM FLUVIAL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

1-5%

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	e Texture	Нд	EC	Sat% SAR
APSA	0-8	10YR	4/2	DARK GRAYISH BRO	WN MMGR	VF	CL			59. 75.3
CCASA1	8-40	10YR	4/2	DARK GRAYISH BRO	WN MA	F	CL	8.3	36.6	66. 75.4
CCASA2	40-100	10YR	4/2	DARK GRAYISH BRO	WN MA	,F	C	8.6	27.6	137. 72.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рH	EC	Sat%	SAR	Overall Rating
APSA	0-8	Р	F		F	Ū	G	ŭ	U (Topsoil)
CCASA1	8-40	F	F		F	U	F	U	U (Subsoil)
CCASA2	40-100	F	P		P	Ū	U	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	
WIND EROSION RISK:	

WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

5 cm 5-10 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS MODERATE .04 LOW LOW MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: MCNAB SOILS OCCUR MAINLY WITHIN SPILLWAY VALLEYS ON FLUVIAL FANS AND APRONS. THESE SOILS HAVE LITTLE OR NO A HORIZON AND NO B HORIZON. THERE IS LAYERING OR BANDING IN THE SUBSOIL. THEY HAVE VERY SEVERE LIMITATIONS FOR GROWTH OF ANY CROPS DUE TO SALINITY AND/OR SODICITY. OFTEN ASSOCIATED WITH SOLONETZIC SOILS.

1

## 09/01/93

SOIL SERIES:

MILK RIVER (MKR)

LANDFORM:

FLOODPLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: CUMULIC REGOSOL

MODERATELY COARSE FLUVIAL

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
APK	0-20	10YR	5/3	BROWN	WFGR	VFR	SIL				
CK1	20-30	10YR	5/2	GRAYISH BROWN	SGR	L	LS				
CK2	35-90	10YR	6/2	LIGHT BROWNISH GRAY	STRAT	VFR	SL				
2CK	90-120	10YR	5/2	GRAYISH BROWN	SGR	L	GRLS				

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-20	G	G						G (Topsoil)
CK1	20-30	F	P						P (Subsoil)
CK2	35-90	G	G						G (Subsoil)
2CK	90-120	F	P						P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	5-10 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

GEN GONNELLY LITCH M. M.	370
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: OCCURS ON RECENT FLOODPLAINS. THE PARENT MATERIAL CONSISTS OF LAYERS OF SANDY LOAM TO LOAMY SAND, INTERSPERSED BY BURIED AH HORIZONS, AND OTHER SANDY, SILTY OR GRAVELLY LAYERS. WITH DEPTH, THE FREQUENCY AND THICKNESS OF THE GRAVEL LAYERS INCREASES, OFTEN TO CONTINUOUS GRAVEL BELOW THE 1 1 DEPTH. THESE SOILS ARE NON SALINE-SODIC.

## 09/01/93

SOIL SERIES:

PATRICIA

(PTA)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

TYPICAL SLOPES:

TEMPORARY PONDING

(ERODED)

\_\_\_\_\_

(STEP)

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat% SAR
АН	0-8	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	L	3.1	7.4		
AE	8-15	10YR	4/2	DARK GRAYISH BROWN	MMPL	FR	L	1.2	7.2		
BNT	15-30	2.5Y	4/4	OLIVE BROWN	MFSBK	VF	C	1.2	7.2	0.2	
CK	30-51	2.5Y	4/4	OLIVE BROWN	MFABK	F	CL		8.1	0.2	
CSK	51-100	2.5Y	4/4	OLIVE BROWN	WFABK	F	С		7.8	2.	9.

## SOIL QUALITY RATINGS:

-	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	AH	0-8	G	G	G	 G				G (Topsoil)
	АП		G	G		G				· •
ţ	AE	8-15	G	G	F	G				F (Topsoil)
100	BNT	15-30	P	P		G	G			P (Subsoil)
-	CK	30-51	F	F		F	G			F (Subsoil)
To de	CSK	51-100	F	P		F	G		P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15
COLOR CHANGE TO SUBSOIL:	NOT OBVI
STRIPPING LIMITATIONS:	DISCONTIN
	THIN
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

10 cm	
10-15 cm	ı
NOT OBVIOU	IS
DISCONTINU	OUS, VERY
THIN	
MODERATE	
.036	
LOW	
LOW	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:	
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: BOTH AH AND AE WHEN PRESENT SHOULD BE SALVAGED AS TOPSOIL. STRIP TO HARDPAN.

THE BNT IS VERY TOUGH, BUT IS USUALLY NOT SODIC AND CAN BE BROKEN DOWN. THE LOWER
SUBSOIL IS WEAKLY SALINE-SODIC.

## 09/01/93

SOIL SERIES:

PATRICIA-ER (erPTA)

LANDFORM:

BLANKET 0-5%

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

TYPICAL SLOPES:

TEMPORARY PONDING

(ERODED)

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	n Depth Co		Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH	0-2	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	L	3.1	7.4		
AE	2-15	10YR	4/2	DARK GRAYISH BROWN	MMPL	FR	L	1.2	7.2		
BNT	15-30	2.5Y	4/4	OLIVE BROWN	MFSBK	VF	С	1.2	7.2	0.2	
CK	30-51	2.5Y	4/4	OLIVE BROWN	MFABK	F	CL		8.1	0.2	
CSK	51-100	2.5Y	4/4	OLIVE BROWN	WFABK	F	С		7.8	2.	9.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-2	G	G	G	G				G (Topsoil)
AE	2-15	G	G	F	G				F (Topsoil)
BNT	15-30	P	P		G	G			P (Subsoil)
CK	30-51	F	F		F	G			F (Subsoil)
CSK	51-100	F	P		F	G		P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	2 cm
THICKNESS RANGE:	0-5 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	DISCONTINUOUS, VERY
	THIN
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF PATRICIA. BOTH AH AND AE WHEN PRESENT SHOULD BE SALVAGED AS TOPSOIL. STRIP TO HARDPAN. THE BNT IS VERY TOUGH, BUT IS USUALLY NOT SODIC AND CAN BE BROKEN DOWN. THE LOWER SUBSOIL IS WEAKLY SALINE-SODIC.

MODERATE

## 09/01/93

SOIL SERIES:

PATRICIA-SA (saPTA)

TA) LANDFORM:

BLANKET

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

(SALINE)

----

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

PARENT MATERIAL:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Text		e Texture	o.c.	рН	EC	Sat% SAR
AHSA .	0-8	10YR 4	4/2	DARK GRAYISH BROWN	WFGR	FR	L	3.1	7.4		
AESA	8-15	10YR 4	4/2	DARK GRAYISH BROWN	MMPL	FR	L	1.2	7.2		
BNT	15-30	2.5Ym 4	1/4	OLIVE BROWN	MFCOL	VF	C	1.2	7.2		
CSK2	30-51	2.5Yd 4	4/4	OLIVE BROWN	MFABK	H	CL		8.1		
CSK1	51-66	2.5Yd 4	1/4	OLIVE BROWN	WFABK	Н	C		7.8		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHSA	0-8	G	G	G	G				G (Topsoil)
AESA	8-15	G	G	F	G				F (Topsoil)
BNT	15-30	P	P		G				P (Subsoil)
CSK2	30-51	F	F		F				F (Subsoil)
CSK1	51-66	F	P		F				P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

10 cm	
10-15 cm	
NOT OBVIOUS	
DISCONTINUOUS,	VERY
THIN	
MODERATE	
.036	
LOW	
T.OM	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:	
ara governa v vicav vi m	app
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SALINE VARIANT OF PATRICIA THAT IS SALINE AND SODIC TO THE SURFACE.

MODERATE

## 09/01/93

SOIL SERIES:

PEMUKAN

(PUN)

LANDFORM:

TERRACED, FLOODPLAIN

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE

GLACIOFLUVIAL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH BM	0-12 12-45	10YR 10YR	4/3	BROWN YELLOWISH BROWN	SGR	L L	LS LS	1.6	7.2	1.	42.	
BC	45-100	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	GRLS	0.5	7.8	0.4	27.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-12	F	P	F	G	G	G	G	P (Topsoil)
BM	12-45	F	P		G	G	F	G	P (Subsoil)
BC	45-100	F	P		F	G	F	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:	10-15 cm NOT OBVIOUS NONE HIGH .015 LOW
RISK ON 5-9% SLOPE:	

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: LOAMY SAND DEPOSITS OVER GRAVEL AT APPROXIMATELY 30 CM. HOWEVER, THE DEPTH TO GRAVEL CAN BE EXTREMELY VARIABLE WITHIN SHORT DISTANCES. GRAVEL IS USUALLY PEA-SIZED. EXPOSED FACES ARE UNSTABLE DUE TO GRAVELLY, SANDY MATERIALS.

## 09/01/93

SOIL SERIES: PEMUKAN-SC (SCPUN) LANDFORM:

TERRACED, FLOODPLAIN

SOIL ZONE:

BROWN SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

(SALINE LOWER SUBSOI

SURFACE STONINESS:

NON

0-5%

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE

GLACIOFLUVIAL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-12	10YR	4/3	BROWN	SGR	L	LS		7.2	1.	42.	0.1
BM	12-45	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		7.	0.5	26.	0.4
BCSA	45-100	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	GRLS		7.8		27.	

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AH BM BCSA	0-12 12-45 45-100	F F	P P P		G G F	G G	G F F	G G	P (Topsoil) P (Subsoil) P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

12 cm
10-15 cm
NOT OBVIOUS
NONE
HIGH
.015
LOW
LOW
MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

Company (10 11 of	
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF PEMUKAN WITH SALINE LOWER SUBSOIL.

# 09/01/93

SOIL SERIES: SOIL ZONE:

PURPLE SPRINGS (PLS)

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC

VERY COARSE GLACIOFLUVIAL SURFACE STONINESS:

OR EOLIAN/TILL

BROWN

LANDFORM:

VENEER

TYPICAL SLOPES:

1-5% DRY

USUAL SOIL MOISTURE:

NON

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH	0-20	10YR	4/3	BROWN	SGR	L	LS	1.2	7.2	0.5	32.	0.7
BM	20-55	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LS	0.2	7.5	0.5	23.	0.7
BC	55-68	10YR	5/3	BROWN	SGR	VFR	SL		7.6	0.5	52.	6.4
2CK	68-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.2	0.7	52.	4.5

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-20	F	Р	F	G	G	G	G	P (Topsoil)
BM	20-55	F	P		G	G	F	G	P (Subsoil)
BC	55-68	G	G		F	G	G	F	F (Subsoil)
2CK	68-180	F	F		F	G	G	F	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES:

SANDY TEXTURED DEPOSITS OVER CLAY LOAM TILL AT APPROXIMATELY 0.7M. EQUIVALENT TO A SHALLOW CAVENDISH. TOPSOIL THICKENS IN SWALES AND ON LOWER SLOPES. COLOR CHANGE FROM TOPSOIL TO SUBSOIL IS NOT OBVIOUS. EXPOSED FACES ARE UNSTABLE IN UPPER PART OF PROFILE.

# INTERPRETATION GUIDELINES

SCA 1

## 09/01/93

SOIL SERIES:

RAINIER

(RIR)

LANDFORM:

VENEER

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL/
GLACIOLACUSTRINE

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-14	10YR	5/3	BROWN	WFGR	L	FSL		6.6	4.1	65.	7.1
BM	14-45	10YR	5/4	YELLOWISH BROWN	WFGR	L	LS		6.8	0.4	46.	1.7
2BM	45-78	10YR	5/4	YELLOWISH BROWN	WMSBK	FR	SIL		7.7	6.3	52.	6.4
2CCA	78-120	10YR	4/3	BROWN	WMSBK	VFR	L		8.	1.	79.	6.1

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-14	F	G		G	P	F	F	P (Topsoil)
BM	14-45	F	P		G	G	G	G	P (Subsoil)
2BM	45-78	G	G		F	P	G	F	P (Subsoil)
2CCA	78-120	G	G		F	G	F	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: SANDY LOAM SEDIMENTS OVER CLAY LOAM TO CLAY GLACIOLACUSTRINE AT APPROXIMATELY 0.5M. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE.

# 09/01/93

SOIL SERIES:

RAMILLIES (RAM)

LANDFORM:

TERRACED

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION:

ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY

PARENT MATERIAL: MEDIUM

GLACIOFLUVIAL/GRAVEL

NON

#### TYPICAL SOIL PROFILE:

SAR
0.
. 1.
. 1.
. 1.

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G		G			G	G (Topsoil)
BM	10-35	G	G		G	G	G	G	G (Subsoil)
CCA	35-50	F	G		F	G	P	G	P (Subsoil)
2C	50-75	F	P		G	G	F	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES:

LOAM TO SILT LOAM TEXTURED GLACIOFLUVIAL DEPOSITS OVER GRAVELLY SAND AT APPROXIMATELY 0.5M. EXPOSED FACES OF THE UNDERLYING MATERIAL ARE

UNSTABLE.

### 09/01/93

SOIL SERIES:

ROLLING HILLS (RHS)

VENEER 2-9%

SOIL ZONE:

TYPICAL SLOPES:

LANDFORM:

TEMPORARY PONDING

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ VERY COARSE GLACIOFLUVIAL USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

OR EOLIAN/GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
AP	0-15 15-32	10YR 10YR	4/3 5/4	BROWN YELLOWISH BROWN	SGR	L	LS LS	0.3	6.4			
2BNT	32-47	10YR	3/3	DARK BROWN	MMSBK	VF	CL	0.3	8.	1.	10.	
2CCA 2CK	47-63 63-100	10YR 10YR	6/4 5/3	LIGHT YELLOWISH BROWN BROWN	WCSBK WMABK	FR FR	SICL		7.9 8.			

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP AHE 2BNT 2CCA 2CK	0-15 15-32 32-47 47-63 63-100	F F P G	P P F P	Р	F F F	G		р	P (Topsoil) P (Topsoil) P (Subsoil) P (Subsoil) F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

MYDICAL MUICKNEGG.
TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm
15-35 cm
NOT OBVIOUS
DISCONTINUOUS
HIGH
.02
LOW
LOW
MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

	_
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: TOPSOIL SALVAGE SHOULD INCLUDE AP AND AHE. STRIP TO HARDPAN. NO TOPSOIL IN BLOWOUT PITS. LOAMY SAND DEPOSITS OVER MODERATELY FINE GLACIOLACUSTRINE. THE BNT IS VERY TOUGH AND OCCURS IN THE UNDERLYING GLACIOLACUSTRINE MATERIAL. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE.

## 09/01/93

SOIL SERIES: SOIL ZONE:

ROLLING HILLS-SA (saRHS)

BROWN

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

(SALINE)

PARENT MATERIAL:

VERY COARSE GLACIOFLUVIAL OR EOLIAN/GLACIOLACUSTRINE LANDFORM:

VENEER

TYPICAL SLOPES:

2-9% USUAL SOIL MOISTURE: TEMPORARY PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
APSA	0-15	10YR	4/3	BROWN	SGR	L	LS				
AHESA	15-32	10YR	4/4	YELLOWISH BROWN	SGR	L	LS	0.3	6.4		
2BNT	32-47	10YR	3/3	DARK BROWN	MMSBK	VF	CL		8.		
2CCASA	47-63	10YR	6/4	LIGHT YELLOWISH BROWN	WCSBK	FR	SIC		7.9		
2CSK	63-100	10YR	5/3	BROWN	WMABK	FR	SICL		8.		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
APSA	0-15	F	P	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~					P (Topsoil)
AHESA	15-32	F	P	P	F				P (Topsoil)
2BNT	32-47	P	F		F				P (Subsoil)
2CCASA	47-63	G	P		F				P (Subsoil)
2CSK	63-100	G	F		F				F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL	THICKNESS:	
THICKNE	ESS RANGE:	
COLOR C	CHANGE TO SUBSOIL	:
STRIPPI	ING LIMITATIONS:	
WIND ER	ROSION RISK:	
WATER E	EROSION K=:	
	ON <5% SLOPE:	
RISK	ON 5-9% SLOPE:	
RISK	ON 9-15% SLOPE:	

20	cm		
15-3	35	cm	
TOM	OBV	IOUS	
DIS	CONT	JOUNI	JS
HIGH	H		
0.2			

LOW	
LOW	
MODERATE	

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF ROLLING HILLS THAT IS SALINE AND SODIC TO THE SURFACE.

## 09/01/93

SOIL SERIES:

RONALAINE

(ROL)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-30% DRY

SOIL CLASSIFICATION:

SOLONTEZIC BROWN CHERNOZEMIC USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	
AH .	0-12	10YR	5/3		BROWN		WFGR	FR	L	2.6	6.4	0.4	51.	0.2
BTNJ	12-30	10YR	3/4	DARK	YELLOWISH	BROWN	MMSBK	F	L	1.7	7.4	0.8	60.	2.2
CSK	30-100	10YR	6/4	LIGHT	YELLOWISH	BROWN	MA	F	L		8.	0.8	54.	7.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH	0-12	G	G	G	F	G	G	G	F (Topsoil)
BTNJ	12-30	F	G		G	G	G	G	F (Subsoil)
CSK	30-100	F	G		F	G	G	F	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	10 cm 5-15 cm NOT OBVIOUS NONE MODERATE .036 LOW
RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: RONALAINE SOILS HAVE A BTNJ HORIZON THAT HAS SLIGHTLY SOLONETZIC

PHYSICAL PROPETIES AND THE LOWER SUBSOIL IS SLIGHTLY SODIC.

## 09/01/93

SOIL SERIES: RONALAINE-ST (stROL) LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: SOLONETZIC BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

PARENT MATERIAL:

STONY, MODERATELY FINE

TILL

SURFACE STONINESS: VERY

#### TYPICAL SOIL PROFILE:

Horizon	Depth				Color Code Color Name Structure Consistence Texture O				o.c.	рН	EC	Sat%	SAR
АН	0-12	10YR	5/3	BROWN		WFGR	FR	STL			0.4		
BNTJ	12-30	10YR	3/4	DARK YELLOWISH	BROWN	MMSBK	F	STL		7.4	0.8	60.	2.2
CSK	30-100	10YR	6/4	LIGHT YELLOWISH	BROWN	MA	F	STL		8.	0.8	54.	7.1

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-12	G	P		F	G	G	 G	P (Topsoil)
BNTJ	12-30	F	P		G	G	G	G	P (Subsoil)
CSK	30-100	F	P		F	G	G	F	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSO	IL: YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF RONALAINE THAT IS STONIER THAN NORMAL.

## 09/01/93

SOIL SERIES:

ROSEMARY

(RMR)

LANDFORM:

BLANKET

0-5%

SOIL ZONE:

BROWN

BROWN SOLOD

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION:

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-7	10YR	4/2	DARK GRAYISH BROWN	WFGR	VFR	SIL	2.6	7.8		
AE	7-9	10YR	5/2	GRAYISH BROWN	WFPL	VFR	SIL	1.	8.3		
BNT	9-23	10YR	3/3	DARK BROWN	MMCOL	VF	SIC	1.2	8.1	1.	
CCA	23-46	10YR	4/4	DARK YELLOWISH BROWN	MFABK	FR	SICL		8.1	3.	3.
CSK	46-100	10YR	4/4	DARK YELLOWISH BROWN	MA	FR	SICL		7.8	2.	

#### SOIL QUALITY RATINGS:

Horizon	Depth (	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH	0-7	G	G	G	F				F (Topsoil)
AE	7-9	G	G	F	F				F (Topsoil)
BNT	9-23	P	P		F	G			P (Subsoil)
CCA	23-46	G	F		F	F		G	F (Subsoil)
CSK	46-100	G	F		F	G			F (Subsoil)
AE BNT CCA	7-9 9-23 23-46	G P G	G P F		F F	F		G	F (Tops P (Subs

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

5 cm	
5-10	cm
NOT OB	VIOUS
VERY T	HIN,
DISCON	TINUOUS
MODERA	TE
.033	
LOW	
LOW	
MODERA	TE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE A BNT HORIZON AND THE LOWER SUBSOIL IS WEAKLY SALINE AND SODIC.

1

## 09/01/93

SOIL SERIES: ROSEMARY-ER (erRMR) LANDFORM:

BROWN-

TYPICAL SLOPES:

BLANKET

SOIL ZONE:

SOIL CLASSIFICATION: BROWN SOLOD (ERODED)

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

0-5%

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
AH	0-2	10YR	4/2	DARK GRAYISH BROWN	WFGR	VFR	SIL	2.6	7.8		
AE	2-9	10YR	5/2	GRAYISH BROWN	WFPL	VFR	SIL	1.	8.3		
BNT	9-23	10YR	3/3	DARK BROWN	MMCOL	VF	SICL	1.2	8.1	1.	
CCA	23-46	10YR	4/4	DARK YELLOWISH BROWN	MFABK	FR	SICL		8.1	3.	
CSK	46-100	10YR	4/4	DARK YELLOWISH BROWN	MA	FR	SICL		7.8	2.	

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-2	G	G	G	F				F (Topsoil)
AE	2-9	G	G	F	F				F (Topsoil)
BNT	9-23	P	P		F	" G			P (Subsoil)
CCA	23-46	G	F		F	F		G	F (Subsoil)
CSK	46-100	G	F		F	G			F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

2	cm		
0-5		cm	
TOM	OBV:	IOUS	
VERY	TH:	IN,	
DISC	CONT	JOUNI	JS
MODE	ERATI	Ξ	
.033	}		
LOW			
LOW			
MODE	RATI	Ξ	

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF ROSEMARY.

SPR NO NO NO NO

NO

YES

YES

NO

## 09/01/93

SOIL SERIES:

ROSEMARY-SA

(saRMR)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION:

BROWN SOLOD (SALINE)
FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SA	AR
AHSA	0-7	10YR	4/2	DARK GRAYISH BROWN	WFGR	VFR	SIL	2.6	7.8			
AESA	7-9	10YR	5/2	GRAYISH BROWN	WFPL	VFR	SIL	1.	8.3	5.	74. 5	5.9
BNTSA	9-23	10YR	3/3	DARK BROWN	MMCOL	VF	SIC	1.2	8.1	1.		
CCASA	23-46	10YR	4/4	DARK YELLOWISH BROWN	MFABK	FR	SICL		8.1	3.		3.
CSK	46-100	10YR	4/4	DARK YELLOWISH BROWN	MA	FR	SICL		7.8	2.	61. 41	1.4

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHSA	0-7	G	G		F				P (Topsoil)
AESA	7-9	G	G		F	F	F	F	P (Topsoil)
BNTSA	9-23	P	P		F	G			P (Subsoil)
CCASA	23-46	G	F		F	F		G	P (Subsoil)
CSK	46-100	G	F		F	G	F	U	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

5 cm	
5-10	cm
NOT OB	VIOUS
VERY T	HIN,
DISCON'	TINUOUS
MODERA'	ΓE
.033	

HARD BEDROCK:
NON-SODIC SOFTROCK:
SODIC SOFTROCK:
GRAVEL:
STONY LAYER:
FACE INSTABILITY:
SOLONETZIC B HORIZON:
SALINE OR SODIC LOWER SUBSOIL:
IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF ROSEMARY THAT IS SALINE AND SODIC TO THE SURFACE.

LOW

LOW

MODERATE

# **SEVEN PERSONS**

# INTERPRETATION GUIDELINES

SCA 1

## 09/01/93

SOIL SERIES:

SEVEN PERSONS (SPS)

FINE GLACIOLACUSTRINE

LANDFORM:

DRAINAGE CHANNELS

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION:
PARENT MATERIAL:

ORTHIC BROWN CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS: MOIST NON

TYPICAL SOIL PROFILE:

Horizo	-	Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH	0-10		5/2	GRAYISH BROWN	MFGR	FR	SICL					
BM	10-34	10YR	4/2	DARK GRAYISH BROWN	WFPR	F	SICL-SIC					
CCA	34-100	2.5Y	4/4	OLIVE BROWN	MA	F	SICL		6.2	5.	74.	5.9

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	F						F (Topsoil)
BM	10-34	F	P						P (Subsoil)
CCA	34-100	F	F		F	F	F	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### TYPICAL THICKNESS: 10 cm THICKNESS RANGE: 10-15 cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: MODERATE WATER EROSION K=: .025 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON FINE TEXTURED GLACIOLACUSTRINE MATERIAL.

# **SEVEN PERSONS-SA**

# INTERPRETATION GUIDELINES

SCA 1

# 09/01/93

SOIL SERIES:

SEVEN PERSONS-SA (saSPS)

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: ORTHIC BROWN CHERNOZEMIC

(SALINE)

PARENT MATERIAL: FINE GLACIOLACUSTRINE LANDFORM:

DRAINAGE CHANNELS

TYPICAL SLOPES: 0-2%

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHSA	0-10	10YR	5/2	GRAYISH BROWN	MFGR	FR	SICL		8.8		1.
BMSA	10-34	10YR	4/2	DARK GRAYISH BROWN	WFPR	F	SICL-SIC		8.2	20.	61. 41.4
CCASA	34-100	2.5Y	4/4	OLIVE BROWN	MA	F	SICL		7.5	1.	1.

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHSA	0-10	G	F		P	G		G	P (Topsoil)
BMSA	10-34	F	P		F	U	F	U	P (Subsoil)
CCASA	34-100	F	F		G	G		G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.025
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SALINE VARIANT OF SEVEN PERSONS THAT IS SALINE AND/OR SODIC TO THE SURFACE.

# 09/01/93

SOIL SERIES: SEVEN PERSONS-ZR (zrSPS) LANDFORM:

SOIL ZONE:

BROWN

PARENT MATERIAL: FINE GLACIOLACUSTRINE

SOIL CLASSIFICATION: REGO BROWN CHERNOZEMIC

DRAINAGE CHANNELS

TYPICAL SLOPES:

0-2% USUAL SOIL MOISTURE: MOIST

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure Consistence Texture			o.c.	рН	EC	Sat% SAR	
AH	0-10	10YR	5/2	GRAYISH BROWN	MFGR	FR	SICL		9.2	2.	29.
CCA1	10-34	2.5Y	4/4	OLIVE BROWN	MA	F	SICL-C		9.5	2.	23.
CCA2	34-100	2.5Y	4/4	OLIVE BROWN	MA	F	SICL		8.8	1.	58.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pH	EC	Sat%	SAR	Overall Rating
AH	0-10	G	F		U	F		U	F (Topsoil)
CCA1	10-34	F	P		U	G		U	P (Subsoil)
CCA2	34-100	F	F		P	G		U	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.025
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
SEASONALLY HIGH W.T.:	140
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF SEVEN PERSONS.

# INTERPRETATION GUIDELINES

SCA 1

# 09/01/93

SOIL SERIES:

SLOUGHAY (SLY)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: MODERATELY FINE

GLACIOLACUSTRINE

SURFACE STONINESS: NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-16	10YR	3/3	DARK BROWN	WFSBK	FR	SICL	1.5	6.8	9.2	1. 71.1
CG	16-40	5Y 4	1/	DARK GRAY	MA	FR	SICL	0.6	7.		1.
CKG1	40-78	10YR	4/1	DARK GRAY	MA	FR	SIC	0.5	8.		1.
CKG2	78-120	10YR	5/3	BROWN	MA	FR	L		8.4	9.9	1. 126.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-16	G .	F	F	G	G	G	U	F (Topsoil)
CG	16-40	G	F		G	G			F (Subsoil)
CKG1	40-78	G	P		F	G			P (Subsoil)
CKG2	78-120	G	G		F	G	F	U	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	15 cm 10-20 cm NOT OBVIOUS WETNESS
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SLOUGHAY SOILS ARE WET THROUGHOUT THE YEAR. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES:

STEVEVILLE (SIL)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

PARENT MATERIAL: MEDIUM TILL/SOFTROCK

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		or Code Color Name		Consistence	0.C.	pH EC		Sat%	SAR	
AH	0-5	10YR	3/3	DARK BROWN	WFGR	FR	L	2.7	6.2	0.4	46.	1.7
BNT	5-30	10YR	5/3	BROWN	SMSBK	VF	CL		7.3	1.	79.	6.1
2CSK1	30-80	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.6	6.3	52.	6.4
2CSK2	80-180	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	L		7.8	4.1	65.	7.1

#### SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-5	G	G	 G	F	 G	 G	G	F (Topsoil)
BNT	5-30	P	F		G	G	F	F	P (Subsoil)
2CSK1	30-80	F	G		F	P	G	F	P (Subsoil)
2CSK2	80-180	F	G		F	F	F	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

5 cm 5-10 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS MODERATE .047 LOW MODERATE HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: SODIC SOFTROCK: YES GRAVEL: MO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: STEVEVILLE SOILS ARE DEVELOPED ON THIN TILL VENEERS OVER WEATHERED SOFTROCK. BOTH MATERIALS ARE MEDIUM TEXTURED. THE BNT MATERIAL IS UNDESIRABLE AND THESE SOILS ARE MODERATELY TO STRONGLY SALINE AND SODIC.

# 09/01/93

SOIL SERIES:

STEVEVILLE-ER (erSIL)

SOIL ZONE:

SOIL CLASSIFICATION:

BROWN

BROWN SOLODIZED SOLONETZ

(ERODED)

PARENT MATERIAL:

MEDIUM TILL/SOFTROCK

LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

SURFACE STONINESS:

VENEER, UNDULATING

1-5%

TEMPORARY PONDING

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-2 2-30	10YR 10YR	3/3	DARK BROWN BROWN	WFGR SMSBK	FR VF	L CL	2.7	6.2	0.4	46. 79.	
2CSK1	30-80	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.6	6.3	52.	
2CSK2	80-180	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	L		7.8	4.1	65.	7.1

#### SOIL QUALITY RATINGS:

The same	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
SON CONTRACTOR	АН	0-2	G	G	G	F	G	G	G	F (Topsoil)
	BNT	2-30	P	F		G	G	F	F	P (Subsoil)
	2CSK1	30-80	F	G		F	P	G	F	P (Subsoil)
Contract of	2CSK2	80-180	F	G		F	F	F	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:

WATER EROSION K =: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

2 cm 0-5 CM NOT OBVIOUS VERY THIN, DISCONTINUOUS MODERATE .047

LOW MODERATE

HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: ERODED VARIANT OF STEVEVILLE.

### 09/01/93

SOIL SERIES:

STEVEVILLE-ST (stSIL)

SOIL ZONE:

SOIL CLASSIFICATION:

BROWN

BROWN SOLODIZED SOLONETZ

STONY, MEDIUM TILL/SOFTROCK

LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

SURFACE STONINESS:

VENEER, UNDULATING

1-5%

TEMPORARY PONDING

EXCEEDINGLY

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH	0-5	10YR	3/3	DARK BROWN	WFGR	FR	STL	2.7	6.2	0.4	46.	1 7
								2.1				
BNT	5-30	10YR	5/3	BROWN	SMSBK	VF	STCL		7.3	1.	79.	6.1
2CSK1	30-80	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	STL		7.6	6.3	52.	6.4
2CSK2	80-180	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	STL		7.8	4.1	65.	7.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AH	0-5	G	P	G	F	G	G	G	P (Topsoil)
BNT	5-30	P	P		G	G	F	F	P (Subsoil)
2CSK1	30-80	F	P		F	P	G	F	P (Subsoil)
2CSK2	80-180	F	P		F	F	F	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

CM 5-10 cm NOT OBVIOUS VERY THIN,

DISCONTINUOUS, STONY MODERATE .047

LOW MODERATE HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF STEVEVILLE THAT IS STONIER THAN NORMAL.

# INTERPRETATION GUIDELINES

# SCA 1

## 09/01/93

SOIL SERIES:

SUNNYNOOK

(SYK)

LANDFORM:

VENEER

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

SURFACE STONINESS:

USUAL SOIL MOISTURE:

NON

VERY COARSE EOLIAN OR GLACIOFLUVIAL/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-15	10YR	4/3	BROWN	SGR	L	LS	0.9	6.6	0.6	32. 1.
BNT	15-60	10YR	5/3	BROWN	COL	F-VF	LS-SL	0.1	7.5	1.7	29. 11.9
CSK	60-85	10YR	5/4	YELLOWISH BROWN	SGR	L	LS-SL		8.4	17.3	50. 25.2
2CSK	85-170	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.2	12.1	95. 27.3

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	F	P	P	G	G	G	G	P (Topsoil)
BNT	15-60	P	P		G	G	F	P	P (Subsoil)
CSK	60-85	F	P		F	U	G	U	U (Subsoil)
2CSK	85-170	F	F		F	U	P	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: SUNNYNOOK SOILS ARE DEVELOPED ON SANDY GLACIOFLUVIAL VENEERS OVERLYING CLAY LOAM TILL. THE BNT HORIZON OCCURS IN THE SANDY MATERIAL, IS NON TO WEAKLY SALINE, STRONGLY SODIC AND UNDESIRABLE. THE UNDERLYING TILL IS STRONGLY SALINE AND SODIC. EXPOSED FACES OF THE UPPER SANDY MATERIAL

ARE UNSTABLE.

1

### 09/01/93

SOIL SERIES:

TEMPEST (TEP)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

BROWN

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

TYPICAL SLOPES:

WATERTABLE / PONDING

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

0 - 1%

TYPICAL SOIL PROFILE:

F

F

F

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

L

8.1 3.8 55.

0-13 10YR 5/2 GRAYISH BROWN MMGR

13-20 10YR 6/2 LIGHT BROWNISH GRAY 20-43 10YR 4/2 DARK GRAYISH BROWN 43-104 10YR 5/2 GRAYISH BROWN

G

FR MMPL VFR WMSBK F MA F

7.9 0.9 31. 3.7 L SICL 8.2 2.7 85. 5.3 STCT. 6. 0.4 29. 1.4

SOIL OUALITY RATINGS:

\_\_\_\_\_

0-13 G 13-20 G G 20-43 F F BG 43-104 F F

Horizon Depth Consistence Texture

O.C. pH EC Sat% SAR Overall Rating F G P P (Topsoil) G G G P (Topsoil) F G P F P (Subsoil)

G

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS
STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 15 cm

HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: **GRAVEL:** 

G

STONY LAYER: FACE INSTABILITY:

F

SEASONALLY HIGH W.T.:

SOLONETZIC B HORIZON:

SUBSOIL (TO 1.5 M) INTERPRETATIONS: ALL NO NO NO NO NO YES

F (Subsoil)

NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: TEMPEST SOILS ARE WET ALL YEAR. EXPOSED FACES ARE UNSTABLE.

## 09/01/93

SOIL SERIES:

TILLEY (TIY)

LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: SOLONETZIC BROWN

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY NON

CHERNOZEMIC (ELUVIATED) PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-15	10YR	4/3	BROWN	WMGR	FR	SIL	4.4	6.9		
AE	15-22	10YR	5/2	GRAYISH BROWN	WFPL	FR	SIL	1.	7.2		
BT	22-43	10YR	3/3	DARK BROWN	MMPR	FR	SICL	1.2	7.7		
CSK1	43-60	10YR	5/4	YELLOWISH BROWN	MA	VFR	SIL		8.2	5.	18.
CSK2	60-100	10YR	6/3	PALE BROWN	MA	VFR	SIL		7.9	5.	14.

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	G	G	G	G				G (Topsoil)
AE	15-22	G	G	F	G				F (Topsoil)
BT	22-43	G	F		F				F (Subsoil)
CSK1	43-60	G	G		F	P		U	U (Subsoil)
CSK2	60-100	G	G		F	P		U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

TILLEY SOILS HAVE A BTNJ HORIZON THAT IS SLIGHTLY SOLONETZIC IN PHYSICAL AND CHEMICAL PROPERTIES. THE UNDERLYING SUBSOIL IS SLIGHTLY TO MODERATELY SALINE AND STRONGLY SODIC. THESE SOILS ARE ELUVIATED AND HAVE AN AE HORIZON.

### 09/01/93

SOIL SERIES:

TRAVERS (TVS) LANDFORM:

BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

1-50%

SOIL CLASSIFICATION: CALCAREOUS BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY SURFACE STONINESS:

MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
APK BMK	0-25 25-35	10YR 10YR	4/3 5/3	BROWN BROWN	MFGR WFSBK	FR FR	L L	2.4			42. 57.	
CK	35-120	10YR	5/3	BROWN	WFSBK	FR	L		8.2	9.5	57.	9.4

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-25	G	G	G	F	P	G	F	P (Topsoil)
BMK	25-35	G	G		F	. P	G	P	P (Subsoil)
CK	35-120	G	G		F	P	G	P	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

EQUIVALENT TO "CALCAREOUS MALEB". HANDLE SAME AS MALEB. FOUND ON NOTES: HÎLLTOPS AND UPPER SLOPES IN MALEB SOILSCAPES. SOILS THAT HAVE BMK HORIZONS AND ARE SOMETIMES CALCAREOUS TO THE SURFACE.

## 09/01/93

SOIL SERIES:

BROWN

TRAVERS-ST (stTVS)

LANDFORM:

BLANKET

SOIL ZONE:

SOIL CLASSIFICATION: CALCAREOUS BROWN

TYPICAL SLOPES:

1-50%

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY
SURFACE STONINESS: MODE

MODERATELY

PARENT MATERIAL:

STONY, MODERATELY FINE

TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure Co	onsistence	e Texture	O.C.	рН	EC	Sat%	SAR
APK	0-25	10YR 4/3	BROWN	MFGR	FR	STL	2.4			42.	
BMK	25-35	10YR 5/3	BROWN	WFSBK	FR	STL		8.2	9.5		
CK	35-120	10YR 5/3	BROWN	WFSBK	FR	STL		8.2	9.5	57.	9.4

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-25	G	P	G	F	P	G	F	P (Topsoil)
BMK	25-35	G	P		F	P	G	P	P (Subsoil)
CK	35-120	G	P		F	P	G	P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF TRAVERS THAT IS STONIER THAN NORMAL.

## 09/01/93

SOIL SERIES:

VAN CLEEVE-AA (aaVAC)

LANDFORM:

VENEER, SPILLWAY,

SOIL ZONE:

BROWN

TYPICAL SLOPES:

TERRACED

SOIL CLASSIFICATION:

ORTHIC DARK BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

2-9%

PARENT MATERIAL:

MODERATELY FINE TILL/SOFTROCK

SURFACE STONINESS:

DRY VERY

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat%	SAR
AP	0-10	10YR	4/4	DARK BROWN	MFGR	F	L		7.5			
BM CK	10-35 35-70	10YR 2.5Y	6/4 3/3	LIGHT YELLOWISH BROWN OLIVE BROWN	MA MA	F F	L SICL		7.5 8.2	0.9		0.4
2CK	70-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		8.	3.6	47.	0.7

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	F	G		G				F (Topsoil)
BM	10-35	F	G		G	G	G	G	F (Subsoil)
CK	35-70	F	F		F	G	G	G	F (Subsoil)
2CK	70-100	F	G		F	F	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 3. THESE SOILS ARE DEVELOPED ON THIN MODERATELY FINE TILL VENEERS OVERLYING MEDIUM SOFTROCK.

#### 09/01/93

SOIL SERIES:

VENDISANT

(VST)

LANDFORM:

DUNED

SOIL ZONE:

BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

REGO BROWN CHERNOZEMIC
VERY COARSE GLACIOFLUVIAL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

DROUGHTY NON

PARENT MATERIAL:

OR EOLIAN

#### TYPICAL SOIL PROFILE:

	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	3
	AH	0-47	10YR	4/2	DARK GRAYISH BROWN	SGR	L	LS		6.6			-
Н	C1 C2	47-86 86-112	10YR 10YR	5/3 5/4	BROWN YELLOWISH BROWN	SGR SGR	L L	S S	0.4	7. 7.9			
	CK CK	112-130	101R 10YR	5/4	BROWN	SGR	F	LS	0.4	8.1			
Н													

### SOIL QUALITY RATINGS:

	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Over	all Rating
	АН	0-47	F	Р		G					(Topsoil)
Ш	C1	47-86	F	P		G					(Subsoil)
	C2	86-112	F	P		F					(Subsoil)
	CK	112-130	F	P		F				P	(Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	20-50 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THICK,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	NO
WIND EROSION RISK:	HIGH	STONY LAYER:	NO
WATER EROSION K=:	.02	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	LOW	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	MODERATE	IMPORTANT TEXTURE CHANGE:	NO

NOTES:

THESE SOILS ARE DEVELOPED ON DEEP, STONE-FREE SANDS ASSOCIATED WITH DUNES. EXPOSED FACES ARE UNSTABLE DUE TO VERY COARSE SANDS. WIND EROSION RISK IS HIGH DUE TO THE SANDY SURFACE TEXTURES. VENDISANT SOILS ARE VERY DROUGHTY.

### 09/01/93

SOIL SERIES:

WARDLOW

(WDW) LANDFORM: LEVEL, UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ MODERATELY FINE GLACIOLACUSTRINE

0-5%

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
АН	0-5	10YR	4/3	BROWN	WFGR	FR	L		5.3	6.2	31.	1.2
AE	5-10	10YR	6/2	LIGHT BROWNISH GRAY	MMPL	VFR	SIL		5.2	0.4	33.	0.5
BNT	10-30	10YR	4/3	BROWN	SMCOL	VF	SICL		6.2	5.	74.	5.9
CSK	30-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SICL		8.2	20.	61.	41.4

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-5	G	G		P	G	G	G	P (Topsoil)
AE	5-10	G	G		P	G	G	G	P (Topsoil)
BNT	10-30	P	F		F	P	F	F	P (Subsoil)
CSK	30-110	F	F		F	U	F	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

5 cm	
5-10	cm
NOT OB	VIOUS
VERY T	HIN
MODERA	TE
.049	
LOW	
MODERA	TÉ

HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: WARDLOW SOILS ARE STRONGLY SALINE AND SODIC. THE BNT MATERIAL IS VERY TOUGH AND UNDESIRABLE. STRIP TO THE HARDPAN.

# 09/01/93

SOIL SERIES:

WARDLOW-ER

(erWDW)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

(ERODED)

MODERATELY FINE GLACIOLACUSTRINE

BROWN SOLODIZED SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS:

NON

0-5%

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

SOIL CLASSIFICATION:

Horizon	Depth	Color	Code	Color Name	Structure	Structure Consistence		o.c.	рН	EC	Sat% SAR
AH	0-2	10YR	4/3	BROWN	WFGR	FR	L		5.3	0.2	31. 1.2
AE	2-10	10YR	6/2	LIGHT BROWNISH GRAY	MMPL	VFR	SIL		5.2	0.4	33. 0.5
BNT	10-30	10YR	4/3	BROWN	SMCOL	VF	SICL		6.2	5.	74. 5.9
CSK	30-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SICL		8.2	20.	61. 41.4

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-2	G	G		P	G	G	G	P (Topsoil)
ΑE	2-10	G	G		P	G	G	G	P (Topsoil)
BNT	10-30	P	F		F	F	F	F	P (Subsoil)
CSK	30-110	F	F		F	U	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: 2 cm 0-5 THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: VERY THIN, DISCONTINUOUS WIND EROSION RISK: MODERATE WATER EROSION K=: .049 RISK ON <5% SLOPE: LOW

MODERATE HIGH

cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: ERODED VARIANT OF WARDLOW.

### 09/01/93

SOIL SERIES:

WARDLOW-SA (saWDW)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ USUAL SOIL MOISTURE: TEMPORARY PONDING

SURFACE STONINESS:

(SALINE)

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR	
AHSA	0-5	10YR	4/3	BROWN	WFGR	FR	L					
AHSA	5-10	10YR	6/2	LIGHT BROWNISH GRAY	MMPL	VFR	SIL					
BNTSA	10-30	10YR	4/3	BROWN	SMCOL	VF	SICL		6.2	5.	74. 5.9	9
CSK	30-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SICL		8.2	20.	61. 41.	4

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHSA	0-5	G	G						P (Topsoil)
AHSA	5-10	G	G						P (Topsoil)
BNTSA	10-30	P	F		F	P	F	F	P (Subsoil)
CSK	30-110	F	F		F	U	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOII	Ĺ:
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

2-10	cm
NOT O	BVIOU
VERY	THIN
MODER	ATE
.049	
LOW	
MODER	ATE
HIGH	

5 cm

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF WARDLOW THAT IS STRONGLY SALINE AND SODIC TO THE SURFACE.

# 09/01/93

SOIL SERIES:

YARNLEY

(YNY) LANDFORM: BLANKET

NON

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ VERY COARSE GLACIOFLUVIAL

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

OR EOLIAN

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-25	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	VFR	LS		7.5	1.		1.
AE	25-36	10YR	4/2	DARK GRAYISH BROWN	SGR	L	S		8.8	1.	43.	1.
BNTK	36-70	10YR	3/3	DARK BROWN	WCCOL	FR	LS		9.5	2.	50.	23.
CSK1	70-98	10YR	5/4	YELLOWISH BROWN	SGR	VFR	LS		9.2	2.	51.	29.
CSK2J	98-135	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	LS		8.8	1.	40.	58.

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-25	G	Р		G	G		G	P (Topsoil)
AE	25-36	F	P		P	G	G	G	P (Topsoil)
BNTK	36-70	G	P		U	G	G	U	U (Subsoil)
CSK1	70-98	G	P		U	G	G	U	U (Subsoil)
CSK2J	98-135	G	P		P	G	G	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SUBSCIE (TO 1.3 M) INTERPRETATIONS:	
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: YARNLEY SOILS HAVE A BNT HORIZON THAT IS UNDESIRABLE. THESE SOILS ARE NON TO WEAKLY SALINE AND STRONGLY SODIC. EXPOSED FACES ARE UNSTABLE.

1

# 09/01/93

SOIL SERIES:

YOUNGSTOWN

(YTW) LANDFORM: BLANKET

SOIL ZONE:

BROWN

TYPICAL SLOPES:

0-5% TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ MODERATELY COARSE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth Color Code Color Name			Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat% SAR
AP	P 0-12 10YR 5/3		BROWN	WFGR	VFR	FSL		7.8	6.4	65. 33.1	
AE	12-18	10YR	6/3	PALE BROWN	MFPL	VFR	FSL		7.9	7.7	127. 19.7
BNT	18-40	10YR	4/4	DARK YELLOWISH BROWN	VF	F	SL		8.2	9.2	53. 71.1
CSA	40-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	FSL		9.2	9.9	63. 126.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pH	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G		F	P	F	U	U (Topsoil)
AE	12-18	G	G		F	P	Ū	U	U (Topsoil)
BNT	18-40	P	G		F	P	G	U	U (Subsoil)
CSA	40-110	G	G		Ŭ	P	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE A BNT HORIZON THAT IS UNDESIRABLE AND SUBSOILS ARE STRONGLY SALINE AND SODIC. EXPOSED FACES ARE UNSTABLE.

# YOUNGSTOWN-ER

# INTERPRETATION GUIDELINES

SCA 1

# 09/01/93

SOIL SERIES:

YOUNGSTOWN-ER (erYTW) LANDFORM:

SOIL ZONE: BROWN

SOIL CLASSIFICATION: BROWN SOLODIZED SOLONETZ

(ERODED)

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL

TYPICAL SLOPES:

BLANKET 0-5%

SURFACE STONINESS:

USUAL SOIL MOISTURE: TEMPORARY PONDING

NON

#### TYPICAL SOIL PROFILE:

Ì	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	AP	0-5	10YR	5/3	BROWN	WFGR	VFR	FSL		7.8	6.4	65.	33.1
I	AE	5-18	10YR	6/3	PALE BROWN	MFPL	VFR	FSL		7.9	7.7	127.	19.7
ı	BNT	18-40	10YR	4/4 D	ARK YELLOWISH BROWN	MFSBK	VF	FSL		8.2	9.2	53.	71.1
ı	CSA	40-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	FSL		9.2	9.9	63.	126.

# SOIL QUALITY RATINGS:

Hor	izon Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-5	G	G		F	P	F	ŭ	U (Topsoil)
AE	5-18	G	G		F	P	U	U	U (Topsoil)
BNT	18-40	P	G		F	P	G	U	U (Subsoil)
CSA	40-110	G	G		U	P	F	U	U (Subsoil)

\_\_\_\_\_


#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	0-5 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

DODDOTH (10 1:5 H) INTERCRETATION	<u>.</u>
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF YOUNGSTOWN.



# 2.2 Soil Correlation Area #2

# General Description of the Area

The Dark Brown Soil Zone of the Highlands of Southern Alberta.

# **Ecoregion/Climate**

- SCA 2 consists of three highlands in Southern Alberta; the Cypress Hills, the Sweetgrass
  Hills and Milk River Ridge. The soils have dark brown surface horizons except for on top
  of the Cypress Hills where black and dark gray soils can also be found under forest cover
  (but this area is small).
- SCA 2 is not as dry as SCA1, and is within the Mixed Grass Ecoregion, which receives approximately 20 mm more precipitation than the Dry Mixed Grass (SCA1) Ecoregion (Strong and Leggatt 1992).
- Agroclimate is 2AH and 2H (slight moisture and heat limitations).
- Growing season P-PE = -250 to -350 mm.

# Soils and Landscapes

- The landscapes tend to have longer slopes and longer, better integrated drainage networks than is typical for the prairies. Landforms are typically morainal veneers overlying an inclined or rolling softrock (weathered mudstone, siltstone, shales) surface. The thickness of till is generally less than one metre, and the softrock is often exposed.
- Dark brown colored A horizons are approximately 10 cm thick while profile development extends about 40 cm.

# Soil Reclamation Issues

- Information requirements for planning soil handling focus on topsoil and subsoil thickness
  and quality, and on quality of the near-surface softrock materials.
- Control of wind erosion and water erosion are key concerns.
- The objective of maximizing water use efficiency should be recognized when reconstructing soil-landscapes.



SPR NO NO NO NO NO NO YES YES NO

# 09/01/93

SOIL SERIES:

GRUDGE

(GRG) LANDFORM: UNDULATING, INCLINED

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	pН	EC	Sat%	SAR
AH	0-2	10YR	4/2	DARK GRAYISH BROWN	WFGR	so	SIL					
AE	2-7	10YRd	6/2	LIGHT BROWNISH GRAY	WFSBK	so	SIL	1.69	7.1	1.		
BNT	7-30	10YRd	3/2	VERY DARK GRAYISH BROWN	SCCOL	VH	HC	1.66	7.6	2.		19.
BCS	30-40	10YRd	4/3	BROWN-DARK BROWN	SMPR	VH	С		7.6	7.		14.
CSA1	40-51	10YRd	5/4	YELLOWISH BROWN	WMSBK	Н	SICL		7.7	8.		14.
CSA2	51-70	10YRd	3/3	DARK BROWN	WMPR	Н	SICL		7.7	9.		14.
CKS	70-120	10YRd	6/3	PALE BROWN	MA	VH	L		8.2	5.		20.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-2	G	G						G (Topsoil)
AE	2-7	G	G	F	G	G			F (Topsoil)
BNT	7-30	P	P		F	G		U	U (Subsoil)
BCS	30-40	P	P		F	P		U	U (Subsoil)
CSA1	40-51	F	F		F	P		υ	U (Subsoil)
CSA2	51-70	F	F		F	P		U	U (Subsoil)
CKS	70-120	P	G		F	P		υ	U (Subsoil)
(i									

# MODEOTI THEEDDDEEDAGTONE.

TOPSOIL INTERPRETATIONS:		SUBSOIL (TO 1.5 M) INTERPRETATIONS:
TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	5 cm 2-10 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL:
WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	HIGH .040 LOW MODERATE HIGH	GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

NOTES: THESE SOILS ARE MODERATELY SALINE AND STRONGLY SODIC. THE BNT MATERIAL IS UNDESIRABLE.

#### 09/01/93

SOIL SERIES:

GRUDGE-ER (erGRG)

LANDFORM:

UNDULATING, INCLINED

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5% TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ (ERODED)

USUAL SOIL MOISTURE: SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
BNT	7-30	10YRd 3/2	VERY DARK GRAYISH BROWN	SCCOL	VH	HC	1.66	7.6	2.	19.
BCS	30-40	10YRd 4/3	BROWN-DARK BROWN	SMPR	VH	С		7.6	7.	14.
CSA1	40-51	10YRd 5/4	YELLOWISH BROWN	WMSBK	. Н	SICL		7.7	8.	14.
CSA2	51-70	10YRd 3/3	DARK BROWN	WMPR	H	SICL		7.7	9.	14.
CKS	70-120	10YRd 6/3	PALE BROWN	MA	VH	L		8.2	5.	20.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
BNT	7-30	P	P		F	G		U	U (Subsoil)
BCS	30-40	P	P		F	P		U	U (Subsoil)
CSA1	40-51	F	F		F	P		U	U (Subsoil)
CSA2	51-70	F	F		F	P		U	U (Subsoil)
CKS	70-120	P	G		F	P		U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

2 cm 0-3 cm VERY THIN, DISCONTINUOUS HIGH .040

LOW MODERATE HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF GRUDGE.

# **HEARTBREAK**

# INTERPRETATION GUIDELINES

SCA 2

# 09/01/93

SOIL SERIES:

HEARTBREAK

(HRK)

LANDFORM:

UNDULATING, HUMMOCKY,

RIDGED

SOIL CLASSIFICATION: ORTHIC DARK BROWN

DARK BROWN

TYPICAL SLOPES:

2-15%

CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE GLACIOFLUVIAL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

****	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	AH	0-10	10YR	3/3	DARK BROWN	WFGR	VFR	SL-LS		7.	0.3	34.	0.2
1	BM	10-60	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	VFR	SL-LS		7.3	0.2	27.	0.2
-	CCA	60-150	10YR	5/3	BROWN	MA	VFR	SL-LS		8.	0.4	26.	0.3
	1												

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-10	G	Р		G	G	G	G	P (Topsoil)
BM	10-60	G	P		G	G	F	G	P (Subsoil)
CCA	60-150	G	P		F	G	F	G	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.007
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	LOW

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO
NO
YES
NO
NO
NO

NOTES: THESE SOILS ARE DEVELOPED ON WATER-LAID GLACIOFLUVIAL MATERIAL. EXPOSED FACES ARE UNSTABLE DUE TO VERY COARSE TEXTURES. HEARTBREAK SOILS ARE VERY DROUGHTY. WIND EROSION RISK IS HIGH DUE TO VERY COARSE SURFACE

TEXTURES.

# 09/01/93

SOIL SERIES: HEARTBREAK-ZR (ZrHKR) LANDFORM:

UNDULATING, HUMMOCK

SOIL ZONE:

DARK BROWN

RIDGED

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-15%

PARENT MATERIAL: VERY COARSE GLACIOFLUVIAL SURFACE STONINESS:

USUAL SOIL MOISTURE: DROUGHTY

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat%	SAR
AH CK	0-10 10-120	10YR	3/3	DARK BROWN BROWN	WFGR MA	VFR VFR	SL-LS SL-LS			0.3		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH CK	0-10 10-120	G G	P P		G F	G G	G F	G G	P (Topsoil) P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	0-5 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	HIGH
WATER EROSION K=:	.007
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	LOW

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF HEARTBREAK.

# 09/01/93

SOIL SERIES:

HEGSON (HEG)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

PARENT MATERIAL:

CHERNOZEMIC

FINE GLACIOLACUSTRINE

(TILL-LIKE)

# SLIGHTLY

# YPICAL SOIL PROFILE:

	orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
-	н	0-10	10YR	4/2	DARK GRAYISH BROWN	WFSBK	FR	SICL	2.9	6.5			
i	M	10-30	10YR	3/2	VERY DARK GRAYISH BROWN	WMPR	F	SIC		6.5			
	CA	30-120	10YR	5/3	BROWN	MA	F	SIC		7.4			
и													

# OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Н	0-10	G	F	G	G				F (Topsoil)
M	10-30	F	P		G				P (Subsoil)
CA	30-120	F	P		G				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	10 cm 10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	.028
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE.	NO

OTES: THE PARENT MATERIAL IS OFTEN REFERRED TO AS LACUSTRO-TILL OR GLACIAL-TILL.

NO

NO

2

#### 09/01/93

SOIL SERIES:

LUPEN

(LUP)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

PLAIN

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE:

1-5%

PARENT MATERIAL:

MEDIUM

SURFACE STONINESS:

DRY NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SALINE OR SODIC LOWER SUBSOIL:

IMPORTANT TEXTURE CHANGE:

GLACIOLACUSTRINE/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
APK	0-15	10YR	4/3	BROWN-DARK BROWN	MFGR	FR	L	4.3	7.7	0.4	47.	0.3
BMK	15-30	10YR	5/3	BROWN	MFSBK	FR	L		8.	0.4	49.	0.4
2CK	30-120	10YR	6/4	LIGHT YELLOWISH BROWN	STRAT	FR	SICL-L		8.7	0.6	56.	4.

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-15	G	G	G	F	G	G	G	F (Topsoil)
BMK	15-30	G	G		F	G	G	G	F (Subsoil)
2CK	30-120	G	F		P	G	G	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### TYPICAL THICKNESS: SEASONALLY HIGH W.T.: 10 cm NO COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: HARD BEDROCK: NON-SODIC SOFTROCK: NO SODIC SOFTROCK: MO GRAVEL: NO WATER EROSION K=: 0.034 STONY LAYER: RISK ON <5% SLOPE: LOW FACE INSTABILITY: RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH NO SOLONETZIC B HORIZON: NO

NOTES: LUPEN SOILS ARE DEVELOPED ON MEDIUM GLACIOLACUSTRINE OVERLYING MODERATELY FINE TILL. THE TEXTURE CHANGE BETWEEN MATERIALS IS NOT SIGNIFICANT. THE TILL OCCURS ABOUT 0.5 CM BELOW THE SURFACE.

# 09/01/93

SOIL SERIES:

NEW DAYTON-AA (aaNED)

LANDFORM:

TERRACED

2-9%

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

USUAL SOIL MOISTURE: DROUGHTY

SOIL CLASSIFICATION: ORTHIC DARK BROWN

SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL:

GRAVELLY MODERATELY COARSE

FLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH	0-10	10YR	3/3	DARK BROWN	WFSBK	VFR	SL	2.3	6.5		
вм	10-30	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	GRLS		6.5		
CCA/CK	30-120	10YR	5/4	YELLOWISH BROWN	SGR	L	GR		7.4		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-10	G	G	G	G				G (Topsoil)
вм	10-30	F	P		G				P (Subsoil)
CCA/CK	30-120	F	U		G				U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	10 cm 10-15 cm NOT OBVIOUS GRAVELLY HIGH 0.020 LOW LOW MODERATE
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

HOME SCA IS 3. GRAVEL INCREASES WITH DEPTH FROM A 10% CONTENT IN THE UPPER PROFILE TO NEAR 80% IN THE LOWER PROFILE. NOTES:

### 09/01/93

SOIL SERIES:

PURESCAPE (PUR) LANDFORM:

HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-13	10YRm 3/2	VERY DARK GRAYISH BROWN	WCSBK	SLH	L	2.26	7.3		
BM	13-40	10YRm 3/3	DARK BROWN	MMPR	H	CL	1.43	7.2		
CK1	40-57	10YRm 5/2	GRAYISH BROWN	WMSBK	H	L		7.6	2.	
CK2	57-93	2.5Ym 5/2	GRAYISH BROWN	WCSBK	H	CL		7.7	0.5	
CK3	93-120	2.5Ym 4/2	DARK GRAYISH BROWN	MA	FR	CL		7.8	1.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-13	G	G	G	G				G (Topsoil)
BM	13-40	F	F		G				F (Subsoil)
CK1	40-57	F	G		F	G			F (Subsoil)
CK2	57-93	F	F		F	G			F (Subsoil)
СКЗ	93-120	G	F		F	G			F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	TOPOGRAPHY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.030
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS OCCUR ON HUMMOCKY LANDSCAPES.

# 09/01/93

SOIL SERIES:

SEXTON-AA (aaSXT) LANDFORM:

SPILLWAY, APRON

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC HUMIC REGOSOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL: MODERATELY COARSE FLUVIAL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-23	10YRd	3/2	VERY DARK GRAYISH BROWN	WFSBK	SO	FSL	1.58	7.7	0.5	
CK	23-34	10YRd	6/3	PALE BROWN	MA	so	FSL	0.6	7.9	0.5	
АНКВ1	34-53	10YRd	4/2	DARK GRAYISH BROWN	MA	so	FSL	0.91	7.9	0.5	
CKB1	53-74	10YRd	6/3	PALE BROWN	MA	so	FSL	0.52	8.2	0.5	
скв2	74-100	10YRd	6/3	PALE BROWN	MA	SO	L	0.24	8.7	3.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-23	G	G	F	F	G			F (Topsoil)
ck	23-34	G	G		F	G			F (Subsoil)
AHKB1	34-53	G	G	P	F	G			P (Topsoil)
CKB1	53-74	G	G		F	G			F (Subsoil)
CKB2	74-100	G	G		P	F			P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-20 cm OBVIOUS NONE HIGH 0.026 LOW LOW MODERATE
RISK ON 9-13% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 3. BURIED AH HORIZONS ARE COMMON. THESE SOILS HAVE A LOW WATER HOLDING CAPACITY AND LOW NATURAL FERTILITY.

NO NO NO NO NO NO NO

#### 09/01/93

SOIL SERIES:

WILDA

(WID)

LANDFORM:

HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

10-30%

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

DRY MODERATLEY

PARENT MATERIAL:

MODERATELY FINE TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
APK	0-15	10YRm 3/3	DARK BROWN	WFSBK	FR	CL	1.86	7.5	0.5	
CK1	15-41	10YRm 5/3	BROWN	MA	VFR	CL	1.02	7.8	0.5	
CK2	41-75	2.5Ym 6/2	LIGHT BROWNISH GRAY	MA	VFR	CL	0.31	7.9	0.5	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-15	G	F	F	G	G			F (Topsoil)
CK1	15-41	G	F		F	G			F (Subsoil)
CK2	41-75	G	F		F	G			F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	
STRIPPING LIMITATIONS:	TOPOGRAPHY	SODIC SOFTROCK:	
WIND EROSION RISK:	MODERATE	GRAVEL:	
WATER EROSION K=:	0.040	STONY LAYER:	
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	1
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	
		IMPORTANT TEXTURE CHANGE:	

NOTES: THESE SOILS ARE CONCENTRATED IN AREAS OF ROUGH TOPOGRAPHY. DUE TO THE STEEPNESS OF THE SLOPES, WATER EROSION IS A CONTINUING PROBLEM.

# 2.3 Soil Correlation Area #3

# General Description of the Area

The Dark Brown Soil Zone of South-Western Alberta

# **Ecoregion/Climate**

- SCA 3 is characterized by soils with a dark brown A horizon, located in the "Chinook Zone" of south-western Alberta. This is an area of transition from the moist, Black Soil Zone (SCA 5) to the dry, Brown Soil Zone (SCA 1). SCA 3 occupies much of the Mixed Grass Ecoregion (Strong and Leggatt 1992).
- Agroclimate is 2A and 2AH (slight moisture and heat limitations).
- Growing season P-PE = -200 to -350 mm.

# Soils and Landscapes

- The soils are predominantly Chernozemic but extensive Solonetzic soil-landscapes do occur. There are also extensive areas where soil salinity, including primary (historic) and secondary (dry-land) salinity are present.
- Dark brown colored A horizons are approximately 15 cm thick while profile development extends about 40 cm.
- Wind erosion risk is a major soil conservation concern in this area especially on the sandy textured soils. Wind erosion can occur in any month of the year. The key to wind erosion control is maintaining soil cover in the form of a growing crop or residue from the previous crop. The magnitude of the effects of water erosion are often under-estimated in this area. Topsoil lost from upper slope positions is generally deposited in depressional areas. The lack of topsoil on upper slopes is then blamed on historic wind erosion. The net effect is that the original topsoil is often absent from upper slopes (knolls) in cultivated fields, and the current cultivated layer is actually in the B or C soil horizon. Trying to distinguish the "topsoil layer" of these soils using color change can be difficult.

# Soil Reclamation Issues

Soil reclamation challenges in SCA 3 are similar to those in SCA 1, but there is more growing season precipitation in SCA 3. Typical soil reclamation problems include:

- 1. Wind erosion control especially on sandy soils.
- 2. Establishment of vegetation cover especially in dry areas.
- 3. Reclamation of salt-affected soils.
- 4. Dealing with near-surface, sodic softrock.
- 5. Reclamation of irrigation soils.



# INTERPRETATION GUIDELINES

SCA 3

# 09/01/93

SOIL SERIES:

ARROWWOOD

(AWD)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION:

DARK BROWN SOLOD MODERATELY FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS: NON

1-5%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-10	10YR	5/3	BROWN	MMGR	Н	L-SL	5.7	5.5	0.3	63.
AB	10-20	10YR	5/3	BROWN	MFSBK	H	CL		5.8	0.3	64.
BNT	20-35	10YR	3/2	VERY DARK GRAYISH BROWN	SMCOL	VF	L		7.8	8.2	63. 23.2
CSK1	35-70	10YR	5/6	YELLOWISH BROWN	MA	FR	CL		7.7	10.6	65. 17.6
CSK2	70-120	10YR	2/2	VERY DARK BROWN	MA	F	CL		7.9	9.1	71. 20.2

#### SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
АН	0-10	F	G	G	F	G	F		F (Topsoil)
AB	10-20	F	F		F	G	F		F (Subsoil)
BNT	20-35	P	G		F	P	F	U	U (Subsoil)
CSK1	35-70	G	F		F	U	F	U	U (Subsoil)
CSK2	70-120	F	F		F	P	F	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 10-15 cm NOT OBVIOUS NONE HIGH 0.041

LOW MODERATE HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ARROWWOOD SOILS HAVE A TOUGH, UNDESIRABLE BNT HORIZON AND ARE STRONGLY SALINE AND SODIC.

# 09/01/93

SOIL SERIES: BROCKET (BKE)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: MOIST

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Text		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-10	10YR	4/2	DARK GRAYISH BROWN	MMGR	F	С	5.2	7.3	0.6	63.	1.3
CCA1	10-30	10YR	3/3	DARK BROWN	MA	F	CL		7.4	0.8	62.	1.1
CCA2	30-65	10YR	4/3	BROWN - DARK BROWN	MA	F	С		7.8	0.5	65.	1.3
CK1	65-90	2.5Y	3/2	VERY DARK GRAYISH BROWN	MA	F	С		7.9	0.4	61.	1.2
CK2	90-120	2.5Y	6/4	LIGHT YELLOWISH BROWN	MA	F	С		7.5	2.	55.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AP	0-10	P	р	G	G	G	F	G	P (Topsoil)
CCA1	10-30	F	F		G	G	F	G	F (Subsoil)
CCA2	30-65	F	P		F	G	F	G	P (Subsoil)
CK1	65-90	F	P		F	G	F	G	P (Subsoil)
CK2	90-120	F	P		G	G	G	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: BROCKET SOILS CRACK WHEN SEVERLY DRIED OUT.

# 9/01/93

SOIL SERIES:

BROCKET-SA (saBKE)

BLANKET

SOIL ZONE:

DARK BROWN

LANDFORM:
TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: REGO DARK BROWN

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE

CHERNOZEMIC (SALINE) SURFACE STONINESS: NON

YPICAL SOIL PROFILE:

prizon	Depth	ch Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
P	0-5	10YR	4/2	DARK GRAYISH BROWN	MMGR	F	С	4.4	7.4	1.2	64. 16.7
CASA	5-25	10YR	4/3	BROWN - DARK BROWN	MA	F	С		7.5	7.5	77. 16.7
SK	25-120	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	С		7.8	10.9	100. 17.5

#### OIL QUALITY RATINGS:

ll	prizon	Depth	Consistence	Texture	0.C.	pН	EC	Sat%	SAR	Overall Rating
	P	0-5	Р	P	G	G	G	F	U	U (Topsoil)
1	CASA	5-25	F	P		G	P	F	U	U (Subsoil)
ı	SK	25-120	F	P		F	U	P	υ	U (Subsoil)
ш										

# TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

OTES: VARIANT OF BROCKET THAT IS SALINE AND/OR SODIC AT OR NEAR THE SURFACE.

#### 09/01/93

SOIL SERIES: CHOKIO (CIO)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: CALCAREOUS DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS: NON

MOIST

PARENT MATERIAL:

MODERATELY FINE

FLUVIAL-LACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
APK	0-5	10YR	3/3	DARK BROWN	WMGR	FR	С	4.5	7.5	0.5	1.
BTJK	5-14	10YR	3/2	VERY DARK GRAYISH BROWN	SFSBK	F	С		8.	0.7	4.8
CCA	14-40	10YR	6/3	PALE BROWN	MA	SO	CL		8.3	1.9	11.
CK	40-120	10YR	4/4	DARK YELLOWISH BROWN	MA	F	CL		8.	1.1	12.7

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
APK	0-5	G	P	G	G	G		G	P (Topsoil)
BTJK	5-14	F	P		F	G		F	P (Subsoil)
CCA	14-40	G	F		F	G		P	P (Subsoil)
CK	40-120	F	F		F	G		U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	5-10 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE PARENT MATERIAL IS GLACIOFLUVIAL OR GLACIOLACUSTRINE.

# 9/01/93

SOIL SERIES:

COALDALE (CLD)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

NON

PARENT MATERIAL:

YPICAL SOIL PROFILE:

FINE GLACIOLACUSTRINE

prizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
121	0-15	10YRm	3/2	VERY DARK GRAYISH BROWN	MMSBK	VH	SICL	2.03	7.6	2.	
122	15-26	10YRm	3/3	DARK BROWN	WCSBK	H	CL	1.91	7.7	2.	
111	26-38	10YRm	3/4	DARK YELLOWISH BROWN	MFSBK	F	SIC	1.04	7.7	1.	
1/12	38-47	10YRm	4/3	BROWN-DARK BROWN	WCPR	FR	SICL	0.78	7.8	0.5	
A	47-84	10YRm	5/2	GRAYISH BROWN	MA	FR	CL		8.	0.5	
W											

#### DIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
1	0-15	Р	F	 G	F	F			P (Topsoil)
2	15-26	P	F	F	F	F			P (Topsoil)
11	26-38	F	P		F	G			P (Subsoil)
12	38-47	G	F		F	G			F (Subsoil)
A	47-84	G	F		F	G			F (Subsoil)

#### TOPSOIL INTERPRETATIONS.

TOPSOIL INTERPRETATIONS:		SUBSOIL (TO 1.5 M) INTERPRETATIONS:					
TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-25 cm NOT OBVIOUS NONE MODERATE 0.021 LOW LOW MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO NO NO NO				

THE STONE-FREE PARENT MATERIAL IS USUALLY UNDERLAIN BY SAND OR GRAVEL DTES: AT 2 TO 3 M BELOW THE SURFACE. IN IRRIGATED AREAS, THE A HORIZON TENDS TO BE THICKER THAN NORMAL AND THE SOLUM IS OFTEN VERY WEAKLY CALCAREOUS.

# 09/01/93

SOIL SERIES: COALDALE-CA (caCLD) LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: CALCAREOUS DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

PARENT MATERIAL: FINE GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-5	10YR	3/3	DARK BROWN	MMGR	FR	С	5.9	6.5	0.4	
BTJK	5-30	10YR	3/2	VERY DARK GRAYISH BROWN	SFSBK	F	C		7.5	0.4	0.4
CCA	30-90	10YR	5/4	YELLOWISH BROWN	MA	H	SIC		8.2	0.6	2.9
CK	90-120	10YR	4/3	BROWN-DARK BROWN	MA	F	SIC		7.7	4.9	4.9

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-5	G	P	G	G	G			P (Topsoil)
BTJK	5-30	F	P		G	G		G	P (Subsoil)
CCA	30-90	F	P		F	G		G	P (Subsoil)
CK	90-120	F	P		F	F		F	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-25 cm NOT OBVIOUS NONE MODERATE 0.021 LOW LOW MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	NO NO NO NO NO NO NO
RISK ON 9-15* SLOPE:	MODERATE	IMPORTANT TEXTURE CHANGE:	NO

NOTES: CALCAREOUS VARIANT OF COALDALE. THESE SOILS HAVE A BMK OR BTJK HORIZON.

# INTERPRETATION GUIDELINES

SCA 3

# 19/01/93

KSA

SOIL SERIES:

COALDALE-SA (saCLD)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

ORTHIC DARK BROWN
CHERNOZEMIC (SALINE)

FINE GLACIOLACUSTRINE

GRAYISH BROWN

USUAL SOIL MOISTURE:

TEMORARY PONDING

7.8 4.3 61. 10.3

SURFACE STONINESS: 1

С

NON

PARENT MATERIAL:

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
P	0-12	10YR	3/3	DARK BROWN	MMSBK	F	CL	4.5	5.8	0.5	59.
TJSA	12-32	10YR	3/2	VERY DARK GRAYISH BROWN	SFSBK	F	С		7.5	0.8	60. 10.9
SK	32-70	10YR	4/3	BROWN - DARK BROWN	MA	F	C		8.2	2.	71. 13.7

MA

OIL QUALITY RATINGS:

70-120 10YR 5/2

orizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
P	0-12	Р	F	G	F	G	G		P (Topsoil)
TJSA	12-32	F	P		G	G	F	P	P (Subsoil)
SK	32-70	F	P		F	G	F	U	U (Subsoil)
KSA	70-120	F	P		F	F	F	P	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

15 cm TYPICAL THICKNESS: THICKNESS RANGE: 10-25 cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: MODERATE 0.021 WATER EROSION K=: RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

DTES: VARIANT OF COALDALE THAT IS SALINE OR SODIC AT OR NEAR THE SURFACE.

# 09/01/93

SOIL SERIES:

CRADDUCK (CRD)

LANDFORM:

UNDULATING, HUMMOCK

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS: MODERATELY

DRY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name		Consistence			рН	EC	Sat% SAR
AP BM CCA	0-17 17-31 31-58		3/2	VERY DARK GRAYISH BROWN DARK BROWN LIGHT OLIVE BROWN	MFSBK MFPR MA	VFR FR VFR	CL L	2.32			
CK	58-100	2.5Ym	4/2	DARK GRAYISH BROWN	MA	VFR	CL		7.6	3.	13.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	G	G	G				G (Topsoil)
BM	17-31	G	F		F				F (Subsoil)
CCA	31-58	G	F		G				F (Subsoil)
CK	58-100	G	F		F	F		U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

WATER EROSION K=: RISK ON <5% SLOPE:	15 cm 10-20 cm NOT OBVIOUS NONE HIGH 0.034 LOW
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER:	NO NO NO NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	NO NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE A HIGH SILT CONTENT. CRADDUCK SOIL AREAS HAVE BEDROCK

WITHIN 5 TO 10 M OF THE SURFACE. STEEPER LANDSCAPES CAN BE

INCLINED AND DISSECTED.

# INTERPRETATION GUIDELINES

SCA 3

# 09/01/93

SOIL SERIES:

CRADDUCK-SA (saCRD)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC (SALINE)

SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### CYPICAL SOIL PROFILE:

	orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
The Party and Performance of the	PSA	0-17	10YRm	3/2	VERY DARK GRAYISH BROWN	MFSBK	VFR	L	2.32	6.8			
000000000000000000000000000000000000000	MSA	17-31	7.5YR	3/2	DARK BROWN	MFPR	FR	CL	1.06	6.8			
No.	CASA	31-58	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	VFR	CL		7.4			
The Person	SK	58-100	2.5Ym	4/2	DARK GRAYISH BROWN	MA	VFR	CL		7.6	3.	13.	
Ш													

# OIL QUALITY RATINGS:

	orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	PSA	0-17	G ·	G	G	G				P (Topsoil)
ı	MSA	17-31	G	F		F				P (Subsoil)
i	CASA	31-58	G	F		G				P (Subsoil)
l	SK	58-100	G	F		F	F		U	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-20 cm NOT OBVIOUS NONE HIGH 0.034 LOW LOW MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

OTES: VARIANT OF CRADDUCK THAT IS SALINE AND/OR SODIC TO THE SURFACE.

# 09/01/93

SOIL SERIES:

CRADDUCK-ST (stCRD) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL:

STONY, MODERATELY FINE

TILL

SURFACE STONINESS: EXCEEDINGLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Cod	e Color Name	Structure Consistence Texture		o.c.	pН	EC	Sat% SAR	
AP	0-17	10YRm 3/	2 VERY DARK GRAYISH BROWN	MFSBK	VFR	STL	2.32	6.8		
BM	17-31	7.5YR 3/	DARK BROWN	MFPR	FR	STCL	1.06	6.8		
CCA	31-58	2.5Ym 5/	4 LIGHT OLIVE BROWN	MA	VFR	STCL		7.4		
CK	58-100	2.5Ym 4/	DARK GRAYISH BROWN	MA	VFR	STCL		7.6	3.	13.

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	P	G	G				P (Topsoil)
BM	17-31	G	P		F				P (Subsoil)
CCA	31-58	G	P		G				P (Subsoil)
CK	58-100	G	P		F	F		U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CRADDUCK THAT IS STONIER THAN NORMAL.

# 09/01/93

SOIL SERIES:

CROWFOOT

MEDIUM

(CFT) LANDFORM: VENEER, HUMMOCKY,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TERRACED

SOIL CLASSIFICATION:

ORTHIC DARK BROWN

0-9%

PARENT MATERIAL:

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

DROUGHTY NON

GLACIOFLUVIAL/GRAVEL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-10	10YR	3/3	DARK BROWN	MFGR	FR	L	2.3		6.5	
BM	10-30	10YR	4/2	DARK GRAYISH BROWN	WFSBK	FR	L			6.5	
CCA	30-120	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	GRLS			7.4	

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рн	EC	Sat%	SAR	Overall Rating			
АН	0-10	G	G	G	G				G (Topsoil)			
BM	10-30	G	G		G				G (Subsoil)			
CCA	30-120	F	P		G				P (Subsoil)			

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 5-9% SLOPE:	10 cm 10-15 cm NOT OBVIOUS NONE HIGH 0.034 LOW LOW
RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	LOW MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES:

THESE SOILS ARE DEVELOPED ON MEDIUM GLACIOFLUVIAL VENEERS OVER VERY GRAVELLY, VERY COARSE GLACIOFLUVIAL. EXPOSED FACES OF THE UNDERLYING MATERIAL ARE UNSTABLE DUE TO VERY COARSE TEXTURES. THE DEPTH TO GRAVEL IS USUALLY ABOUT 0.5 CM BUT MAY VARY FROM 0.3 TO 1.5 M.

# 09/01/93

SOIL SERIES:

CROWFOOT-CA (caCFT)

LANDFORM:

VENEER, HUMMOCKY,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TERRACED

SOIL CLASSIFICATION: CALCAREOUS DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

0-9%

PARENT MATERIAL:

MEDIUM

SURFACE STONINESS:

NON

GLACIOFLUVIAL/GRAVEL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure Consistence Texture			o.c.	рн ЕС	Sat% SAR	
AH	0-10	10YR	3/3	DARK BROWN	MFGR	FR	L	2.3	6.5	
BMK	10-30	10YR	4/2	DARK GRAYISH BROWN	WFSBK	FR	L		6.5	
CCA	30-120	10YR	4/4	DARK YELLOWISH BROWN	SGR	SGR L GRLS			7.4	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AH BMK	0-10 10-30	G G	G G	G	G G				G (Topsoil) G (Subsoil)
CCA	30-120	F	P		G				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	10 cm 10-15 cm	1
COLOR CHANGE TO SUB		•
STRIPPING LIMITATIO		-
WIND EROSION RISK:	HIGH	
WATER EROSION K=:	0.034	
RISK ON <5% SLOPE	E: LOW	
RISK ON 5-9% SLOP	PE: LOW	
RISK ON 9-15% SLC	OPE: MODERATE	

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOI	L: NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: CALCAREOUS VARIANT OF CROWFOOT. THESE SOILS HAVE A BMK HORIZON.

NO

NO

NO

NO

NO

NO

NO

NO

NO

### 09/01/93

SOIL SERIES:

DIAMOND

(DIM)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: REGO DARK BROWN

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY

PARENT MATERIAL:

MODERATELY FINE

FLUVIAL-LACUSTRINE

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code		Colo	r Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-12	10YR	3/2	VERY D	DARK (	GRAYISH	BROWN	MFGR	FR	L	4.1	5.7	0.5		
ск	12-100	10YR	4/3		B	ROWN		MA	F	CL		8.	0.7		0.5

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AP CK	0-12 12-100	G F	G F	G	F F	G G		G	F (Topsoil) F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

#### 10 cm SEASONALLY HIGH W.T.: 10-15 cm HARD BEDROCK: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE NON-SODIC SOFTROCK: SODIC SOFTROCK:

**GRAVEL:** 

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

0.040 LOW MODERATE HIGH

HIGH

STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THE PARENT MATERIAL CAN BE GLACIOFLUVIAL OR GLACIOLACUSTRINE.

VENEER

2-9%

DRY

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SCA

# 09/01/93

SOIL SERIES: DOLCY-AA (aaDCY) LANDFORM: SOIL ZONE: DARK BROWN TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC DARK BROWN USUAL SOIL MOISTURE: CHERNOZEMIC SURFACE STONINESS: NON

PARENT MATERIAL: MODERATELY COARSE GLACIOFLUVIAL/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Structure Consistence		O.C.	рН	EC	Sat% SAR
AH	0-10	10YR	3/3	DARK BROWN	MFGR	FR	SL-SIL	2.4	6.5	0.3	0.3
BM	10-25	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	FR	SL-SIL	1.6	6.4	0.2	0.4
2BT	25-45	10YR	4/3	BROWN-DARK BROWN	SFSBK	F	CL	0.9	6.1	0.3	0.6
2CCA	45-70	10YR	5/3	BROWN	MA	F	CL		7.7	3.3	2.4

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G	G	G	G		G	G (Topsoil)
BM	10-25	G	G		F	G		G	F (Subsoil)
2BT	25-45	F	F		F	G		G	F (Subsoil)
2CCA	45-70	F	F		F	F		G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.026	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	YES

NOTES: HOME SCA IS 4. DOLCY SOILS ARE DEVELOPED ON SANDY LOAM TEXTURED GLACIOFLUVIAL VENEERS OVERLYING LOAM TO CLAY LOAM TEXTURED TILL. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE.

SCA 3

# 09/01/93

SOIL SERIES:

EDGERTON-AA

(aaERT) LANDFORM:

DUNED

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-9%

SOIL CLASSIFICATION:

SOIL CLASSIFICATION: ORTHIC REGOSOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE EOLIAN

SURFACE STONINESS:

NON

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color	Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
АН	0-2	10YR	3/3	DARK	BROWN	SGR	L	s	1.	5.5			
С	2-275	10YR	6/3	PALE	BROWN	SGR	L	S		6.			
													_

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH C	0-2 2-275	F F	P P	F	F F				P (Topsoil) P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	DISCONTINUOUS
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

HOME SCA IS 4. THESE SOILS ARE VERY COARSE TEXTURED AND EXPOSED FACES ARE UNSTABLE. WIND EROSION RISK IS HIGH DUE TO VERY SANDY SURFACE TEXTURES. THERE IS OFTEN A BROWNISH GRAY TRANSITION AC HORIZON PRESENT BETWEEN THE A AND C HORIZONS. COLORS ARE HARD TO DIFFERENTIATE DUE TO THE TRANSITIONS.

# 09/01/93

SOIL SERIES:

HEARTBREAK-AA (aaHRK) LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

RIDGED 2-15%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

PARENT MATERIAL:

VERY COARSE GLACIOFLUVIAL SURFACE STONINESS:

USUAL SOIL MOISTURE: DROUGHTY

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	pН	EC	Sat% SAR
АН	0-10	10YR	3/3	DARK BROWN	WFGR	VFR	SL-LS		7.	0.3	0.2
BM	10-60	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	VFR	SL-LS		7.3	0.2	0.2
CCA	60-150	10YR	5/5	BROWN	MA	VFR	SL-LS		8.	0.4	0.3

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	P		G	G		G	P (Topsoil)
BM	10-60	G	P		G	G		G	P (Subsoil)
CCA	60-150	G	P		F	G		G	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.077
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	LOW

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK:	NO NO NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 2. THESE SOILS ARE DEVELOPED ON WATER-LAID GLACIOFLUVIAL MATERIAL. EXPOSED FACES ARE UNSTABLE DUE TO VERY COARSE TEXTURES. HEARTBREAK SOILS ARE VERY DROUGHTY. WIND EROSION RISK IS HIGH DUE TO VERY COARSE SURFACE TEXTURES.

## 09/01/93

SOIL SERIES: SOIL ZONE:

IDAMAY

LANDFORM:

LEVEL, UNDULATING

TEMPORARY PONDING

DARK BROWN

TYPICAL SLOPES:

PLAIN 0-2%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK BROWN SOLONETZ MODERATELY FINE

USUAL SOIL MOISTURE:

GLACIOLACUSTRINE

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP .	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	SICL		8.2	2.7	85.	5.3
3NT	10-30	10YR	4/2	DARK GRAYISH BROWN	WMCOL	VF	SICL		8.1	3.8	55.	9.1
CSK1	30-70	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	SICL		7.9	0.9	31.	3.7
CSK2	70-110	10YR	5/3	BROWN	SGR	L	LS					

(IMY)

### SOIL QUALITY RATINGS:

Morizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP.	0-10	G	F		F	F	P	F	P (Topsoil)
BNT	10-30	P	F		F	F	G	P	P (Subsoil)
SK1	30-70	F	F		F	G	G	G	F (Subsoil)
SK2	70-110	F	P						P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	10 cm 5-10 cm NOT OBVIOUS VERY THIN HIGH 0.040 LOW MODERATE HIGH
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

TOTES: IDAMAY SOILS HAVE AN UNDESIRABLE SOLONETZIC B HORIZON THAT IS VERY CLOSE TO THE SURFACE. THESE SOILS ARE MODERATELY SALINE AND SODIC.

### 09/01/93

SOIL SERIES:

KEHOL

(KHO)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SOLONETZ

MODERATELY FINE

GLACIOLACUSTRINE

SURFACE STONINESS:

NON

1-5%

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence			Нд	EC	Sat% SAR
AP	0-22	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	4.6		1.4	52.
BNT	25-33	10YR	2/1	BLACK	COL	VF	CL		7.3	1.9	65.
CCASA	33-55	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	L		8.1	13.1	62. 22.4
CSK	55-220	10YR	5/3	BROWN	STRAR	FR	SL		8.4	3.3	41. 9.6

### SOIL QUALITY RATINGS:

					рН 	EC	Sat%	SAR		rall Rating
AP	0-22	G	G	G	F	G	G		F	(Topsoil)
BNT 2	5-33	P	F		G	G	F		P	(Subsoil)
CCASA 3	3-55	F	G		F	U	F	U	U	(Subsoil)
CSK 5	5-220	G	G		F	F	G	P	P	(Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	15-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.043
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE A HARD COLUMNAR AND ROUND TOPPED BNT HORIZON THAT OCCURS AT ABOUT THE 0.2 CM DEPTH. KEHOL SOILS ARE MODERATELY SALINE AND SODIC. SALT ACCUMULATION IS USUALLY FOUND DIRECTLY BELOW THE SODIC BNT HORIZON.

SCA 3

# 09/01/93

SOIL SERIES: ,

KEHOL-ER

(erKHO)

LANDFORM:

UNDULATING PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

1-5% TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ (ERODED)

SURFACE STONINESS:

NON

PARENT MATERIAL:

MODERATELY FINE

GLACIOLACUSTRINE

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-5	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	4.6	6.	1.4	52.
BNT	5-13	10YR	2/1	BLACK	COL	VF	CL		7.3	1.9	65.
CCASA	13-35	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	L		8.1	13.1	62. 22.4
CSK	35-220	10YR	5/3	BROWN	STRAR	FR	SL		8.4	3.3	41. 9.6

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-5	G	G	G	F	G	G		F (Topsoil)
BNT	5-13	P	F		G	G	F		P (Subsoil)
CCASA	13-35	F	G		F	U	F	U	U (Subsoil)
CSK	35-220	G	G		F	F	G	P	P (Subsoil)
li .									

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: cm 0-5 THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: VERY THIN, DISCONTINUOUS WIND EROSION RISK: HIGH WATER EROSION K=: 0.043 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: MODERATE

HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	SPR NO NO NO NO NO NO YES YES
IMPORTANT TEXTURE CHANGE:	NO
IMPORTANT TEXTORE CHANGE:	140

NOTES: ERODED VARIANT OF KEHOL.

RISK ON 9-15% SLOPE:

## 09/01/93

SOIL SERIES:

KESSLER

(KSR) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION:

CHERNOZEMIC

GLACIOFLUVIAL

USUAL SOIL MOISTURE:

2-9% DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

ORTHIC DARK BROWN

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat% SA	AR
AP BM1	0-17 17-57	10YRd 10YRm		DARK GRAYISH BROWN BROWN-DARK BROWN	WMSBK WMPR	VFR F	FSL FSL	1.72	7.4			
BM2 BM3	57-80 80-100	10YRm 10YRm	4/4	DARK YELLOWISH BROWN	MA MA	H F	FSL	1.04	6.3			
CCA	100-115	10YRm		YELLOWISH BROWN	MA	F	FSL	0.55	7.2			

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	G	F	G				F (Topsoil)
BM1	17-57	F	G		G				F (Subsoil)
BM2	57-80	F	G		F				F (Subsoil)
BM3	80-100	F	G		G				F (Subsoil)
CCA	100-115	F	G		G				F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	15-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: KESSLER SOILS ARE TYPICALLY DEEP SANDY LOAM MATERIALS WITH BROWNISH COLORS. WEAK STRUCTURES PERSIST THROUGHOUT THE PROFILE, ALTHOUGH IT BECOMES HARD WHEN DRY. EXPOSED FACES ARE UNSTABLE.

SCA 3

# 19/01/93

SOIL SERIES: LETHBRIDGE (LET) LANDFORM:

LEVEL, UNDULATING,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

0-9%

PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE

USUAL SOIL MOISTURE: DRY SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

### YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
P	0-22	10YR	3/3	DARK BROWN	MFGR	FR	SIL	1.5	6.6	0.3	30. 0.7
M	22-55	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	SIL		7.6	0.8	43. 2.6
K	55-130	2.5Y	5/4	LIGHT OLIVE BROWN	WFSBK	FR	SIL		8.5	1.1	45. 6.49

### OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-22	G	G	F	G	G	F	G	F (Topsoil)
M	22-55	G	G		F	G	G	G	F (Subsoil)
K	55-130	G	G		F	G	G	F	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 15-25 cm NOT OBVIOUS NONE HIGH 0.034 LOW LOW MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------

OTES: LETHBRIDGE SOILS HAVE NO SEVERE LIMITATIONS.

# 09/01/93

SOIL SERIES:

LETHBRIDGE-SC (scLET)

LANDFORM:

LEVEL, UNDULATING,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION:

ORTHIC DARK BROWN
CHERNOZEMIC (SALINE LOWER

TITIONE BEOLES.

0-9%

SUBSOIL)

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM GLACIOLACUSTRINE

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat% SAR
AP	0-12	10YR	3/3	DARK BROWN	MFGR	FR	CL	4.1	6.8	0.4	
BTJ	12-30	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	SICL		7.5	0.5	1.4
CCASA	30-75	2.5Y	5/4	LIGHT OLIVE BROWN	WFSBK	FR	SICL		8.	8.2	10.1
CSK	75-120	10YR	5/4	YELLOWISH BROWN	MA	FR	SICL		8.4	12.6	23.3

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	F	G	G	G			F (Topsoil)
BTJ	12-30	G	F		G	G		G	F (Subsoil)
CCASA	30-75	G	F		F	P		P	P (Subsoil)
CSK	75-120	G	F		F	U		U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 15-25 cm
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

VARIANT OF LETHBRIDGE WITH SALINE LOWER SUBSOIL. IT HAS BEEN OBSERVED THAT IRRIGATED AREAS USUALLY HAVE VARYING LEVELS OF SALINITY IN THE B AND C HORIZONS. IRRIGATED AREAS ALSO HAVE DARKER COLORS THAN THEIR NON IRRIGATED COUNTERPART.

# 09/01/93

SOIL SERIES:

MCNAB-AA

(aaMCN)

LANDFORM:

SPILLWAY, FAN, APRON

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC REGOSOL (SALINE) PARENT MATERIAL:

MEDIUM FLUVIAL

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

NON

1-5%

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
APKSA	0-8	10YR	4/2	DARK GRAYISH BROWN	MMGR	F	CL		8.4	39.3	75.3
CCASA1	8-40	10YR	4/2	DARK GRAYISH BROWN	MA	S	CL		8.3	36.6	75.4
CCASA2	40-120	10YR	4/2	DARK GRAYISH BROWN	MA	S	CL-C		8.6	27.6	72.

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APKSA	0-8	P	F		F	U	G	U	U (Topsoil)
CCASA1	8-40	P	F		F	U	F	U	U (Subsoil)
CCASA2	40-120	P	P		P	U	U	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	5-10 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

HOME SCA IS 1. MCNAB SOILS OCCUR MAINLY WITHIN SPILLWAY VALLEYS ON FLUVIAL FANS AND APRONS. THESE SOILS HAVE LITTLE OR NO A HORIZON AND NO B HORIZON. THERE IS LAYERING OR BANDING IN THE SUBSOIL. THEY HAVE VERY SEVERE LIMITATIONS FOR GROWTH OF ANY CROPS DUE TO SALINITY-SODICITY. OFTEN ASSOCIATED WITH SOLONETZIC SOILS.

3

# 09/01/93

SOIL SERIES:

MILK RIVER-AA (aaMKR)

MODERATELY COARSE FLUVIAL

LANDFORM:

FLOODPLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: CUMULIC REGOSOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence		-	Sat% SAR
APK	0-20	10YR	5/3	BROWN	WFGR	VFR	SIL		 
CK1	20-35	10YR	5/2	GRAYISH BROWN	SGR	L	LS		
CK2	35-90	10YR	6/2	LIGHT BROWNISH GRAY	STRAT	VFR	SL		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
APK	0-20	G	G						G (Topsoil)
CK1	20-35	F	P						P (Subsoil)
CK2	35-90	G	G						G (Subsoil)

### TOPSOIL INTERPRETATIONS:

	_
TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	5-10 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: HOME SCA IS 1. OCCURS ON RECENT FLOODPLAINS. THE PARENT MATERIAL CONSISTS OF LAYERS OF SANDY LOAM TO LOAMY SAND, INTERSPERSED BY BURIED AH HORIZONS, AND OTHER SANDY, SILTY OR GRAVELLY LAYERS. WITH DEPTH, THE FREQUENCY AND THICKNESS OF THE GRAVEL LAYERS INCREASES, OFTEN TO CONTINUOUS GRAVEL BELOW THE 1 M DEPTH. THESE SOILS ARE NON SALINE-SODIC.

SCA 3

# 09/01/93

SOIL SERIES:

NEW DAYTON (NED) LANDFORM:

TERRACED

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

SURFACE STONINESS: SLIGHTLY

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

GRAVELLY MODERATELY COARSE

FLUVIAL

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH BM	0-10	10YR	3/3	DARK BROWN	WFSBK	VFR	GRSL	2.3	6.5		
BM CCA/CK	10-30 30-120	10YR 10YR	4/4 5/4	DARK YELLOWISH BROWN YELLOWISH BROWN	SGR SGR	L	GRLS GR		6.5 7.4		
				. <b></b>							

# SOIL QUALITY RATINGS:

-	Morizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
-	Ή	0-10	G	G	G	G				G (Topsoil)
-	зм	10-30	F	P		G				P (Subsoil)
	CCA/CK	30-120	F	U		G				U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	GRAVELLY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

JOTES: GRAVEL INCREASES WITH DEPTH FROM A 10% CONTENT IN THE UPPER PROFILE TO NEAR 80% IN THE LOWER PROFILE.

# 09/01/93

SOIL SERIES: PARR (PAR) LANDFORM:

BLANKET 1-9%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SOLONETZ

SURFACE STONINESS: MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-8	10YR	4/3	DARK BROWN	MFGR	FR	CL	4.8	7.8	0.7	52.	6.7
BNT	8-27	10YR	3/2	VERY DARK GRAYISH BROWN	SCCOL	VF	CL		8.3	3.1	120.	38.8
CSK	27-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	13.9	77.	21.1

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-8	G	F	G	F	G	G	F	F (Topsoil)
BNT	8-27	P	F		F	F	P	U	U (Subsoil)
CSK	27-120	F	F		F	U	F	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	8 cm 5-10 cm NOT OBVIOU
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: PARR SOILS HAVE A TOUGH BNT HORIZON ABOUT 0.1 CM BELOW THE SURFACE.

THESE SOILS ARE STRONGLY SALINE AND SODIC.

### 09/01/93

SOIL SERIES:

SEXTON

(SXT) LANDFORM: SPILLWAY, APRON

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC HUMIC REGOSOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL: MODERATELY COARSE FLUVIAL

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
/H	0-23	10YRd	3/2	VERY DARK GRAYISH BROWN	WFSBK	SO	FSL	1.58	7.7	0.5	
AHKB1 .	34-53	10YRd	4/2	DARK GRAYISH BROWN	MA	SO	FSL	0.91	7.9	0.5	
cKG1	53-74	10YRd	6/3	PALE BROWN	MA	SO	FSL	0.52	8.2	0.5	
кв2	74-100	10YRd	6/3	PALE BROWN	MA	SO	L	0.24	8.7	3.	

## SOIL QUALITY RATINGS:

Torizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Н	0-23	G	G	F	F	G			F (Topsoil)
нкв1	34-53	G	G	F	F	G			P (Topsoil)
KG1	53-74	G	G		F	G			F (Subsoil)
KB2	74-100	G	G		P	F			P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: BURIED AH HORIZONS ARE COMMON. THESE SOILS HAVE A LOW WATER HOLDING CAPACITY AND LOW NATURAL FERTILITY.

## 09/01/93

SOIL SERIES:

TORLEA-AA (aaTLA)

LANDFORM:

PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-9% TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

USUAL SOIL MOISTURE:

SOLONETZ

SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL:

MODERATELY FINE SOFTROCK

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Co	ode	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-11	10YRm 4	4/3	DARK BROWN	WFGR	FR	SIL	4.42	5.4		
BNT	11-28	10YRm 3	3/2 VE	RY DARK GRAYISH BROWN	WCCOL	VF	CL	2.41	7.6	1.6	11.9
CSAK	28-48	10YRm 3	3/1	VERY DARK GRAY	MFABK	F	CL		7.9	4.13	17.9
CSK	48-120	5Yd 6	6/3	PALE OLIVE	WFPL	F	L		8.1	1.04	19.9

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-11	G	G	G	P				P (Topsoil)
BNT	11-28	P	F		F	G		P	P (Subsoil)
CSAK	28-48	F	F		F	F		U	U (Subsoil)
CSK	48-120	F	G		F	G		U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-12 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 4. THE VERY FIRM BNT HORIZON OCCURS ABOUT 0.15 M BELOW THE SURFACE. IT IS ROUND TOPPED, COLUMNAR, WITH INTENSE DARK ORGANIC MATTER STAINING. THESE SOILS ARE MODERATELY TO STRONGLY SALINE AND SODIC. THE PARENT MATERIAL IS WEATHERED SHALES AND SANDSTONES AND MAY HAVE REMINANTS OF A DISCONTINUOUS TILL VENEER. STRIP TO INDICATED DEPTH, DO NO OVERSTRIP.

SCA 3

## )9/01/93

SOIL SERIES:

VAN CLEEVE (VAC)

LANDFORM:

VENEER, SPILLWAY,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TERRACED

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE:

2-9%

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

DRY VERY

### YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
P	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	3.3	6.1	0.8	49.	
м	12-35	10YR	4/3	BROWN-DARK BROWN	MFSBK	FR-F	L-SIL		7.2	0.5	50.	
K	35-70	10YR	5/3	BROWN	MA	FR-F	L		8.	0.6	50.	0.5
CK	70-200	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SL		8.	2.9	44.	7.1

## OIL QUALITY RATINGS:

	orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	P	0-12	G	G	G	F	G	G		F (Topsoil)
	М	12-35.	F	G		G	G	G		F (Subsoil)
	K	35-70	F	G		F	G	G	G	F (Subsoil)
	CK	70-200	F	G		F	G	G	F	F (Subsoil)
ш	N .									

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: THESE SOILS ARE DEVELOPED ON THIN MODERATELY FINE TILL VENEERS OVERLYING MEDIUM SOFTROCK.

# 09/01/93

SOIL SERIES: VAN CLEEVE-CA (caVAC) LANDFORM:

VENEER, SPILLWAY,

SOIL ZONE:

DARK BROWN

SOIL CLASSIFICATION: CALCAREOUS DARK BROWN TYPICAL SLOPES:

TERRACED

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

2-9%

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS: VERY

TILL/SOFTROCK

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	
AP	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	3.3	6.1	0.8	49.	
BMK	12-35	10YR	4/3	BROWN-DARK BROWN	MFSBK	FR-F	L-SIL		7.2	0.5	50.	
CK	35-70	10YR	5/3	BROWN	MA	FR-F	L		8.	0.6	50.	0.5
2CK	70-200	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SL		8.	2.9	44.	7.1

# SOIL QUALITY RATINGS:

Horizo	n Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G	G	F	G	G		F (Topsoil)
BMK	12-35	F	G		G	G	G		F (Subsoil)
CK	35-70	F	G		F	G	G	G	F (Subsoil)
2CK	70-200	F	G		F	G	G	F	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CALCAREOUS VARIANT OF VAN CLEEVE.

# 09/01/93

SOIL SERIES:

VAN CLEEVE-ZR (zrVAC) LANDFORM:

VENEER, SPILLWAY,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TERRACED

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

2-9%

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

VERY

TILL/SOFTROCK

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	lor Code Color Name S		Structure	Consistence	Texture	o.c.	На	EC	Sat%	SAR
AP	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	3.3	6.1	0.8	49.	
CK	12-70	10YR	5/3	BROWN	MA	FR-F	L		8.	0.6	50.	0.5
2CK	70-200	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SL		8.	2.9	44.	7.1

# SOIL QUALITY RATINGS:

Torizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G	G	F	G	 G		F (Topsoil)
K	12-70	F	G		F	G	G	G	F (Subsoil)
CK	70-200	F	G		F	G	G	F	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE.	NO

NOTES: REGO VARIANT OF VAN CLEEVE.

NO NO NO NO NO NO NO NO NO

NO

### 09/01/93

SOIL SERIES:

WHITNEY

(WNY)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE:

DRY

MEDIUM

SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

GLACIOLACUSTRINE/TILL

### TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color Code Color Nam		Color Name	Structure Consistence T			o.c.	pH	EC	Sat% SAR
AP	0-15	10YR	3/3	DARK BROWN	MFGR	FR	SICL				
BM	15-35	10YR	5/4	YELLOWISH BROWN	MFSBK	F	SICL				
CK	35-70	10YR	5/3	BROWN	MA	F	SICL				
2CK	70-110	2.5Y	4/4	OLIVE BROWN	MA	F	CL				

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BM CK 2CK	0-15 15-35 35-70 70-110	G F F	F F F						F (Topsoil) F (Subsoil) F (Subsoil) F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	15 cm 10-15 cm NOT OBVIOUS NONE MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK:
WIND EROSION RISK: WATER EROSION K=:	0.034	GRAVEL: STONY LAYER:
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:
		IMPORTANT TEXTURE CHANGE:

NOTES: WHITNEY SOILS ARE DEVELOPED ON MEDIUM TEXTURED GLACIOLACUSTRINE VENEERS OVERLYING MODERATELY FINE TEXTURED TILL. THE DIFFERENCE IN TEXTURES OF BOTH MATERIALS IS NOT SIGNIFICANT. THE TILL, USUALLY ENCOUNTERED AT 0.5 TO 0.8 M,

IS SLIGHTLY STONY. THE SURFACE MATERIAL IS STONE-FREE.

### 2.4 Soil Correlation Area #4

# General Description of the Area

The Dark Brown Soil Zone of Southeast-Central Alberta.

# **Ecoregion/Climate**

- SCA 4 is characterized by soils with dark brown A horizons in that part of southeast-central Alberta that is not usually affected by chinook winds in the winter.
- This is an area of transistion from the moist, Black Soil Zone to the dry, Brown Soil Zone.
   On average, this SCA experiences less moisture deficit than SCA 1 or SCA 3, but there are frequent, extended periods of high moisture deficit.
- SCA 4 is partly in the Mixed Grass Ecoregion and partly in the Aspen Parkland Ecoregion (Strong and Leggatt 1992). Groves of aspen and perennial wetlands are common in the area.
- Salt-affected soils often require special handling procedures.
- Agroclimate is 2 AH (slight moisture and heat limitations).
- Growing season P-PE = -250 to -350 mm.

# Soils and Landscape

- Soils are mostly Chernozemic, but Solonetzic soils are very common in the Castor-Hanna area.
- Dark brown colored A horizons are approximately 10 to 15 cm thick while profile development extends about 50 cm.

## Soil Reclamation Issues

- Wind erosion is an occasional problem, and always a concern, especially on sandy textured soils without good cover.
- Salt-affected soils often require special handling procedures.
- Dealing with near-surface sodic bedrock, especially in the Castor-Hanna area.



NO

# )9/01/93

SOIL SERIES:

ALTARIO (ALT)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-35%

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

IMPORTANT TEXTURE CHANGE:

MODERATELY

# YPICAL SOIL PROFILE:

orizon	Depth	Color Code Color Name		Structure	o.c.	рН	EC	Sat%	SAR			
P	0-10	10YR	3/3	DARK BROWN	MFGR	FR	L		8.	0.6	45.	0.4
K1	10-50	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	CL		8.	0.9	45.	0.4
K2	50-100	2.5Y	5/4	LIGHT OLIVE BROWN	.MA	F	CL		7.7	3.6	47.	0.7

# OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-10	G	G		F	G	G	G	F (Topsoil)
K1	10-50	F	F		F	G	G	G	F (Subsoil)
K2	50-100	F	F		F	F	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	TOPOGRAPHY	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.04	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RICK ON 9-15% SLOPE:	HTCH	SALTNE OR SOUTC LOWER SURSOIL.	NO

OTES: ALTARIO SOILS ARE VERY SIMILAR TO HUGHENDEN SOILS EXCEPT THEY ARE REGO PROFILES.

# 09/01/93

SOIL SERIES:

ALTARIO-SC (scALT) LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-35%

SOIL CLASSIFICATION: REGO DARK BROWN

USUAL SOIL MOISTURE: DRY

CHERNOZEMIC (SALINE LOWER SURFACE STONINESS: MODERATELY

SUBSOIL)

PARENT MATERIAL:

MODERATELY FINE TILL

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	1.2	7.7	1.5	36.	0.3
CK	12-65	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.5	0.6	52.	3.3
CSK	65-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	7.7	50.	9.1

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G	F	F	G	G	G	F (Topsoil)
CK	12-65	F	F		F	G	G	G	F (Subsoil)
CSK	65-180	F	F		F	P	G	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	TOPOGRAPHY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ALTARIO THAT HAS A SALINE AND/OR SODIC LOWER SUBSOIL.

# 0/01/93

SOIL SERIES:

BIGKNIFE

(BKF)

LANDFORM:

APRON

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION:
PARENT MATERIAL:

ORTHIC REGOSOL (SALINE)
MEDIUM FLUVIAL

USUAL SOIL MOISTURE:

ILMIONANI IONDI

SURFACE STONINESS: NON

### PICAL SOIL PROFILE:

rizon	Depth	Color Code		Color Name	Structure Consistence		Texture	xture O.C.		EC	Sat%	SAR
	0-7	10YR	2/1	BLACK	WFGR	FR	L		6.6	0.3	102.	7.
/CG	22-55	10YR	3/3	DARK BROWN	MA	F	CL		5.8	0.4	64.	2.7
G	70-120	2.5Y	4/4	OLIVE BROWN	MA	F	SIL		8.3	1.	74.	11.1

#### IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-7	G	G		G	G	P	F	P (Topsoil)
/cg	22-55	F	F		F	G	F	G	F (Subsoil)
3	70-120	F	G		F	G	F	P	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

D				
ŀ	TYPICAL THICKNESS:	7 cm	SEASONALLY HIGH W.T.:	NO
ľ	THICKNESS RANGE:	5-10 cm	HARD BEDROCK:	NO
l	COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
į	STRIPPING LIMITATIONS:	VERY THIN	SODIC SOFTROCK:	NO
Ì	WIND EROSION RISK:	LOW	GRAVEL:	NO
E	WATER EROSION K=:	0.04	STONY LAYER:	NO
k	RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
H	RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
į	RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	YES
ľ			IMPORTANT TEXTURE CHANGE:	NO

TES: THESE SOILS ARE BANDED WITH TEXTURES RANGING FROM FINE SAND TO SANDY LOAM AND SILTY CLAY LOAMS. BEDROCK CAN BE ENCOUNTERED AT DEPTHS GREATER THAN 1 M. BIGKNIFE SOILS ARE ASSOCIATED WITH ROUGH BROKEN TERRAIN AND BEDROCK ESCARPMENTS. THESE SOILS ARE WEAKLY SALINE AND MODERATELY SODIC.

# 09/01/93

SOIL SERIES:

BROWNFIELD

(BFD) LANDFORM:

LEVEL, UNDULATING

TEMPORARY PONDING

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

PLAIN

SOIL CLASSIFICATION: DARK BROWN SOLOD

1-5%

PARENT MATERIAL: MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	olor Name Structure C		Consistence Texture		рН	EC	Sat% SAR
AP/AE/AB 8-22 BNT 22-70 CSK 70-180	10YR 3/2 10YR 3/3 2.5Y 4/4	VERY DARK GRAYISH BROWN DARK BROWN OLIVE BROWN	MFGR WMCOL MA	FR VF F	L CL	7.2	7.5	9.5	61. 0.9 70. 18.6 70.6 18.6

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP/AE/AB	8-22	G	G	G	F	G	F	G	F (Topsoil)
BNT	22-70	F	F		F	P	F	U	U (Subsoil)
CSK	70-180	F	F		G	P	F	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.037
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE MODERATELY SALINE AND STRONGLY SODIC. THEY ARE VERY CLOSELY ASSOCIATED WITH HALKIRK SOILS WITHIN A LANDSCAPE, THEREFORE, ARE HARD TO PREDICT. TOPSOIL STRIPPING CAN INCLUDE THE AP/AH, AE AND

AB HORIZONS; STRIP TO THE HARDPAN (BNT HORIZON).

SCA 4

## 09/01/93

SOIL SERIES:

BROWNFIELD-ER (erBFD) LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

PLAIN 1-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK BROWN SOLOD (ERODED) MODERATELY FINE TILL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS:

SLIGHTLY

### TYPICAL SOIL PROFILE:

forizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SA	AR	
P	0-6	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	4.7	6.4	0.4	50. 2	2.7	
E	6-12	10YR	5/3	BROWN	MFPL	VFR	L						
В	12-15	10YR	3/3	DARK BROWN	MCSBK	F	CL						
NT	15-25	10YR	3/3	DARK BROWN	WMCOL	VF	CL		6.7	4.1	52.2 33	1.2	
SK	25-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.	9.3	88. 19	9.8	

### OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-6	G	G	G	F	G	G	G	F (Topsoil)
P E	6-12	G	G						F (Topsoil)
В	12-15	F	F						F (Topsoil)
NT	15-25	P	F		G	F	G	U	U (Subsoil)
SK	25-180	F	F		F	P	P	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:
WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

VERY THIN,
DISCONTINUOUS
LOW
0.037
LOW
MODERATE
HIGH

5 cm 0 - 7

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

OTES: ERODED VARIANT OF BROWNFIELD. TOPSOILS ARE VERY THIN AND DISCONTINUOUS, THEREFORE, THE STRIPPING DEPTH CAN INCLUDE THE AP, AH, AE AND AB HORIZONS; STRIP TO THE HARDPAN (BNT HORIZON).

cm NOT OBVIOUS

# 09/01/93

SOIL SERIES:

CORONATION

LANDFORM:

APRON

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

(CNN)

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рH	EC	Sat%	SAR
AP	0-15	10YR	3/3	DARK BROWN	MMGR	FR	L		6.3	0.4	37.	0.
BM	15-30	10YR	6/6	BROWNISH YELLOW	MMSBK	FR	L		6.7	0.4	49.	0.
CK	30-100	10YR	6/4	LIGHT YELLOWISH BROWN	MA	FR-F	L-SIL		8.1	1.4	54.	3.6

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		F	G	G	G	F (Topsoil)
BM	15-30	G	G		G	G	G	G	G (Subsoil)
CK	30-100	F	G		F	G	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE HIGH AGRICULTURAL VALUE. THEY ARE STONE-FREE AND EASILY TILLED.

### 9/01/93

SOIL SERIES:

DOLCY

(DCY)

LANDFORM:

VENEER

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

ORTHIC DARK BROWN

USUAL SOIL MOISTURE: SURFACE STONINESS: DRY NON

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL/TILL

## YPICAL SOIL PROFILE:

rizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
,	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		5.8	0.4	40.	0.5
I	20-40	10YR	4/3	BROWN	WMSBK	FR	SL		5.2	0.4	33.	0.5
ŀ	40-85	10YR	5/4	YELLOWISH BROWN	SGR	L	SL		5.3	0.2	31.	1.2
	85-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		5.9	0.2	38.	1.3

## DIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-20	G	G		F	G	G	G	F (Topsoil)
	20-40	G	G		P	G	G	G	P (Subsoil)
1	40-85	F	G		P	G	G	G	P (Subsoil)
	85-180	F	F		F	G	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

TES: DOLCY SOILS ARE DEVELOPED ON SANDY LOAM TEXTURED, GLACIOFLUVIAL VENEERS OVER LOAM TO CLAY LOAM TEXTURED TILL. THE SANDY LOAM TEXTURED MATERIAL IS UNSTABLE WHEN FACES ARE EXPOSED.

### 09/01/93

SOIL SERIES:

DOLCY-SC (scDCY)

LANDFORM:

VENEER

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC (SALINE LOWER

USUAL SOIL MOISTURE:

TEMPORARY PONDING SURFACE STONINESS: NON

SUBSOIL)

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL/TILL

### TYPICAL SOIL PROFILE:

	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рH	EC	Sat% S	SAR
AP	0-15	10YR · 3/2	VERY DARK GRAYISH BROWN	WFGR	FR	SL	1.8	6.2		36.	
BM	15-55	10YR 5/4	YELLOWISH BROWN	WFSBK	FR	SL		7.7	4.	36.	2.7
2CSK	55-180	2.5Y 5/4	LIGHT OLIVE BROWN	MA	F	SIC		8.1	10.2	72. 1	6.9

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	F	F	G	G	 G	F (Topsoil)
BM	15-55	G	G		F	F	G	G	F (Subsoil)
2CSK	55-180	F	P		F	U	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF DOLCY SOILS THAT HAS A SALINE LOWER SUBSOIL. THE UPPER MATERIAL IS SANDY LOAM TEXTURED AND NON SALINE-SODIC. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE. THE LOWER MATERIAL (TILL) IS STRONGLY SALINE AND SODIC AND IS UNDESIRABLE.

# **DRUMHELLER**

# INTERPRETATION GUIDELINES

SCA 4

# 09/01/93

SOIL SERIES:

DRUMHELLER (DMH)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC (GRUMIC)

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOIST NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

l	Horízon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
	AP .	0-18	10YR	3/1	VERY DARK GRAY	SMSBK	F	С	1.9	5.8	1.2	66.	1.4
	3TJ	18-55	10YR	3/1	VERY DARK GRAY	MFSBK	F	C	3.1	6.6	2.	90.	2.
	ck	80-110	10YR	4/1	DARK GRAY	MA	F	С		7.2	2.2	95.	3.8

#### SOIL QUALITY RATINGS:

THE REAL PROPERTY.	Torizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
-	νP ·	0-18	P	P	F	F	G	F	G	P (Topsoil)
Company of the last	BTJ	18-55	F	P		G	G	P	G	P (Subsoil)
and the same	K	80-110	F	P		G	G	P	G	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

JOTES: DRUMHELLER SOILS ARE DEVELOPED ON VERY FINE TEXTURED, GLACIOLACUSTRINE MATERIAL. EXPOSED FACES CAN BE UNSTABLE.

# **DRUMHELLER-CR**

# INTERPRETATION GUIDELINES

SCA 4

## 09/01/93

SOIL SERIES: DRUMHELLER-CR (crDMH) LANDFORM:

TYPICAL SLOPES:

BLANKET 1-5%

SOIL ZONE:

DARK BROWN

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC (GRUMIC,

SURFACE STONINESS: NON

CARBONATED)

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture		-	EC	Sat%	SAR
APK	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	SMABK	F	C		7.			1.2
BMK	10-60	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	C.	2.	7.5	4.	85.	1.8
CK	60-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	C		7.4	6.2	104.	4.7

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
APK	0-10	P	P	G	G	F	F	G	P (Topsoil)
BMK	10-60	F	P		G	F	P	G	P (Subsoil)
CK	60-100	F	P		G	P	P	F	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CARBONATED VARIANT OF DRUMHELLER.

SCA 4

## 09/01/93

SOIL SERIES: EDGERTON (ERT)

LANDFORM:

DUNED

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-9%

PARENT MATERIAL: VERY COARSE EOLIAN

SOIL CLASSIFICATION: ORTHIC REGOSOL

USUAL SOIL MOISTURE: DROUGHTY SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat% SAR
AH	0-25	10YR	3/3	DARK BROWN	SGR	L	LS				
C1	25-60	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	LS				
C2	60-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	S				

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-25	F	P						P (Topsoil)
C1	25-60	F	P						P (Subsoil)
C2	60-110	F	P						P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 CM
THICKNESS RANGE:	5-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	DISCONTINUOUS
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: EDGERTON SOILS ARE VERY COARSE TEXTURED AND EXPOSED FACES ARE UNSTABLE. WIND EROSION RISK IS HIGH DUE TO VERY SANDY SURFACE TEXTURES. COLORS

MAY BE HARD TO DIFFERENTIATE DUE TO TRANSITIONS.

#### 09/01/93

SOIL SERIES:

FENNER (FNR)

LANDFORM:

VENEER 2-5%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

USUAL SOIL MOISTURE:

SOLONETZ

VERY COARSE FLUVIAL OR EOLIAN/TILL

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR SGR L FSL
SGR L LFS
WMCOL F FSL
MA F CL 10YR 4/3 0-18 BROWN 6. 0.3 62. 18-55 10YR 4/4 DARK YELLOWISH BROWN 6.1 0.5 28. 55-85 10YR 4/4 DARK YELLOWISH BROWN WMCOL 7.3 12.1 25. 20.2 85-110 10YR 3/3 DARK BROWN MA 2CSK 8.4 17.3 50. 25.2

# SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BM	0-18 18-55	F	G P		F	G G	F		F (Topsoil) P (Subsoil)
BNT	55-85	F	G		G	ŭ	F	U	U (Subsoil)
2CSK	85-110	F	F		F	U	G	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm
THICKNESS RANGE: 10-20 cm
COLOR CHANGE TO SUBSOIL: NOT OBVIOUS
STRIPPING LIMITATIONS. STRIPPING LIMITATIONS: NONE WIND EROSION RISK: HIGH WATER EROSION K=: 0.02 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: LOW MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: FENNER SOILS ARE DEVELOPED ON COARSE TEXTURED FLUVIAL OR EOLIAN DEPOSITS OVERLYING MODERATELY FINE TEXTURED TILL. THESE SOILS HAVE A BNT HORIZON DEVELOPED IN THE SANDY MATERIAL THAT IS MODERATELY TO STRONGLY SALINE AND SODIC AND UNDESIRABLE. THE UNDERLYING TILL IS MODERATELY TO STRONGLY SALINE AND SODIC AND IS ALSO OF UNSUITABLE OUALITY.

SCA 4

### 09/01/93

SOIL SERIES: FLAGSTAFF (FST)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: SOLONETZIC DARK BROWN

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL: MODERATELY FINE TILL

CHERNOZEMIC

SURFACE STONINESS:

SLIGHTLY

# TYPICAL SOIL PROFILE:

lorizon	Depth	epth Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	
P	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		6.9	1.3	40.	1.7
TNJ	12-28	10YR	3/4	DARK YELLOWISH BROWN	SFSBK	VF	CL		7.6	1.2	51.	6.2
SK1	28-80	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	7.1	50.	8.8
SK2	80-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	10.9	43.	15.6

### FOIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-12	G	G		G	G	G	G	G (Topsoil)
TNJ	12-28	P	F		F	G	G	F	P (Subsoil)
SK1	28-80	F	F		F	P	G	P	P (Subsoil)
SK2	80-180	F	F		F	U	G	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.033
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

OTES: FLAGSTAFF SOILS HAVE A BTNJ HORIZON THAT HAS SOLONETZIC TENDENCIES. THE LOWER SUBSOIL IS SALINE AND SODIC.

# 09/01/93

SOIL SERIES:

FLAGSTAFF-ST (stFST)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: SOLONETZIC DARK BROWN

USUAL SOIL MOISTURE:

DRY

PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS:

VERY

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth Color Code Color Na		Color Name	Structure	Consistence	Texture	o.c.	pН	EC	Sat% Si	AR	
AP	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	STL	1.2	6.9	1.3	40.	1.7
BTNJ	12-28	10YR	3/4	DARK YELLOWISH BROWN	SFSBK	VF	STCL		7.6	1.2	51.	6.2
CSK1	28-80	2.5Y	4/4	OLIVE BROWN	MA	F	STCL		8.1	7.1	50.	8.8
CSK2	80-180	2.5Y	4/4	OLIVE BROWN	MA	F	STCL		8.1	10.9	43. 15	5.6

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	P	F	G	G	G	G	P (Topsoil)
BTNJ	12-28	P	P		F	G	G	F	P (Subsoil)
CSK1	28-80	F	P		F	P	G	P	P (Subsoil)
CSK2	80-180	F	P		F	Ū	G	U	U (Subsoil)

### TOPSOIL INTERPRETATIONS:

10 cm 5-15 TYPICAL THICKNESS: THICKNESS RANGE: cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: STONY WIND EROSION RISK: LOW WATER EROSION K=: 0.033 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF FLAGSTAFF SOILS THAT ARE STONNIER THAN NORMAL.

## 09/01/93

SOIL SERIES: FLEET (FLT) LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-4% WATERTABLE/PONDING

PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	pH EC	Sat% SAR
AP	0-9	2.5YR	2/0	BLACK	WMSBK	S	SIC	14.41		
BG ·	9-20	5Ym	2/2	BLACK	MCCOL	F	C	2.72	3.3	2
SAKG	20-45	5Ym	3/2	DARK OLIVE GRAY	MFABK	F	C		8.2	9
SKG	45-75	5Ym	3/2	DARK OLIVE GRAY	MFABK	F	C		7.1	1
ckg	75-130	5Ym	4/2	OLIVE GRAY	MA	VFR	SL		5.	8

### SOIL QUALITY RATINGS:

9									
Morizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-9	P	P	G	G				P (Topsoil)
3G	9-20	F	P		F	F			P (Subsoil)
SAKG	20-45	F	P		F	P			P (Subsoil)
SKG	45-75	F	P		F	P			P (Subsoil)
KG	75-130	G	G		F	P			P (Subsoil)
1 1									

### TOPSOIL INTERPRETATIONS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:
ETRIDDING LIMITATIONS.
JINIII ING DIMITATIONS.
VIND EROSION RISK:
VATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10	CM		
10 - 2	20	cm	
TOM	OBV	/IOUS	3
WETI	VESS	3	

SEASO
HARD
NON-S
SODIC
GRAVE
STONY
FACE
SOLON

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

IOTES: FLEET SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE.

### 09/01/93

SOIL SERIES: FORESTBURG (FBG) LANDFORM: LEVEL SOIL ZONE: DARK BROWN TYPICAL SLOPES: 0-1%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: MODERATELY FINE SOFTROCK SURFACE STONINESS: NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AHG	0-12	10YR	2/2	VERY DARK BROWN	MMGR	FR	SIL	4.3	5.2	0.5	73.	0.7
BG	12-40	10YR	3/2	VERY DARK GRAYISH BROWN	MMSBK	F	CL	1.4	5.1	0.6	54.	1.3
CG1	40-70	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	C		5.5	0.4	65.	2.
CG2	70-100	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	С		6.3	0.3	69.	2.4
CG3	100-150	2.5YR	4/2	WEAK RED	MA	F	С		6.6	0.7	52.	1.2

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHG	0-12	G	G	G	P	G	F	G	P (Topsoil)
BG	12-40	F	F		P	G	G	G	P (Subsoil)
CG1	40-70	F	P		F	G	F	G	P (Subsoil)
CG2	70-100	F	P		F	G	F	G	P (Subsoil)
CG3	100-150	F	P		G	G	G	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	YES
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: FORESTBURG SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE.

## 9/01/93

SOIL SERIES:

GOUGH LAKE

(GLK)

LANDFORM:

LEVEL

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

0-1%

FINE GLACIOLACUSTRINE PARENT MATERIAL:

SOIL CLASSIFICATION: REGO GLEYSOL (SALINE)

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SURFACE STONINESS:

NON

YPICAL SOIL PROFILE:

prizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
1	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	С	3.6	6.	0.7	99.	3.4
kg .	10-40	10YR	5/3	BROWN	MA	F	С	1.6	7.1	0.9	105.	66.
KG	40-135	10YR	5/2	GRAYISH BROWN	MA	F	С		7.5	5.4	85.	6.

#### DIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-10	G	P	G	F	G	Р	 G	P (Topsoil)
.G	10-40	F	P		G	G	P	F	P (Subsoil)
KG	40-135	F	P		G	P	P	F	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

			_
TYPICAL THICKNESS:	8 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	5-10 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	_	STONY LAYER:	NO
RISK ON <5% SLOPE:	_	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	_	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

TES: GOUGH LAKE SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. THEY ARE SALINE AND/OR SODIC AT OR NEAR THE SURFACE.

## 09/01/93

SOIL SERIES:

HALKIRK

(HKR)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9%
TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		5.7	0.4	44. 7.7
BNT	12-32	10YR	3/3	DARK BROWN	SMSBK	VF	CL		7.3	6.3	71. 30.5
CSK	32-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.	11.4	69. 23.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G		F	G	G	F	F (Topsoil)
BNT	12-32	P	F		G	P	F	U	U (Subsoil)
CSK	32~180	F	F		F	U	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL TE		1
THICKNESS	RANGE:	1
COLOR CHAI	NGE TO SUBSOIL:	N
STRIPPING	LIMITATIONS:	N
WIND EROS	ION RISK:	L
WATER EROS	SION K=:	0
RISK ON	<5% SLOPE:	L
RISK ON	5-9% SLOPE:	M
RISK ON	9-15% SLOPE:	H

### L5 cm L0-20 cm NOT OBVIOUS NONE LOW

0.04 LOW MODERATE HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
TMPORTANT TEXTURE CHANGE:	NO

NOTES: HALKIRK SOILS HAVE AN UNDESIREABLE BNT HORIZON. SUBSOIL IS SALINE AND SODIC.

## 9/01/93

SOIL SERIES: HALKIRK-ER (erHKR)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ (ERODED)

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

#### YPICAL SOIL PROFILE:

prizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
<b></b>	0-8	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	4.9	5.7	0.7	49. 9.6
4T	8-20	10YR	3/3	DARK BROWN	COL	VF	CL		6.4	3.4	59. 33.4
šK	20-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL-C		7.6	7.8	94. 15.4

#### DIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-8	G	G	G	F	G	G	P	P (Topsoil)
T	8-20	P	F		F	F	G	U	U (Subsoil)
K	20-180	F	P		F	P	P	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	0-8 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.04
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

TES: ERODED VARIANT OF HALKIRK.

## 09/01/93

SOIL SERIES: HALKIRK-ST (stHKR) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOLONETZ

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS: EXCEEDINGLY

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color	Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-14	10YR	3/3		BROWN	WFGR	FR	STL	2.1	6.7	0.7	38. 3.6
BNT	14-38	10YR	3/3	DARK	BROWN	MMSBK	VF	STCL	1.5	7.9	2.5	66. 11.9
CSK1	38-60	2.5Y	4/4	OLIVE	BROWN	MA	F	STCL		8.	9.5	69. 11.4
CSK2	60-100	2.5Y	4/4	OLIVE	BROWN	MA	F	STCL		7.9	9.4	83. 12.2

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рн	EC	Sat%	SAR	Overall Rating
AP	0-14	G	P	G	G	G	G	G	P (Topsoil)
BNT	14-38	P	P		F	G	F	P	P (Subsoil)
CSK1	38-60	F	P		F	P	F	P	P (Subsoil)
CSK2	60-100	F	P		F	P	P	U	U (Subsoil)

## TOPSOIL INTERPRETATIONS:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HALKIRK THAT IS STONIER THAN NORMAL.

SCA 4

## 09/01/93

SOIL SERIES:

HALKIRK-XP

LANDFORM:

VENEER, UNDULATING,

(xpHKR)

SOIL ZONE: DARK BROWN

DARK BROWN SOLODIZED

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION:

SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

MODERATELY

TILL/SOFTROCK

#### TYPICAL SOIL PROFILE:

Morizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
\P	0-17	10YR	3/3	DARK BROWN	MFGR	FR	L		5.6	0.3	34. 3.7
BNT	17-35	10YR	3/4	DARK YELLOWISH BROWN	WMCOL	VF	CL		7.8	6.4	65. 33.1
SK1	35-55	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.3	8.3	57. 14.8
sk2	55-80	2.5Y	4/4	OLIVE BROWN	MA	F	CL				
CSK	80-110	10YR	4/2	DARK GRAYISH BROWN	MA	VF	CL		7.9	7.7	127. 19.7

#### SOIL QUALITY RATINGS:

torizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-17	G	G		F	G	G	G	F (Topsoil)
NT	17-35	P	F		F	P	F	U	U (Subsoil)
SK1	35-55	F	G		G	P	G	U	U (Subsoil)
SK2	55-80	F	F						U (Subsoil)
CSK	80-110	P	F		F	P	U	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE LOW 0.04 LOW MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: MO SODIC SOFTROCK: YES GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

OTES: HALKIRK-XP SOILS ARE DEVELOPED ON A VENEER OF MODERATELY FINE TILL OVER MODERATELY FINE, WEATHERED BEDROCK (SOFTROCK). THE BEDROCK IS SALINE AND SODIC.

#### 09/01/93

SOIL SERIES:

HANALTA

(HAN) LANDFORM: BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9% DRY

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	or Code Color Name		Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AP	0-13	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	CL		7.5	0.5	55.	0.1
BM	13-30	10YR	3/3	DARK BROWN	MMPR	F	C		7.4	0.4	62.	0.1
CK	30-120	10YR	5/3	BROWN	MA	F	С		7.8	0.5	64.	0.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-13	G	F		G	G	G	G	F (Topsoil)
BM	13-30	F	P		G	G	F	G	P (Subsoil)
CK	30-120	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

STRIPPING LIMITATIONS: NON WIND EROSION RISK: LOW WATER EROSION K=: 0.0 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW	20 cm OBVIOUS E
------------------------------------------------------------------------------------------------------------------------	-----------------------

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: RESTRICTED TO THE HAND HILLS. TOPSOIL IS THICKER ON LOWER SLOPES.

TOPSOIL IS NOT EASILY DISTINGUISHED FROM SUBSOIL BY COLOR.

OVERSTRIPPING IS PREFERED WHEN TOPSOIL IS THIN.

SCA 4

## 09/01/93

SOIL SERIES:

HANALTA-ST (stHAN)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

SURFACE STONINESS: EXCEEDINGLY

PARENT MATERIAL: MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

	Horizon	Depth	Color Code Color Name		Structure Consistence Texture			O.C.	На	EC	Sat%	SAR	
-	AP ·	0-13	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	STCL		7.5	0.5	55.	0.1
١	вм	13-30	10YR	3/3	DARK BROWN	MMPR	F	STC		7.4	0.4	62.	0.1
San Care	CK	30-120	10YR	5/3	BROWN	MA	F	STC		7.8	0.5	64.	0.1
п	(1												

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP .	0-13	G	P		G	G	G	G	P (Topsoil)
BM	13-30	F	P		G	G	F	G	P (Subsoil)
CK	30-120	F	P		F	G	F	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.03
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HANALTA THAT IS STONIER THAN NORMAL.

## 09/01/93

SOIL SERIES: HANALTA-ZR (ZTHAN) LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-9% DRY

SOIL CLASSIFICATION: REGO DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE:

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	-			Color Name		Consistence		-		Sat%	
AP	0-13			VERY DARK GRAYISH BROWN		FR	CL		0.5		
CK	13-120	10YR	5/2	BROWN	MA	F	С	7.8	0.5	64.	0.1

## SOIL QUALITY RATINGS:

Horizo	on Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-13	G	F		G	G	G	G	F (Topsoil)
CK	13-120	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.03
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF HANALTA

# HUGHENDEN

# INTERPRETATION GUIDELINES

SCA 4

#### 09/01/93

SOIL SERIES:

HUGHENDEN

(HND) LANDFORM: UNDULATING, ROLLING,

HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION:

CHERNOZEMIC

USUAL SOIL MOISTURE:

2-30%

PARENT MATERIAL:

MODERATELY FINE TILL

ORTHIC DARK BROWN

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizo	on Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
АН	. 0-15	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		7.1	1.4	53.	0.9
вм	15-28	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	L		7.	0.5	42.	0.6
CK	28-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		8.	0.7	47.	1.3

## SOIL QUALITY RATINGS:

Но	rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН		0-15	G	G		G	G	G	G	G (Topsoil)
ВМ		15-28	F	G		G	G	G	G	F (Subsoil)
СК		28-180	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.03	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: TOPSOIL IS THICKER ON LOWER SLOPES. TOPSOIL IS NOT EASILY

DISTINGUISHED FROM SUBSOIL BY COLOR. OVERSTRIPPING IS PREFERED WHEN

TOPSOIL IS THIN.

# **HUGHENDEN-SC**

# INTERPRETATION GUIDELINES

SCA 4

## 09/01/93

SOIL SERIES:

HUGHENDEN-SC (scHND)

LANDFORM:

UNDULATING, ROLLING,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE:

2-30% TEMPORARY PONDING

SUBSOIL)

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

CHERNOZEMIC (SALINE LOWER

#### TYPICAL SOIL PROFILE:

Horizon De	epth	Color Code		Color Name	Structure Consistence Tex		Texture	O.C.	рН	EC	Sat% SAF
AP	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		7.4	0.8	38. 0.
BM :	10-38	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	CL		6.5	0.7	45. 4.
CSK 3	38-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	8.2	58. 15.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G		G	G	G	G	G (Topsoil)
BM	10-38	F	F		G	G	G	F	F (Subsoil)
CSK	38-180	F	F		F	P	G	Ŭ	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.03
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HUGHENDEN WITH A SALINE LOWER SUBSOIL.

# **HUGHENDEN-ST**

## INTERPRETATION GUIDELINES

SCA 4

09/01/93

SOIL SERIES:

HUGHENDEN-ST (stHND) LANDFORM:

UNDULATING, ROLLING,

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

2-30%

DRY

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

EXCEEDINGLY

TYPICAL SOIL PROFILE:

Morizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR 0-15 10YR 3/2 VERY DARK GRAYISH BROWN MFGR STL 2. 7.5 0.5 38. 0.9 FR 15-24 10YR 4/4 DARK YELLOWISH BROWN MFSBK F STCL 1.4 7.7 0.6 44. 0.7 MK 24-180 2.5Y 5/4 LIGHT OLIVE BROWN MA F STCL 7.7 2.7 39. 0.4

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
PK	0-15	G	P	·F	G	G	G	G	P (Topsoil)
MK	15-24	F	P		F	G	G	G	P (Subsoil)
K	24-180	F	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

15 cm TYPICAL THICKNESS: 10-20 cm THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: STONY WIND EROSION RISK: LOW WATER EROSION K=: 0.03 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK . NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: GRAVEL: NO STONY LAYER: VES FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

DTES: VARIANT OF HUGHENDEN THAT IS STONIER THAN NORMAL.

## 09/01/93

SOIL SERIES:

HUGHENDEN-XP (xpHND)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION:

ORTHIC DARK BROWN CHERNOZEMIC

USUAL SOIL MOISTURE:

2-30%

PARENT MATERIAL:

MODERATELY FINE TILL/SOFTROCK

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	
AP	0-18	10YR	3/3	DARK BROWN	MFGR	FR	L		6.1	0.4	46.	2.2
BM	18-40	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	CL		5.6	0.4	48.	2.5
CK	40-70	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.7	0.6	62.	2.4
2CK	70-130	10YR	4/2	DARK GRAYISH BROWN	MA	VF	SICL		7.7	0.6	74.	5.5

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G		F	G	G	G	F (Topsoil)
BM	18-40	F	F		F	G	G	G	F (Subsoil)
CK	40-70	F	F		F	G	F	G	F (Subsoil)
2CK	70-130	P	F		F	G	F	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSC	IL: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES .

HUGHENDEN-XP SOILS ARE DEVELOPED ON A VENEER OF MODERATELY FINE TILL OVER MODERATELY FINE, WEATHERED BEDROCK (SOFTROCK) OF THE EDMONTON FORMATION. THE UNDERLYING SOFTROCK IS USUALLY NON-SALINE AND NON TO WEAKLY SODIC.

# **KIRRIEMUIR**

# INTERPRETATION GUIDELINES

SCA 4

## 09/01/93

SOIL SERIES: KIRRIEMUIR (KUR)

LANDFORM:

HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

9-15%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MEDIUM TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH	0-8	10YRd	3/3	DARK BROWN	WFGR	SO	L	3.65	7.8		
BM	8-23	10YRd	3/4	DARK YELLOWISH BROWN	WCPR	FR	L	1.27	7.4		
CCA	23-46	10YRm	6/4	LIGHT YELLOWISH BROWN	MA	FR	L		8.2		
CK1	46-89	10YRm	5/4	YELLOWISH BROWN	MA	FR	L		8.4		
CK2	89-140	10YRm	3/3	DARK BROWN	MA	FR	L		8.3		
CK3	140-186	10YRm	3/2	VERY DARK GRAYISH BROWN	MA	FR	L		8.1		

#### SOIL QUALITY RATINGS:

Horizo	n Depth	Consistence	Texture ·	o.c.	рн	EC	Sat%	SAR	Overall Rating
АН	0-8	G	G	G	F				F (Topsoil)
вм	8-23	G	G		G				G (Subsoil)
CCA	23-46	G	G		F				F (Subsoil)
CK1	46-89	G	G		F				F (Subsoil)
CK2	89-140	G	G		F				F (Subsoil)
СК3	140-186	G	G		F				F (Subsoil)
1 8									

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON MEDIUM TEXTURED, HUMMOCKY TILL.

## 09/01/93

SOIL SERIES: KIRRIEMUIR-ST (stKUR) LANDFORM:

HUMMOCKY

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

9-15%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SURFACE STONINESS: EXCESSIVELY

PARENT MATERIAL: MEDIUM TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-8	10YRd	3/3	DARK BROWN	WFGR	so	STL	3.65	7.8		
BM	8-23	10YRd	3/4	DARK YELLOWISH BROWN	WCPR	FR	STL	1.27	7.4		
CCA	23-46	10YRm	6/4	LIGHT YELLOWISH BROWN	MA	FR	STL		8.2		
CK1	46-89	10YRm	5/4	YELLOWISH BROWN	MA	FR	STL		8.4		
CK2	89-140	10YRm	3/3	DARK BROWN	MA	FR	STL		8.3		
CK3	140-186	10YRm	3/2	VERY DARK GRAYISH BROWN	MA	FR	STL		8.1		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-8	G	P	G	F				P (Topsoil)
BM	8-23	G	P		G				P (Subsoil)
CCA	23-46	G	P		F				P (Subsoil)
CK1	46-89	G	P		F				P (Subsoil)
CK2	89-140	G	P		F				P (Subsoil)
CK3	140-186	G	P		F				P (Subsoil)

## TOPSOIL INTERPRETATIONS:

NO NO
NTO
140
NO
NO
NO
YES
NO
NO
NO
NO
NC NC YE NC NC

NOTES: VARIANT OF KIRRIEMUIR THAT IS STONIER THAN NORMAL.

SCA 4

## 09/01/93

SOIL SERIES:

LANFINE

(LFE)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-15% DRY

SOIL CLASSIFICATION: ELUVIATED DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Н	orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
A		0-25	10YR	3/3	DARK BROWN	MMGR	FR	SIL	3.7	5.5	0.2	60.	0.3
A	.E	25-30	10YR	5/2	GRAYISH BROWN	MMPL	VFR	L		5.5	0.3	35.	0.9
В	T	30-60	10YR	4/4	DARK YELLOWISH BROWN	MCSBK	F	L	1.	5.6	0.3	40.	1.1
C	CA	60-100	10YR	5/4	YELLOWISH BROWN	MA	F	L		7.8	0.9	44.	3.9

#### SOIL QUALITY RATINGS:

E H									
Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
АН	0-25	G	G	G	F	G	F	G	F (Topsoil)
AE	25-30	G	G		F	G	G	G	F (Topsoil)
BT	30-60	F	G		F	G	G	G	F (Subsoil)
CCA	60-100	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

DEVELOPED ON MODERATELY FINE TEXTURED TILL. TOPSOIL IS EASILY DISTINGUISHED FROM SUBSOIL BY THE PRESENCE OF AN AE HORIZON AND/OR THE STRUCTURE OF A BT HORIZON.

## 09/01/93

SOIL SERIES: LANFINE-ST (stLFE) LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ELUVIATED DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

SURFACE STONINESS: EXCEEDINGLY

PARENT MATERIAL: MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
АН	0-25	10YR	3/3	DARK BROWN	MMGR	FR	STSIL	3.7	5.5	0.2	60.	
AE BT	25-30 30-60	10YR 10YR	5/2 4/4	GRAYISH BROWN DARK YELLOWISH BROWN	MMPL MCSBK	VFR F	STL	1.	5.5	0.3	35. 40.	
CCA	60-100	10YR	5/4	YELLOWISH BROWN	MA	F	STL		7.8	0.9	44.	3.9

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-25	G	P	G	F	G	F	G	P (Topsoil)
AE	25-30	G	P		F	G	G	G	P (Topsoil)
BT	30-60	F	P		F	G	G	G	P (Subsoil)
CCA	60-100	F	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF LANFINE THAT IS STONIER THAN NORMAL.

SCA

#### 09/01/93

SOIL SERIES:

LEITHEAD

(LHD)

LANDFORM:

USUAL SOIL MOISTURE:

BLANKET 0-5%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

SOLONETZ

PARENT MATERIAL:

SOIL CLASSIFICATION:

MODERATELY COARSE

DARK BROWN SOLODIZED

GLACIOFLUVIAL

SURFACE STONINESS: NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
AP	0-8	10YR	3/3	DARK BROWN	SGR	L	SL				
вм	8-30	10YR	5/4	YELLOWISH BROWN	SGR	L	LS				
BNT	30-55	10YR	4/4	DARK YELLOWISH BROWN	SFSBK	VF	SL				
BC	55-80	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	VFR	SL				
CSK	80-110	10YR	4/4	DARK YELLOWISH BROWN	SGR	VFR	SL				

#### SOIL QUALITY RATINGS:

н	orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Ove	rall Rating
A B		0-8 8-30	F F	G P						F P	(Topsoil)
В	NT	30-55	P	G						P	(Subsoil)
В	C	55-80	G	G						G	(Subsoil)
С	SK	80-110	G	G						G	(Subsoil)

#### TOPSOIL INTERPRETATIONS:

STRIPPING LIMITATIONS: NONE SODIC SOFTROCK: NO WIND EROSION RISK: HIGH GRAVEL: NO WATER EROSION K=: 0.029 STONY LAYER: NO RISK ON <5% SLOPE: LOW FACE INSTABILITY: YE RISK ON 5-9% SLOPE: LOW SOLONETZIC B HORIZON: YE RISK ON 9-15% SLOPE: MODERATE SALINE OR SODIC LOWER SUBSOIL: YE	WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	HIGH 0.029 LOW LOW	GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	SPR NO NO NO NO VES YES YES
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------	-----------------------------	---------------------------------------------------------------------------------------------	--------------------------------------------------

NOTES:

LEITHEAD SOILS HAVE AN UNDESIREABLE BNT HORIZON. THE LOWER SUBSOIL IS SALINE AND SODIC. MODERATELY COARSE TEXTURES CAUSE EXPOSED FACES TO BE

UNSTABLE.

## 09/01/93

SOIL SERIES: METISKO (MET)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

SURFACE STONINESS: NON

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	Hq	EC	Sat%	SAR
AP	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	VFR	SL	1.6	5.9	0.8	32.	1.3
BM	12-60	10YR	5/4	YELLOWISH BROWN	WFSBK	VFR	SL	0.4	7.4	0.4	34.	0.6
CK	60-180	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	SL		8.1	0.6	32.	0.6

#### SOIL OUALITY RATINGS:

	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BM CK	0-12 12-60 60-180	G G G	G G G	F	F G F	G G G	G G G	G G G	F (Topsoil) G (Subsoil) F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	10 cm 10-20 cm OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE.

SCA 4

## 09/01/93

SOIL SERIES:

METISKO-SC (scMET)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

2-15% TEMPORARY PONDING

SOIL CLASSIFICATION: ORTHIC DARK BROWN CHERNOZEMIC (SALINE LOWER

SURFACE STONINESS:

NON

SUBSOIL)

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Hor	izon Dep	th Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AН	0	-12 10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	VFR	SL	3.2	6.2	0.5	55.	2.
вм	12	-30 10YR	4/4	DARK YELLOWISH BROWN	WFSBK	VFR	SL	1.2	6.9	1.	50.	1.1
esk	30	-180 10YR	6/4	LIGHT YELLOWISH BROWN	SGR	VFR	SL		7.9	6.5	39.	5.8

### FOIL QUALITY RATINGS:

lorizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Н	0-12	G	G	G	F	G	G	G	F (Topsoil)
3М	12-30	G	G		G	G	G	G	G (Subsoil)
SK	30-180	G	G		F	P	G	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.026	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

JOTES: VARIANT OF METISKO WITH A SALINE AND/OR SODIC LOWER SUBSOIL. THE A AND B HORIZONS ARE NON SALINE-SODIC.

4

#### 09/01/93

CSK

SOIL SERIES:

MICHICHI (MIC)

LANDFORM:

BLANKET 0-5%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL: VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

SOIL CLASSIFICATION: DARK BROWN SOLOD

USUAL SOIL MOISTURE:

NON

TYPICAL SOIL PROFILE:

AP 0-10 10YR 3/2

Horizon Depth Color Code

Depth	Color	olor Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
0-10	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	SIC	2.	7.4	0.6	54.	0.9
10-28	10YR	4/2	DARK GRAYISH BROWN	COL	VF	C-HC		7.2	0.6	63.	1.6
28-180	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	C-HC		7.7	5.6	89.	7.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	P	F	G	G	G	G	P (Topsoil)
BTN	10-28	P	P		G	G	F	G	P (Subsoil)
CSK	28-180	F	P		F	P	P	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

15 cm TYPICAL THICKNESS: 10-20 cm THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE STRIPPING LIMITATIONS: HIGH WIND EROSION RISK: WATER EROSION K=: 0.028 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: MO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: MO FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: MICHICHI SOILS ARE DEVELOPED ON CLAY TO HEAVY CLAY TEXTURED MATERIAL. DIFFERENTIATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE BTN HORIZON IS VERY TOUGH AND UNDESIRABLE THE LOWER SUBSOIL IS WEAKLY SALINE AND SODIC.

SCA 4

#### 09/01/93

SOIL SERIES:

NEUTRAL

(NUT)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

-DRY

SOIL CLASSIFICATION:

CALCAREOUS DARK BROWN

USUAL SOIL MOISTURE: SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
PK	0-14	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	CL	1.4	7.7	0.8	47.	0.4
MK	14-55	10YR	5/3	BROWN	WMPR	FR	CL		8.1	0.4	63.	0.4
K	55-100	10YR	5/3	BROWN	MA	FR	STCL		8.	1.4	47.	1.

## OIL QUALITY RATINGS:

11									
orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
PK	0-14	G	F	F	F	G	G	G	F (Topsoil)
мк	14-55	G	F		F	G	F	G	F (Subsoil)
K	55-100	G	F		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	5-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.034	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

OTES:

DEVELOPED ON CLAY LOAM TEXTURED TILL. TOPSOIL IS DIFFICULT TO DISTINGUISH FROM SUBSOIL BY COLOR. THESE SOILS ARE CALCAREOUS INTO THE B HORIZON AND OFTEN THE A HORIZON.

## 09/01/93

SOIL SERIES: NEUTRAL-ST (stNUT) LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

SOIL CLASSIFICATION: CALCAREOUS DARK BROWN

CHERNOZEMIC

USUAL SOIL MOISTURE: DRY

SURFACE STONINESS: EXCEEDINGLY

PARENT MATERIAL: MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	lor Code Color Name Str		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
APK	0-14 14-55	10YR 10YR	3/2	VERY DARK GRAYISH BROWN BROWN	MFGR WMPR	FR FR	STCL	1.4	7.7	0.8		
CK	55-100	10YR	5/3	BROWN	MA	FR	SCL-SICL			1.4		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
APK	0-14	G	P	F	F	G	G	G	P (Topsoil)
BMK	14-55	G	P		F	G	F	G	P (Subsoil)
CK	55-100	G	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF NEUTRAL THAT IS STONIER THAN NORMAL.

#### 9/01/93

SOIL SERIES:

ONNEVUE

(OVE)

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION:

SOLONETZIC DARK BROWN

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY

PARENT MATERIAL:

MODERATELY FINE TILL

CHERNOZEMIC

MODERATELY

## PICAL SOIL PROFILE:

rizon	Depth Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR		
	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	1.4	6.4	0.3	44.	0.3
NJ	18-60	10YR	4/4	DARK YELLOWISH BROWN	PR	F	L	1.	7.4	0.5	41.	0.2
A	60-100	10YR	5/3	BROWN	MA	F	L		8.	1.1	40.	3.
B												

#### DIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-18	G	G	F	F	G	G	G	F (Topsoil)
\J	18-60	F	G		G	G	G	G	F (Subsoil)
A	60-100	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL:

RISK ON 9-15% SLOPE:

STRIPPING LIMITATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

15	cm			
10-2	0	cm		
NOT	OBV	IOUS		
NONE	:			

WIND EROSION RISK: LOW WATER EROSION K=: 0.033 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE:

LOW MODERATE

SODIC SOFTROCK: **GRAVEL:** STONY LAYER:

HARD BEDROCK:

FACE INSTABILITY: SOLONETZIC B HORIZON:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO NO YES NO

SPR

NO

NO

NO

NO

DEVELOPED ON CLAY LOAM TEXTURED TILL. THE TOPSOIL IS NOT EASILY TES: DISTINGUISHED FROM SUBSOIL BY COLOR. THE B HORIZON HAS WEAK SOLONETZIC TENDENCIES LOWER SUBSOIL IS NON TO WEAKLY SALINE AND SODIC.

## 09/01/93

SOIL SERIES:

RIBSTONE (RIB)

LANDFORM:

VENEER 2-15%

SOIL ZONE:

DARK BROWN SOIL CLASSIFICATION: ORTHIC DARK BROWN TYPICAL SLOPES: USUAL SOIL MOISTURE:

DROUGHTY

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

EOLIAN/TILL

## TYPICAL SOIL PROFILE:

	Depth	Color		Color Name	Structure	Consistence	Texture	0.C.	рH	EC	Sat% SAR
AP	0-25			VERY DARK GRAYISH BROWN	SGR	L	LS				
BM	25-70	10YR	5/4	YELLOWISH BROWN	SGR	L	LS				
2CK	70-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL				

#### SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	F	Р						P (Topsoil)
BM	25-70	F	P						P (Subsoil)
2CK	70-110	F	F						F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

STRIPPING WIND EROSI WATER EROS RISK ON RISK ON	RANGE:  IGE TO SUBSOIL:  LIMITATIONS:  CON RISK:	20 cm 15-25 OBVIOUS NONE HIGH 0.013 LOW LOW MODERATE	cm
RISK ON	9-13% SLOPE:	MODERATE	

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBS	OIL: NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON A VENEER OF LOAMY SAND TEXTURED MATERIAL OVER TILL. THE SANDY OVERLAY CAUSES FACES TO BE UNSTABLE WHEN EXPOSED.

SCA 4

#### 19/01/93

SOIL SERIES:

SCOLLARD

LANDFORM:

BLANKET

SOIL ZONE:

DARK BROWN

CHERNOZEMIC

TYPICAL SLOPES:

2-45%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GRAVELLY GLACIOFLUVIAL

(SCD)

SURFACE STONINESS:

EXCEEDINGLY

#### YPICAL SOIL PROFILE:

orizon	rizon Depth Color		olor Code Color Name		Structure Consistence Texture			O.C.	рН	EC	Sat%	SAR
н	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	LS	2.1	7.2	0.6	42.	1.3
м	20-70	10YR	5/4	YELLOWISH BROWN	SGR	L	LS	0.3	7.7	0.6	27.	1.1
K	70-180	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	GRS		8.1	0.5	25.	1.

#### OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Ι.	0-20	F	P	G	G	G	G	G	P (Topsoil)
1	20-70	F	P		F	G	F	G	P (Subsoil)
k	70-180	F	P		F	G	F	G	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY, GRAVELLY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.02
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO
NO
NO
NO
YES
NO
YES
NO
NO
YES

DTES:

DEVELOPED ON GRAVELLY SANDY LOAM TO LOAMY SAND TEXTURED MATERIAL. THE TOPSOIL IS USUALLY GRAVEL FREE. THE B HORIZON CONTAINS 15 TO 35% BY VOLUME OF GRAVEL AND THE C HORIZON CONTAINS 35 TO 60 PERCENT. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL ZONE:

SOIL SERIES: SULLIVAN LAKE (SUL)

DARK BROWN

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL/TILL

LANDFORM:

VENEER 1-5%

TYPICAL SLOPES:

TEMPORARY PONDING

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-22	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	L-SL	3.4	5.4	0.2	37.	1.5
AE	22-26	10YR	6/2	LIGHT BROWNISH GRAY	WFPL	VFR	L-SL					
BNT	26-50	10YR	3/3	DARK BROWN	WMCOL	F-VF	L-SL	1.4	5.7	0.2	39.	1.3
BC	50-80	10YR	5/3	BROWN	SGR	L	SL		7.1	0.4	35.	4.3
2CSK	80-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	2.3	53.	9.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-22	G	G	G	P	G	G	G	P (Topsoil)
AE	22-26	G	G						P (Topsoil)
BNT	26-50	P	G		F	G	G	G	P (Subsoil)
BC	50-80	F	G		G	G	G	F	F (Subsoil)
2CSK	80-180	F	F		F	G	G	P	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	20 cm 15-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.029
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON A SANDY LOAM VENEER OVER CLAY LOAM TILL. TOPSOIL IS EASILY DISTINGUISHED FROM SUBSOIL BY THE PRESENCE OF AN AE HORIZON. THE BNT HORIZON IS UNDESIRABLE AND THE LOWER SUBSOIL IS MODERATELY SALINE AND SODIC. THE SANDY OVERLAY MAY BE UNSTABLE ON EXPOSED FACES. THE BNT HORIZON MAY OCCUR IN THE GLACIOFLUVIAL MATERIAL OR THE TILL.

## /01/93

SOIL SERIES:

THRONE

(THR)

LANDFORM:

LEVEL

0-2%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO GLEYSOL

MEDIUM GLACIOLACUSTRINE

SURFACE STONINESS:

NON

"PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC Sat% SAR
2	0-5	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	L	0.4	7.8	40.
1	5-50	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	CL		8.3	36.
2	50-120	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	SCL		8.3	37.

#### IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
2	0-5	G	G	Р	F		G		P (Topsoil)
0.1	5-50	F	F		F		G		F (Subsoil)
<b>c</b> 2	50-120	F	F		F		G		F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 CM
THICKNESS RANGE:	0-5 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS, VERY THIN
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE.	NO

ES: THRONE SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

AT.T.

NO

NO

NO

NO

NO

NO

YES

YES

#### 09/01/93

SOIL SERIES: SOIL ZONE:

THRONE-SA (saTHR) LANDFORM: DARK BROWN

PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE

LEVEL

0-2%

SOIL CLASSIFICATION: REGO GLEYSOL (SALINE)

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

WATERTABLE/PONDING

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure C				2	EC	Sat% SAR
AHJGSA	0-5	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	L	0.4			40. 51.4
CGSAK1	5-50	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	CL		8.3	38.9	36. 33.9
CGSAK2	50-120	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	SCL		8.3	37.	37. 22.6
								'			

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AHJGSA	0-5	G	G	P	F	U	G	Ū	U (Topsoil)
CGSAK1	5-50	F	F		F	Ū	G	U	U (Subsoil)
CGSAK2	50-120	F	F		F	Ŭ	G	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

0-5 cm

COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: WETNESS, VERY THIN

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

HARD BEDROCK:

SODIC SOFTROCK:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF THRONE SOILS THAT ARE SALINE AND SODIC TO THE SURFACE.

#### )9/01/93

SOIL SERIES:

TORLEA

(TLA)

LANDFORM:

PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5%
TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ

USUAL SOIL MOISTURE:

SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL:

MODERATELY FINE SOFTROCK

#### 'YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
н	0-5	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	CL	4.	7.5	1.3	63. 9.1
NT	5-25	10YR	4/2	DARK GRAYISH BROWN	SMSBK	VF	C		8.3	3.3	160. 29.5
SK	25-180	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		8.2	13.2	136. 35.5

#### OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
H	0-5	G	F	G	G	G	F	P	P (Topsoil)
NT	5-25	P	P		F	F	U	U	U (Subsoil)
SK .	25-180	F	P		F	U	U	U	U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

NOT OBVIOU
VERY THIN
LOW
0.045
LOW
MODERATE
HICH

10 cm 10-12 cm

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

DTES: THE VERY FIRM BNT HORIZON OCCURS AT ABOUT 0.15 M BELOW THE SURFACE. IT IS ROUND TOPPED, COLUMNAR, WITH INTENSE DARK ORGANIC MATTER STAINING. THESE SOILS ARE MODERATELY TO STRONGLY SALINE AND SODIC. THE PARENT MATERIAL IS WEATHERED SHALES AND SANDSTONES AND MAY HAVE REMINANTS OF A DISCONTINUOUS TILL VENEER. STRIP TO INDICATED DEPTH, DO NOT OVERSTRIP.

## 09/01/93

SOIL SERIES: TORLEA-ER (erTLA) LANDFORM:

PLAIN 2-5%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SOLONETZ (ERODED)

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL: MODERATELY FINE SOFTROCK

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-4	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	CL	3.8	4.8	2.1	56.	3.5
BNT	15-35	10YR	3/1	VERY DARK GRAY	MMSBK	VF	CL	1.9	6.4	2.5	58.	6.4
CSK	35-90	10YR	4/2	DARK GRAYISH BROWN	MA	VF	CL		7.6	6.2	58.	10.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-4	F	F	G	P	F	G	G	P (Topsoil)
BNT	15-35	P	F		F	G	G	F	P (Subsoil)
CSK	35-90	P	F		F	P	G	P	P (Subsoil)
			F		-			*	,

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm
THICKNESS RANGE:	0-5 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.045
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF TORLEA THAT IS ERODED. ERODED PITS OR BLOWOUTS ARE VERY

COMMON IN THESE LANDSCAPES.

TEMPORARY PONDING

## NTERPRETATION GUIDELINES

SCA 4

/01/93

SOIL SERIES:

TORLEA-ST (stTLA)

LANDFORM:

PLAIN

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

SURFACE STONINESS:

USUAL SOIL MOISTURE:

VERY

PARENT MATERIAL:

STONY, MODERATELY FINE

SOFTROCK

SOLONETZ

PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	0-11	10YRm	4/3	DARK BROWN	WFGR	FR	STSIL	4.42	5.4		
li .	11-28	10YRm	3/2	VERY DARK GRAYISH BROWN	WCCOL	VF	STCL	2.41	7.6	1.6	11.9
K	28-48	10YRm	3/1	VERY DARK GRAY	MFABK	F	STCL		7.9	4.13	17.9
	48-120	5Yd	6/3	PALE OLIVE	WFPL	F	STL		8.1	1.04	19.9

## IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-11	G	P	G	P				P (Topsoil)
ll l	11-28	P	P		F	G		P	P (Subsoil)
K	28-48	F	P		F	F		U	U (Subsoil)
	48-120	F	P		F	G		U	U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 10-12 cm NOT OBVIOUS VERY THIN, STONY LOW 0.045 LOW MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

ES: VARIANT OF TORLEA THAT IS STONIER THAN NORMAL.

HIGH

## 09/01/93

SOIL SERIES:

VICTOR (VTR)

LANDFORM:

BLANKET 0-2%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: DARK BROWN SOLONETZ PARENT MATERIAL: MODERATELY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Color Name	me Structure Consistence 1			O.C.	рН	EC	Sat% SAR
APSA	0-7	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	F	CL		7.	6.	91. 24.
BNTSA	7-25	10YR	3/2	VERY DARK GRAYISH BROWN	MMCOL	VF	С		7.8	8.8	88. 28.9
CSK1	25-40	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.7	6.	68. 10.3
CSK2	40-100	2.5Y	4/4	OLIVE BROWN	MA	F	С		7.7	6.	68. 10.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSA	0-7	P	F		G	P	P	U	U (Topsoil)
BNTSA	7-25	P	P		F	P	P	U	U (Subsoil)
CSK1	25-40	F	P		F	P	F	P	P (Subsoil)
CSK2	40-100	F	P		F	P	F	P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

5 cm	
5-10	cm
NOT OB	VIOUS
VERY T	HIN
LOW	
0.04	
LOW	
MODERA	TE

HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE BNT HORIZON HAS A STRONG, ROUND-TOPPED COLUMNAR STRUCTURE THAT IS DIFFICULT TO DISTINGUISH FROM TOPSOIL BY COLOR. THE LOWER SUBSOIL IS MODERATELY SALINE AND SODIC.

SCA 4

## 9/01/93

SOIL SERIES:

WAINWRIGHT

(WWT)

LANDFORM:

UNDULATING, RIDGED

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION: ORTHIC DARK BROWN

USUAL SOIL MOISTURE:

DROUGHTY

CHERNOZEMIC

VERY COARSE EOLIAN OR

GLACIOFLUVIAL

SURFACE STONINESS: NON

#### 'PICAL SOIL PROFILE:

PARENT MATERIAL:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-18	10YR	4/2	DARK GRAYISH BROWN	SGR	L	LS		7.1	0.4	52.	
	18-48	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LS		7.9	0.4	28.	1.6
	48-110	10YR	4/3	BROWN	SGR	L	LS		7.8	0.4	28.	3.4

#### IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-18	F	Р		G	G	G		P (Topsoil)
1	18-48	F	P		F	G	F	G	P (Subsoil)
	48-110	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

TES: WAINWRIGHT SOILS ARE DEVELOPED ON LOAMY SAND TEXTURED MATERIAL AND THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL IS EASILY DISTINGUISHED FROM SUBSOIL BY COLOR.

## 09/01/93

SOIL SERIES:

WIESE (WES)

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

LANDFORM:

BLANKET 2-9%

SOIL ZONE:

DARK BROWN

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOLONETZ

SURFACE STONINESS:

NON

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Text		Texture	o.c.	рН	EC	Sat%	SAR
APK	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	SIC	1.5	7.6	1.	51.	1.8
BNTK	12-32	10YR	4/2	DARK GRAYISH BROWN	MMSBK	VF	HC		8.1	0.5	80.	4.
CSK	32-180	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	HC		7.8	5.2	80.	7.2

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
APK	0-12	G	P	F	F	G	G	G	P (Topsoil)
BNTK	12-32	P	P		F	G	P	F	P (Subsoil)
CSK	32-180	F	P		F	P	P	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK:	NO NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE WIESE SOIL IS DEVELOPED ON SILTY CLAY LOAM TEXTURED MATERIAL AND THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE. DISTINGUISHING TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS SALINE AND SODIC.

SCA 4

/01/93

SOIL SERIES:

WIESE-XT

(xtWES)

LANDFORM:

VENEER

SOIL ZONE:

DARK BROWN

SOLONETZ

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: DARK BROWN SOLODIZED

USUAL SOIL MOISTURE:

TEMPORARY PONDING NON

PARENT MATERIAL:

MODERATELY FINE

GLACIOLACUSTRINE/TILL

SURFACE STONINESS:

PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	SICL	1.8	7.	0.6	46. 1.	6
	12-22	10YR	4/2	DARK GRAYISH BROWN	MMSBK	VF	С	1.6	6.8	0.6	53. 2.	2
	22-70	10YR	4/2	DARK GRAYISH BROWN	MA	F	C		8.1	0.7	92. 6.	9
K ·	70-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		7.9	6.9	52. 10.	6

## tL QUALITY RATINGS:

izon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
	0-12	G	F	F	G	G	G	G	F (Topsoil)
	12-22	P	P		G	G	G	G	P (Subsoil)
	22-70	F	P		F	G	P	F	P (Subsoil)
K	70-180	F	F.		F	P	G	P	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:


TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm
10-20 cm
NOT OBVIOU
NONE
LOW
0.04
LOW
MODERATE
HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

VARIANT OF WIESE THAT HAS TILL WITHIN 1 M OF THE SURFACE. TEXTURAL DIFFERENCE BETWEEN THE TWO MATERIALS IS NOT SIGNIFICANT.



## 2.5 Soil Correlation Area #5

## General Description of the Area

The Thin Black Soil Zone of Southwestern Alberta.

## **Ecoregion/Climate**

- SCA 5 is characterized by Thin Black Soils (Black soils with less than 15 cm of topsoil) in
  the area from the U.S. border, north to the Porcupine Hills. This SCA is part of the Fescue
  Grass Ecoregion (Strong and Leggatt 1992), which receives more precipitation than SCA's
  1 or 3, and has less (average) moisture deficit in the growing season. The area is subject
  to chinook winds and can experience extended periods of moisture deficit. Agricultural
  crop rotations tend to be continuous crop or long rotation rather than grain-fallow.
- Agroclimate is 2AH and 3AH (slight to moderate moisture and heat limitations).
- Growing season P-PE = -250 to -300 mm.

## Soils and Landscapes

- The surface form of many of the landforms is controlled by the surface of the underlying bedrock. Veneers and blankets of glacial drift overly Tertiary- and Cretaceous-aged bedrock of varying lithology.
- Soils are dominantly Chernozemics (Thin Blacks), with rare occurrences of Solonetzic and salt-affected soils. Many of the soils have a bedrock contact (lithic or paralithic) at shallow depth.
- Soil profile development extends to a depth of 40 cm, having 10 to 15 cm of topsoil.

## Soil Reclamation Issues

- Wind erosion is a concern in this area due to the frequency of high velocity winds. Snow cover is frequently removed by Chinook winds. Wind erosion can occur in any month.
- Water erosion risk is high in much of the area due to steepness and length of slopes.
   Most water erosion occurs as a result of intense thunderstorms during the summer.



## /01/93

SOIL SERIES:

BEAZER (BZR) LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

RIDGED

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC PARENT MATERIAL:

USUAL SOIL MOISTURE: MESIC

6-20%

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

#### PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	0-7	10YRm	3/2	VERY DARK GRAYISH BROWN	WMGR	L	CL	6.16	7.5		
2	7-17	10YRm	3/2	VERY DARK GRAYISH BROWN	WFSBK	L	CL	4.58	7.2		
	17-45	10YRd	4/3	BROWN-DARK BROWN	MFABK	SLH	CL	1.47	6.5		
	45-68	10YRd	4/3	BROWN-DARK BROWN	MMSBK	SLH	L		7.3		
	68-96	10YRd	6/3	PALE BROWN	MA	SLH	CL		7.9	0.5	
P	96-120	10YRm	4/4	DARK YELLOWISH BROWN	MA	FR	CL		8.	0.5	

### IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overa	ll Rating
	0-7	F	F	G	G				F (	Topsoil)
	7-17	F	F	G	G				F (	Topsoil)
	17-45	G	F		F				F (	Subsoil)
	45-68	G	G		G				G (	Subsoil)
	68-96	G	F		F				F (	Subsoil)
	96-120	G	F		F				F (	Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

	_
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

PES: DEVELOPED ON CLAY LOAM TEXTURED TILL. TOPSOIL IS EASILY DISTINGUISHED FROM SUBSOIL BY COLOR.

## 09/01/93

SOIL SERIES: BEAZER-CA (caBZR) LANDFORM:

UNDULATING, HUMMOCKY,

SOIL ZONE:

THIN BLACK

RIDGED

SOIL CLASSIFICATION: CALCAREOUS BLACK

CHERNOZEMIC

TYPICAL SLOPES: USUAL SOIL MOISTURE: MESIC

6-20%

PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: MODERATELY

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	2/1	BLACK	WFGR	FR	L	5.8	7.8	0.8	69.	0.1
BMK	15-35	10YR	4/2	DARK GRAYISH BROWN	WMPR	F	CL	2.1	8.	0.6	60.	0.3
CCA	35-100	10YR	5/2	GRAYISH BROWN	MA	F	CL		8.6	0.8	62.	2.2
CK	100-200	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.8	0.8	56.	4.5

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рн	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F	G	F	G	F (Topsoil)
BMK	15-35	F	F		F	G	F	G	F (Subsoil)
CCA	35-100	F	F		P	G	F	G	P (Subsoil)
CK	100-200	F	F		P	G	G	F	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BEAZER THAT IS CALCAREOUS.

## 11/93

SOIL SERIES: BEAZER-SA (saBZR) LANDFORM: SOIL ZONE:

THIN BLACK

UNDULATING, HUMMOCKY,

RIDGED

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC TYPICAL SLOPES:

6-20%

(SALINE)

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

#### ICAL SOIL PROFILE:

zon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
1	0-7	10YRm	3/2	VERY DARK GRAYISH BROWN	WMGR	L	CL	6.16	7.5			
2	7-17	10YRm	3/2	VERY DARK GRAYISH BROWN	WFSBK	L	CL	4.58	7.2			
	17-45	10YRd	4/3	BROWN-DARK BROWN	MFABK	SLH	CL	1.47	6.5			
	45-68	10YRd	4/3	BROWN-DARK BROWN	MMSBK	SLH	L		7.3			
	68-96	10YRd	6/3	PALE BROWN	MA	SLH	CL		7.9			
	96-120	10YRm	4/4	DARK YELLOWISH BROWN	МА	FR	CL		8.			

### L QUALITY RATINGS:

zon

1	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	0ve	rall Rating
	0-7	F	F	G	G				P	(Topsoil)
	7-17	F	F	G	G				P	(Topsoil)
	17-45	G	F		F				P	(Subsoil)
	45-68	G	G		G				P	(Subsoil)
	68-96	G	F		F				P	(Subsoil)
	96-120	G	F		F				P	(Subsoil)

## TOPSOIL INTERPRETATIONS:

YPICAL THICKNESS:	15 cm
HICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
TRIPPING LIMITATIONS:	NONE
IND EROSION RISK:	HIGH
ATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

S: VARIANT OF BEAZER THAT IS SALINE TO THE SURFACE.

## 09/01/93

SOIL SERIES:

BLACKFOOT

(BFT) LANDFORM: VENEER, TERACES

SOIL ZONE: SOIL CLASSIFICATION: THIN BLACK ORTHIC BLACK CHERNOZEMIC TYPICAL SLOPES:

1-5%

PARENT MATERIAL:

MEDIUM

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC SLIGHTLY

GLACIOLACUSTRINE/GRAVEL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	e Color Name S		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SA	\R	
AH	0-11	10YR	2/1		BLACK		MFGR	FR	L	6.1				
BM CCA	11-34 34-67	10YR 10YR	5/3 6/4	LIGHT	BROWN YELLOWISH	BROWN	MFSBK MA	FR FR	SIL	1.4	6.2 7.6			
2CK	67-110	10YR	4/4	DARK	YELLOWISH	BROWN	SGR	L	VGSL		7.6			

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-11	G	G	G	G				G (Topsoil)
BM	11-34	G	G		F				F (Subsoil)
CCA	34-67	G	G		F				F (Subsoil)
2CK	67-110	F	U		F				U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	10 cm 10-15 cm OBVIOUS
STRIPPING LIMITATIONS: WIND EROSION RISK:	NONE HIGH
WATER EROSION K=:	0.032
RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON A LOAM TO SILT LOAM TEXTURED VENEER GREATER THAN 30 CM THICK OVER GRAVEL. GOOD COLOR SEPARATION OF TOPSOIL AND SUBSOIL. EXPOSED FACES ARE UNSTABLE IN THE UNDERLYING GRAVEL.

# TERPRETATION GUIDELINES

SCA 5

01/93

SOIL SERIES: BLACKFOOT-ZR (zrBFT) LANDFORM:

VENEER, TERACES

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MEDIUM

SURFACE STONINESS: SLIGHTLY

GLACIOLACUSTRINE/GRAVEL

ICAL SOIL PROFILE:

zon	Depth	Color Code		Color Nam	Color Name		Structure Consistence T		o.c.	рН	EC	Sat% SAR
	0-11 11-67	10YR 10YR	2/1 6/4	BLACK LIGHT YELLOWIS	H BROWN	MFGR MA	FR FR	L L		6.9 7.6		
	67-110	10YR	4/4	DARK YELLOWIS	H BROWN	SGR	L	VGSL		7.6		

### L QUALITY RATINGS:

zon

ı	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	3
	0-11 11-67 67-110		G G U	G	G F F				G (Topsoil) F (Subsoil) U (Subsoil)	

## TOPSOIL INTERPRETATIONS:

N .	
TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

S: REGO VARIANT OF BLACKFOOT.

## 09/01/93

SOIL SERIES: CARDSTON (CTN) LANDFORM: BLANKET SOIL ZONE: THIN BLACK TYPICAL SLOPES: 0-5% SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MOIST PARENT MATERIAL: FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		olor Code Color Name		Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-10	10YR	2/1	BLACK	MFGR	F	С	4.3	5.7		
BM	10-25	10YR	4/3	DARK BROWN	WMPR	F	SIC	2.	6.8		
CCA	25-63	10YR	4/2	DARK GRAYISH BROWN	MA	F	SIC		7.8		
CK	63-100	10YR	4/1	DARK GRAY	MA	F	SIC		7.9		

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AP	0-10	Р	P	G	F				P (Topsoil)
BM	10-25	F	P		G				P (Subsoil)
CCA	25-63	F	P		F				P (Subsoil)
CK	63-100	F	P		F				P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.021	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. TOPSOIL SEPARATION FROM SUBSOIL BY COLOR IS DIFFICULT BECAUSE CRACKS THAT FORM WHEN THE SOIL DRIES MIX TOPSOIL MATERIAL INTO THE SUBSOIL.

# NTERPRETATION GUIDELINES

SCA 5

## 9/01/93

SOIL SERIES:

CARDSTON-SA (saCTN)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

(SALINE)

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

SURFACE STONINESS: NON

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: FINE GLACIOLACUSTRINE

## PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
SA	0-12	10YR	2/1	BLACK	MFGR	F	SL		7.9			
SA	12-30	10YR	5/3	BROWN	WMPR	F	CL		8.			
ASA	30-75	10YR	4/1	DARK GRAY	MA	F	SICL		8.5			
K	75-120	10YR	4/1	DARK GRAY	MA	F	C-SICL		8.4			

### IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	0ve:	rall Rating
5A	0-12	Р	G		F		F		P	(Topsoil)
A	12-30	F	F		F		F		F	(Subsoil)
SA	30-75	F	F		F		F		F	(Subsoil)
	75-120	F	P		F		F		P	(Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-20 cm NOT OBVIOUS NONE HIGH 0.021 LOW LOW MODERATE
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

TES: VARIANT OF CARDSTON THAT IS SALINE TO THE SURFACE.

SOIL CLASSIFICATION: SOLONETZIC BLACK

SCA

### 09/01/93

SOIL SERIES:

CARDSTON-ZT (ztCYN)

LANDFORM:

F

BLANKET

0-5%

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

8.4 1.1 75. 4.8

CHERNOZEMIC

35-110 10YR 4/2 DARK GRAYISH BROWN MA

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

SIC-C

NON

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR 10YR 2/1 BLACK MFGR FR 0-12 SICL 3.2 8. 0.6 56. 0.3 VF 12-35 10YR 3/2 VERY DARK GRAYISH BROWN SMSBK HC 8. 0.5 64. 0.3

SOIL OUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% Overall Rating 0-12 F F G G G F (Topsoil) . F P P G 12-35 F G P (Subsoil) 35-110 F

## TOPSOIL INTERPRETATIONS:

15 cm TYPICAL THICKNESS: THICKNESS RANGE: 10-20 cm COLOR CHANGE TO SUBSOIL: NOT O STRIPPING LIMITATIONS: NONE WIND EROSION RICK. NOT OBVIOUS WATER EROSION K=: 0.021 RISK ON <5% SLOPE: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: LOW MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: MO GRAVEL: MO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF CARDSTON WITH A BTNJ HORIZON THAT HAS SOLONETZIC TENDENCIES. THE LOWER SUBSOIL IS NON TO WEAKLY SALINE AND WEAKLY TO MODERATELY SODIC.

## 09/01/93

SOIL SERIES:

COWLEY

(CWY)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

CHERNOZEMIC

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION:

CALCAREOUS BLACK

USUAL SOIL MOISTURE: SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MOIST NON

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
APK 3MK	0~16	10YR		BLACK	MFGR	F	SIC	3.2			
ck1	16-30 30-74	10YR 10YR	3/3 4/2	DARK BROWN DARK GRAYISH BROWN	WMPR MA	F F	C C	1.9	7.6 7.8		
CK2	74-110	10YR	4/1	DARK GRAY	MA	F	С		8.		

## SOIL QUALITY RATINGS:

Ho	orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
1	PK	0-16	P	P	G	G				P (Topsoil)
31	MK	16-30	F	P		F				P (Subsoil)
h	K1	30-74	F	P		F				P (Subsoil)
1	K2	74-110	F	P		F				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.021	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

OTES: DEVELOPED ON CLAY TEXTURED MATERIAL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT BECAUSE CRACKS THAT FORM WHEN THE SOIL DRIES CAUSE TOPSOIL TO BE MIXED WITH SUBSOIL.

## 09/01/93

SOIL SERIES:

COWLEY-SA (saCWY)

LANDFORM:

BLANKET 1-5%

SOIL ZONE: SOIL CLASSIFICATION: CALCAREOUS BLACK

THIN BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

CHERNOZEMIC (SALINE)

SURFACE STONINESS:

NON

PARENT MATERIAL: FINE GALCIOLACUSTRINE

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure C	e Texture	O.C.	рН	EC	Sat%	SAR	
AHK	0-12	10YR	2/1	BLACK	MFGR	FR	CL		7.7	0.9	64.	0.3
BSK	12-55	10YR	4/3	BROWN-DARK BROWN	WMPR	F	CL		7.9	8.9	46.	3.5
CCASA	55-65	10YR	4/2	DARK GRAYISH BROWN	MA	F	C		8.1	13.3	46.	5.
CSK	65-130	10YR	4/1	DARK GRAY	MA	F	C		8.	13.6	43.	5.5
CSKGJ	130-200	10YR	4/1	DARK GRAY	MA	F	C		8.	10.	59.	5.1

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHK	0-12	G	F		F	G	F	G	F (Topsoil)
BSK	12-55	F	F		F	P	G	G	P (Subsoil)
<b>€</b> CASA	55-65	F	P		F	U	G	F	U (Subsoil)
CSK	65-130	F	P		F	U	G	F	U (Subsoil)
CSKGJ	130-200	F	P		F	P	G	F	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF COWLEY THAT IS SALINE TO THE SURFACE.

# INTERPRETATION GUIDELINES

SCA 5

## 09/01/93

SOIL SERIES: COWLEY-ZR (ZTCWY) LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-5%

PARENT MATERIAL: FINE GLACIOLACUSTRINE

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MOIST

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ī
	Н	0	r	i	z	0	n				D	е	p	t	h							С	0	1	0	1

-	Horizon	Depth	Color	Code	Color Name	9	Structure	Consistence	Texture	O.C.	pН	EC	Sat%	SAR
	APK	0-15	10YR	2/1	BLACK		MFGR	FR	SICL	4.1	8.	0.4	47.	0.2
ı	CCA .	15-55	10YR	4/2	DARK GRAYISH	BROWN	MMSBK	F	SIC-SICL		8.2	0.3	52.	0.2
k	CK	55-100	10YR	4/2	DARK GRAYISH	BROWN	MA	F	SIC-SICL		8.6	0.5	58.	1.7
ĸ.														

## SOIL QUALITY RATINGS:

111										
Н	orizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AI	PK	0-15	G	F	G	F	G	G	 G	F (Topsoil)
C	CĄ	15-55	F	P ·		F	G	G	G	P (Subsoil)
CI	K	55-100	F	P		P	G	G	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOU
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF COWLEY.

## 09/01/93

SOIL SERIES: DEL BONITA (DLB) LANDFORM: THIN BLACK SOIL ZONE:

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

TYPICAL SLOPES: USUAL SOIL MOISTURE:

0-5% MESIC

BLANKET

PARENT MATERIAL:

MEDIUM EOLIAN

SURFACE STONINESS: NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH BM	0-12 12-27	10YR 10YR	2/2	VERY DARK BROWN DARK GRAYISH BROWN	MFGR WFPR	FR FR	L L	4.6	6.4		
CCA	27-100	10YR	5/2	GRAYISH BROWN	MA	FR	L		7.5		

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-12	G	G	G	F				F (Topsoil)
BM	12-27	G	, G		F				F (Subsoil)
CCA	27-100	G.	G		G				F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: PICK ON 5-9% SLOPE:	12 cm 10-15 cm NOT OBVIOUS NONE HIGH 0.033 LOW	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLOMETIC B HORIZON:	NO NO NO NO NO NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

DESICCATION CRACKS CAUSE TOPSOIL TO SLOUGH INTO THE CK HORIZON, CAUSING NOTES: VARIABLE TOPSOIL THICKNESS AND DIFFICULTY IN SEPARATING TOPSOIL AND

SUBSOIL BY COLOR.

## 09/01/93

SOIL SERIES:

HILLMER (HLM)

LANDFORM:

FANS, APRONS

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL

SURFACE STONINESS:

NON

## TYPICAL SOIL PROFILE:

The second	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	ьH	0-10	10YR	2/1	BLACK	MFGR	FR	L	5.8	6.4		
	3M	10-50	10YR	5/3	BROWN	WFPR	FR	L		6.2		
The same of	CA	50-100	10YR	5/2	GRAYISH BROWN	MA	FR	L		7.4		

### OIL QUALITY RATINGS:

or	izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Ove	call Rating
Н		0-10	G	G	G	F				F	(Topsoil)
M		10-50	G	G		F				F	(Subsoil)
CA		50-100	G	G		G				G	(Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	8-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES:

HILLMER SOILS ARE DEVELOPED ON MEDIUM TEXTURED SLOPEWASH DERIVED FROM LOESSIAL MATERIAL. THESE SOILS ARE FOUND IN UNGLACIATED REGIONS WHERE DOWNCUTTING AND BACKCUTTING DUE TO EROSIONAL PROCESSES HAVE PRODUCED FANS AND APRONS.

PARENT MATERIAL: FINE LACUSTRINE

**SCA** 

### 09/01/93

SOIL SERIES: JOANTO (JAT)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SURFACE STONINESS: NON

## TYPICAL SOIL PROFILE:

AHG 0-15 10YR 2/1 BLACK WFGR FR SIL 8.7 7.  CKG 15-120 10YR 5/1 GRAY MA F SICL 7.5	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	Йq	EC	Sat% SAR
									8.7			

### SOIL QUALITY RATINGS:

Horizon Dept	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AHG 0-1		G F	G	G G				G (Topsoil) F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-30 cm	SEASONALLY HIGH HARD BEDROCK:
COLOR CHANGE TO SUBSOIL	: OBVIOUS	NON-SODIC SOFTR
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:
WIND EROSION RISK:		GRAVEL:
WATER EROSION K=:	-	STONY LAYER:
RISK ON <5% SLOPE:	-	FACE INSTABILIT
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HO
RISK ON 9-15% SLOPE:	_	SALINE OR SODIC

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

## 09/01/93

SOIL SERIES:

KNIGHT

(KNT) L

LANDFORM:

USUAL SOIL MOISTURE:

BLANKET

SOIL ZONE: SOIL CLASSIFICATION: THIN BLACK

TYPICAL SLOPES:

2-15% DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

ORTHIC BLACK CHERNOZEMIC

SURFACE STONINESS:

NON

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
АН	0-15	10YR	2/1	BLACK	WFGR	FR	SL	3.5	6.2		
BM	15-50	10YR	3/3	DARK BROWN	WFPR	FR	SL		6.5		
CCA	50-120	10YR	6/3	PALE BROWN	SGR	FR	SL		7.		
11											

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-15	G	G	G	F		`		F (Topsoil)
вм	15-50	G	G		G				G (Subsoil)
CCA	50-120	G	G		G				G (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	15 cm 10-20 cm OBVIOUS	SEASOI HARD I NON-S
STRIPPING LIMITATIONS:	NONE	SODIC
WIND EROSION RISK:	HIGH	GRAVE:
WATER EROSION K=:	0.013	STONY
RISK ON <5% SLOPE:	LOW	FACE :
RISK ON 5-9% SLOPE:	LOW	SOLON
RISK ON 9-15% SLOPE:	MODERATE	SALIN
		IMPOR'

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

ONALLY HIGH W.T.: BEDROCK: NO SODIC SOFTROCK: NO C SOFTROCK: NO EL: NO LAYER: NO INSTABILITY: YES NETZIC B HORIZON: NO NE OR SODIC LOWER SUBSOIL: NO RTANT TEXTURE CHANGE: NO

NOTES: THESE SOILS ARE DEVELOPED ON SANDY LOAM TEXTURED ICE-CONTACT OR FLUVIAL MATERIALS. EXPOSED FACES ARE UNSTABLE.

## 09/01/93

SOIL SERIES: KNIGHT-CO (COKNT) LANDFORM: SOIL ZONE:

THIN BLACK

BLANKET 2-15%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: DROUGHTY

TYPICAL SLOPES:

PARENT MATERIAL: VERY COARSE GLACIOFLUVIAL SURFACE STONINESS: NON

## TYPICAL SOIL PROFILE:

AH 0-15 10YR 2/1 BLACK SGR L LS 6.2  BM 15-50 10YR 3/3 DARK BROWN SGR L LS 6.5  CCA 50-120 10YR 6/3 PALE BROWN SGR L LS 7.	C Sat% SAR	pH EC	0.C.	Texture	Consistence		Color Name		Color	Depth	Horizon
		6.2		LS							
CCA 50-120 10YR 6/3 PALE BROWN SGR L LS 7.		6.5		LS	L	SGR	DARK BROWN	3/3	10YR	15-50	BM
		7.		LS	L	SGR	PALE BROWN	6/3	10YR	50-120	CCA

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-15	F	P		F				P (Topsoil)
BM	15-50	F	P		G				P (Subsoil)
CCA	50-120	F	P		G				P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF KNIGHT SOILS WHICH HAS COARSER THAN NORMAL TEXTURES.

## 09/01/93

SOIL SERIES: KNIGHT-ZR (ZrKNT) LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL: MODERATELY COARSE

GLACIOFLUVIAL

SURFACE STONINESS: NON

## TYPICAL SOIL PROFILE:

H	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
A		0-15	10YR	2/1	BLACK	WFGR	FR	SL	3.5	6.2		
	CK	15-120	10YR	6/3	PALE BROWN	SGR	FR	SL		7.		

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	G	G	G	F				F (Topsoil)
CK .	15-120	G .	G		G				G (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

S	EASONALLY HIGH W.T.:	NO
H	ARD BEDROCK:	NO
N	ON-SODIC SOFTROCK:	NO
S	ODIC SOFTROCK:	NO
G1	RAVEL:	NO
S	TONY LAYER:	NO
F	ACE INSTABILITY:	YES
S	OLONETZIC B HORIZON:	NO
	ALINE OR SODIC LOWER SUBSOIL:	NO
II	MPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF KNIGHT.

## 09/01/93

SOIL SERIES: NORTH FORK (NFK) LANDFORM: VENEER SOIL ZONE: THIN BLACK TYPICAL SLOPES: 6-70% SOIL CLASSIFICATION: ORTHIC EUTRIC BRUNISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MEDIUM TILL/BEDROCK SURFACE STONINESS: VERY

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	-
AH	0-5	10YR	2/2	VERY DARK BROWN	MMGR	FR	SCL	7.	7.1			
BM	5-14	10YR	4/3	BROWN-DARK BROWN	MFSBK	F	SCL	2.6	6.8			
BC	14-32	10YR	5/3	BROWN	WFSBK	F	CL	1.5	7.6			
CK1	32-57	10YR	5/2	GRAYISH BROWN	SGR	L	GRL		7.7			
CK2	57-85	10YR	5/3	BROWN	SGR	L	GRSL		7.9			
R	85-100		/				R					

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
АН	0-5	G	F	G	G				F (Topsoil)
BM	5-14	F	F		G				F (Subsoil)
BC	14-32	F	F		F				F (Subsoil)
CK1	32-57	F	P		F				P (Subsoil)
CK2	57-85	F	P		F				P (Subsoil)
R	85-100		U						U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	4-9 cm	HARD BEDROCK:	YES
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	TOPOGRAPHY, VERY	SODIC SOFTROCK:	NO
	THIN, STONY	GRAVEL:	YES
WIND EROSION RISK:	HIGH	STONY LAYER:	YES
WATER EROSION K=:	0.040	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	HIGH	IMPORTANT TEXTURE CHANGE:	YES

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON A VENEER OF MEDIUM TEXTURED TILL, WITH 20-40% COARSE FRAGMENTS, OVER LITHIC BEDROCK. INCREASING SAND AND COARSE FRAGMENT CONTENT WITH DEPTH SHOW THE INFLUENCE OF THE UNDERLYING SANDSTONE BEDROCK.

### 09/01/93

SOIL SERIES:

OCKEY

(OKY)

LANDFORM:

VENEER, RIDGED

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

15-70%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM TILL/BEDROCK

SURFACE STONINESS:

VERY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-11	10YR	2/1	BLACK	MMGR	FR	SCL	8.	6.2		
AB .	11-23	10YR	5/2	GRAYISH BROWN	MCSBK	F	CL	2.6	5.8		
BM	23-40	10YR	5/3	BROWN	MFSBK	F	CL	2.1	5.9		
BC	40-52	10YR	5/3	BROWN	WFSBK	FR	L	1.8	7.3		
2BC1	52-67	10YR	4/3	BROWN-DARK BROWN	SGR	L	GRSIL		7.8		
2BC2	67-80	10YR	4/3	BROWN-DARK BROWN	SGR	L	GRSIL		7.9		
R	80-100		/				R				

## SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Ra	ting
АН	0-11	G	F	G	F				F (Topso	oil)
AB	11-23	F	F		F				F (Subsc	il)
ВМ	23-40	F	F		F				F (Subso	il)
BC	40-52	G	G		G				G (Subsc	il)
2BC1	52-67	F	P		F				P (Subsc	il)
2BC2	67-80	F	P		F				P (Subsc	il)
R	80-100		U						U (Subsc	il)
1 (										

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm OBVIOUS TOPOGRAPHY, STONY GRAVELLY

HIGH 0.026 LOW LOW MODERATE SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: YES NON-SODIC SOFTROCK: NO SODIC SOFTROCK: MO GRAVEL: NO STONY LAYER: YES FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: DEVELOPED ON A VENEER OF MEDIUM TEXTURED TILL OVER LITHIC BEDROCK. CALCAREOUS RESIDUAL MATERIAL (IIBC HORIZONS) IS A WEAKLY WEATHERED "RIND" ON THE UNDERLYING BEDROCK WHICH IS SHALE AND SANDSTONE STRATA. THE COARSE FRAGMENT CONTENT INCREASES WITH DEPTH. AH MATERIAL OFTEN TONGUES DOWN TO THE BC HORIZON.

## 09/01/93

SOIL SERIES:

OCKEY-GR (grOKY)

LANDFORM:

VENEER, RIDGED

SOIL ZONE:

THIN BLACK

TILL/BEDROCK

TYPICAL SLOPES:

15-70%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GRAVELLY, MEDIUM

15 cm

MODERATE

SURFACE STONINESS:

EXCEEDINGLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat%	SAR
АН	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	GRSL-L		7.7	0.8	54.	0.1
BMK	12-25	10YR	4/2	DARK GRAYISH BROWN	WMPR	F	GRSL		8.1	0.3	49.	0.1
CK	25-90	10YR	4/2	DARK GRAYISH BROWN	MA	VF	GRSL		8.2	0.6	38.	0.7
2CK	90-200	10YR	4/2	DARK GRAYISH BROWN	MA	EH	SIC		8.2	0.5	43.	0.9

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-12	G	U		F	G	G	G	P (Topsoil)
BMK	12-25	F	P		F	. G	G	G	P (Subsoil)
CK	25-90	P	P		F	G	G	G	P (Subsoil)
2CK	90-200	U	P		F	G	G	G	U (Subsoil)

# TOPSOIL INTERPRETATIONS: TYPICAL THICKNESS:

RISK ON 9-15% SLOPE:

THICKNESS RANGE: 10-20 cm COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: TOPOGRAPHY, STONY GRAVELLY WIND EROSION RISK: HIGH WATER EROSION K=: 0.026 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO YES
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	VES

NOTES: VARIANT OF OCKEY THAT HAS GRAVELLY LAYERS TO THE SURFACE. UPPER MATERIAL IS GRAVELLY MEDIUM TEXTURED TILL AND MAY BE MAY BE UNSTABLE ON EXPOSED FACES. THE UNDERLYING LITHIC BEDROCK IS SILTY CLAY TEXTURED BUT EXTREMELY HARD.

# INTERPRETATION GUIDELINES

SCA 5

## 09/01/93

SOIL SERIES: OCKEY-ZR (ZTOKY) LANDFORM:

VENEER, RIDGED

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

15-70%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MEDIUM TILL/BEDROCK

SURFACE STONINESS: VERY

## TYPICAL SOIL PROFILE:

-	Horizon	Depth	Color Code		Color Name	Structure	Texture	o.c.	рН	EC	Sat% SAR		
-	AH	0-11	10YR	2/1	BLACK	MMGR	FR	SCL	8.	6.2			
1	5	11-52	10YR	5/3	BROWN	WFSBK	FR	L	1.8	7.3			
	tC1	52-67	10YR	4/3	BROWN-DARK BROWN	SGR	L	GRSIL		7.8			
.	C2	67-80	10YR	4/3	BROWN-DARK BROWN	SGR	L	GRSIL		7.9			
-	*	80-100		/									

## SOIL QUALITY RATINGS:

lorizon	Depth	Consistence	Texture	o.c.	Hq	EC	Sat%	SAR	Over	all Rating
н	0-11	G	F	G	F				F	(Topsoil)
	11-52	G	G		G				G	(Subsoil)
C1	52-67	F	P		F				P	(Subsoil)
C2	67-80	F	P		F				P	(Subsoil)
	80-100		U						U	(Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	TOPOGRAPHPY, STONY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

OTES: REGO VARIANT OF OCKEY. THESE SOILS HAVE NO B HORIZON.

## 09/01/93

SOIL SERIES:

OLDMAN

(ODM)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE

REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure 0	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
APK	0-14	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	SIL		8.	0.9	51.	0.1
CK1	14-40	10YR	3/3	DARK BROWN	MA	FR	SIL		8.1	1.2	55.	0.1
CK2	40-60	10YR	6/3	PALE BROWN	MA	FR	FSL		8.2	1.	34.	0.9
CK3	60-95	10YR	5/3	BROWN	MA	FR	SIL		8.1	1.4	40.	2.3
CK4	95-110	10YR	5/3	BROWN	MA	FR	FSL		8.	1.2	33.	2.5
CK5	110-200	10YR	5/3	BROWN	MA	F	CL		8.	1.3	42.	1.8

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-14		G		F	G	G	G	F (Topsoil)
CK1	14-40	G	G		F	G	G	G	F (Subsoil)
CK2	40-60	G	G		F	G	G	G	F (Subsoil)
CK3	60-95	G	G		F	G	G	G	F (Subsoil)
CK4	95-110	G	G		F	G	G	G	F (Subsoil)
CK5	110-200	F	F		. F	G	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	13 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL	(TO	1.5	M)	INTERPRETATIONS:
---------	-----	-----	----	------------------

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS OCCUR IN FLUVIAL AND ICE CONTACT TERRAIN. THE APK HORIZON, A MIXTURE OF THE ORIGINAL A PLUS CALCAREOUS DRIFT AND BM MATERIAL, HAS BEEN SLIGHTLY COMPACTED.

## 09/01/93

SOIL SERIES: OWENDALE (OWD) LANDFORM:

INCLINED

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

5-15%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MEDIUM SOFTROCK

SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Structure Consistence T		o.c.	рН	EC	Sat% SAR
AP	0-10	10YR	2/1	BLACK	WFGR	FR	SIL	4.1	7.		
вм	10-30	2.5Y	5/4	LIGHT OLIVE BROWN	WFSBK	FR	SIL		7.3		
CCA	30-120	2.5Y	6/4	LIGHT YELLOWISH BROWN	MA	FR	SIL		8.		

#### SOIL QUALITY RATINGS:

Morizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-10	G	G	G	G				G (Topsoil)
CA	10-30 30-120	G G	G G		G F				G (Subsoil) F (Subsoil)

## TOPSOIL INTERPRETATIONS:

10 cm	
5-15	cm
OBVIOUS	
NONE	
HIGH	
0.036	
LOW	
LOW	
HIGH	
	5-15 OBVIOUS NONE HIGH 0.036 LOW LOW

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE.	MO

OTES: DEVELOPED ON SILT LOAM TEXTURED SOFTROCK, LITHIC BEDROCK MAY OCCUR AT 1 M.

### 09/01/93

SOIL SERIES: OXLEY (OXY) LANDFORM: INCLINED SOIL ZONE: THIN BLACK TYPICAL SLOPES: 9-30%

SOIL CLASSIFICATION: SOLONETZIC BLACK USUAL SOIL MOISTURE: TEMPORARY PONDING

CHERNOZEMIC SURFACE STONINESS: NON

PARENT MATERIAL: MEDIUM SOFTROCK

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Color Name Structure (		Consistence Texture		рН	EC	Sat%	SAR
AP	0-5	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	CL					
BTNJ	5-20	10YR	4/2	DARK GRAYISH BROWN	WMCOL	VF	CL					
CSK	20-80	10YR	3/3	DARK BROWN	MA	F	CL		8.3	5.1	80.	6.

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-5	G	F						F (Topsoil)
BTNJ	5-20	P	F						P (Subsoil)
CSK	20-80	F	F		F	P	P	F	P (Subsoil)

### TOPSOIL INTERPRETATIONS:

MADICAL MUTCHANGO	E	CENCONNIEW HIGH IN THE	CDD
TYPICAL THICKNESS:	5 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	5-10 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN	SODIC SOFTROCK:	YES
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.036	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON CLAY LOAM TO LOAM TEXTURED SOFTROCK, LITHIC BEDROCK MAY OCCUR AT 1 M. SEPARATION OF TOPSOIL AND SUBSOIL BY COLOR IS DIFFICULT. THE BTNJ HORIZON HAS SOLONETZIC TENDENCIES. THE LOWER SUBSOIL IS MODERATELY SALINE AND SODIC.

## 0/01/93

SOIL SERIES:

PINCHER

(PNR)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

## PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-15	10YR	2/1	BLACK	MFGR	F	SICL		6.3			
	15-50	10YR	4/3	DARK BROWN	WMPR	F	SIC	1.2	6.5			
A	50-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	SIC		7.4			

### IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-15	P	F	G	F				P (Topsoil)
	15-50	F	P		G				P (Subsoil)
A	50-120	F	P		G				P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

FES: DEVELOPED ON CLAY TO HEAVY CLAY TEXTURED MATERIAL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

### 09/01/93

SOIL SERIES:

RINARD (RND)

LANDFORM:

BLANKET, TERRACE

SOIL ZONE:

THIN BLACK

GLACIOFLUVIAL

TYPICAL SLOPES:

0-98

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GRAVELLY, VERY COARSE

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon Depth Color Name Structure Consistence Texture O.C. pH Color Code Sat% SAR 0-13 10YR 2/1 BLACK GRI. 7.9 6.3 AH 10YR 5/3 BROWN BM 13-22 SCR VGI. 3.1 6.2 22-33 10YR 5/3 BROWN SGR L VGSL 2.5 7.3 BMK 33-100 10YR 5/2 GRAYISH BROWN SGR L VGI.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-13	F	P	· G	F				P (Topsoil)
BM	13-22	F	U		F				U (Subsoil)
BMK	22-33	F	U		G				U (Subsoil)
CK	33-100	F	U		F				U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K =: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: MODERATE

10 cm 5-15 Cm OBVIOUS VERY THIN HIGH 0.017 LOW LOW

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: DEVELOPED ON SAND TO SANDY LOAM TEXTURED MATERIAL WITH 30 TO 80% GRAVELS. THE COARSE TEXTURES CAUSE EXPOSED FACES TO BE UNSTABLE.

## 0/01/93

SOIL SERIES: RINARD-CA (caRND) LANDFORM:

BLANKET, TERRACE

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

0-9%

SOIL CLASSIFICATION: CALCAREOUS BLACK

CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

GRAVELLY, VERY COARSE

GLACIOFLUVIAL

SURFACE STONINESS: SLIGHTLY

#### PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-13	10YR	2/1	BLACK	SGR	L	GRL	7.9	6.3			
7	13-33	10YR	5/3	BROWN	SGR	L	VGSL	2.5	7.3			
	33-100	10YR	5/2	GRAYISH BROWN	SGR	L	VGSL		7.6			

## IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
	0-13 13-33	F ·	P U	G	F	- THE SEE THE SEE SEE SEE SEE SEE SEE			P (Topsoil) U (Subsoil)
	33-100	F	ū		F				U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.017
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

'ES: CALCAREOUS VARIANT OF RINARD.

## 09/01/93

SOIL SERIES: ROCKFORD (RFD) LANDFORM:

HUMMOCKY, RIDGED

SOIL ZONE:

THIN BLACK

GLACIOFLUVIAL

TYPICAL SLOPES: USUAL SOIL MOISTURE:

6-20% DROUGHTY

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC PARENT MATERIAL: GRAVELLY, MEDIUM

SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat% S	SAR
AH	0-10	10YRm	2/2	VERY DARK BROWN	SMSBK	H	L	4.02	7.4			
BM1	10-30	10YRm	4/3	BROWN-DARK BROWN	MMPR	H	L	0.99	7.2			
BM2	30-45	10YRm	3/3	DARK BROWN	MMPR	SLH	SL	0.84	7.2			
CK1	45-105	10YRm	5/4	YELLOWISH BROWN	MA	L	GRSL		7.7	0.5		
CK2	105-132	10YRm	5/4	YELLOWISH BROWN	MA	VFR	GRL		7.6	0.5		
CK3	132-180	10YRm	4/4	DARK YELLOWISH BROWN	MA	FR	GRCL		7.7	0.5		

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	F	G	G	G				F (Topsoil)
BM1	10-30	F	G		G				F (Subsoil)
BM2	30-45	G	G		G				G (Subsoil)
CK1	45-105	F	P		F	G			P (Subsoil)
CK2	105-132	G	P		F	G			P (Subsoil)
CK3	132-180	G	P		F	G			P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

.0	cm	
0-1	5	cm
BVI	OUS	
IONE		
HIGH		
0.02	4	
MO		
MO		
10DE	RATE	3

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO SANDY LOAM TEXTURED ICE CONTACT MATERIAL WITH 10 TO 40% GRAVELS. EXPOSED FACES MAY BE UNSTABLE.

## 01/93

SOIL SERIES:

SAKALO (SAK)

LANDFORM:

VENEER

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL/VERY

SURFACE STONINESS:

NON

COARSE GLACIOFLUVIAL

## PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	0-12	10YR	2/1	BLACK	MFGR	FR	L	4.1	6.5		
	12-37	10YR	5/3	BROWN	WFSBK	FR	L		6.5		
	37-120	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		7.6		

## L QUALITY RATINGS:

zon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-12	G .	G	G	G				G (Topsoil)
B	12-37	G	G		G				G (Subsoil)
	37-120	F	P		F				P (Subsoil)

### TOPSOIL INTERPRETATIONS:

10 cm
10-15 cm
OBVIOUS
NONE
HIGH
0.032
LOW
LOW
MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

ES: DEVELOPED ON LOAM TEXTURED MATERIAL OVER LOAMY SAND TEXTURED MATERIAL. EXPOSED FACES MAY BE UNSTABLE.

UNDULATING, INCLINED

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

## 09/01/93

SOIL SERIES: SHANDOR (SND) LANDFORM:

SOIL ZONE: THIN BLACK TYPICAL SLOPES: 2-9%
SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MESIC
PARENT MATERIAL: FINE SOFTROCK SURFACE STONINESS: NON

## TYPICAL SOIL PROFILE:

	epth		ode			Consistence			-		
AP				VERY DARK GRAYISH BROWN		F	SIC	3.5		 	
BM	10-35	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	SIC		7.		
CCA	35-120	10YR	5/4	LIGHT OLIVE BROWN	MA	F	SIC		7.		

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	P	P	G	G				P (Topsoil)
BM	10-35	F	P		G				P (Subsoil)
CCA	35-120	F	P		G				P (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUB	SOIL: NOT OBVIOUS	NON-SODIC SOFTROCK:	YES
STRIPPING LIMITATION	NS: NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.020	STONY LAYER:	NO
RISK ON <5% SLOPE	: LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOP	E: LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLO	PE: MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SILTY CLAY TEXTURED, SLOPEWASH MATERIAL DERIVED FROM BEDROCK. LITHIC MATERIAL MAY OCCUR IN PLACES. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

## 0/01/93

SOIL SERIES:

STANDOFF (SOF) LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES: 1-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MODERATELY FINE

SURFACE STONINESS: NON

GLACIOLACUSTRINE

## PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	0-17	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	5.2	5.8		
	17-60	10YR	3/3	DARK BROWN	MFPR	FR	L	1.2	6.		
A	60-120	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	CL		7.4		

### IL QUALITY RATINGS:

-	rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
		0-17	G	G	G	F				F (Topsoil)
ı		17-60	G	G		F				F (Subsoil)
	1	60-120	F	F		G				F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
COLOR CHANGE TO SUBSUIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

	_
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

FES: OCCURS ON THE MILK RIVER UPLAND AND IS MOSTLY USED FOR PASTURE.

## 09/01/93

SOIL SERIES:

STANDOFF-CA (caSOF)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES: 1-5%

SOIL CLASSIFICATION: CALCAREOUS BLACK

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

CHERNOZEMIC MODERATELY FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
AH BMK CCA	0-17 17-60 60-120	10YR 10YR 10YR	3/2 3/3 6/4	VERY DARK GRAYISH BROWN DARK BROWN LIGHT YELLOWISH BROWN	MFGR MFPR MA	FR FR F	L CL	5.2 1.2	5.8 6. 7.4		

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AH BMK	0-17 17-60	G G	G G	G	F F				F (Topsoil) F (Subsoil)
CCA	60-120	F	F		G				F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CALCAREOUS VARIANT OF STANDOFF.

## General Description of the Area

The Thin Black Soil Zone of South-Central Alberta. SCA 6 is the central section of the Thin Black Soil Zone, extending from Nanton to Trochu.

## **Ecoregion/Climate**

- This area receives less precipitation than the Thick Black Soil Zone, but appreciably more than the Dark Brown Soil Zone. SCA 6 is partly in the Fescue Grass Ecoregion and partly in the Aspen Parkland Ecoregion (Strong and Leggatt 1992).
- The influence of chinook winds decreases from south to north. Snow cover is usually
  present throughout the winter in the north part (in the Parkland Ecoregion) of SCA 6.
   Growing season moisture deficits also decrease from south to north.
- Agroclimate is 2AH (slight moisture and heat limitations).
- Growing P-PE = -200 to -300 mm.

## Soils and Landscapes

- Soils in SCA 6 are dominantly Chernozemic while a few Solonetzic and other salt-affected soils are also present.
- The surface soil horizon is black, but is thin (less than 15 cm) compared to the thick Blacks to the west. Soil profile development extends to a depth of 45 cm.
- Landscapes are comprised of undulating moraine (till) with veneers and blankets of glaciolacustrine deposits over till. Small amounts of till blankets over rolling bedrock are also present.

### Soil Reclamation Issues

- Potential for soil erosion by water is low.
- Potential for soil erosion by wind is moderate although severe soil disturbance will cause soil to be at a high degree of risk.
- Salt-affected soils do require special attention in local areas.



SCA 6

# 19/01/93

SOIL SERIES:

ACADEMY (ADY)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MOIST

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: SLIGHTLY

# TYPICAL SOIL PROFILE:

	orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	P	0-25	10YR	2/1	BLACK	MMGR	FR	L		6.7	0.4	54.	0.
	M	25-40	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	FR-F	L		7.	0.4	50.	0.
Ш	K	40-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	FR-F	L		7.6	1.4	43.	1.7

## SOIL QUALITY RATINGS:

forizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-25	G	G		G	G	G	G	G (Topsoil)
M	25-40	F	G		G	G	G	G	F (Subsoil)
cK	40-100	F	G		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TEXTURED TILL. TOPSOIL IS EASILY DISTINGUISHED FROM SUBSOIL BY COLOR.

cm

## 09/01/93

SOIL SERIES: ACADEMY-GL (glADY) LANDFORM:

UNDULATING, HUMMOCE

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Horizon Depth		Color Code Color Name		Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR
AP	0-25	10YR	2/1	BLACK	MMGR	FR	L		6.7	0.4	54	0.
BMGJ	25-40	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	FR-F	L		7.	0.4	50	0.
CKGJ	40-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	FR-F	L		7.6	1.4	43	1.7

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рĦ	EC	Sat%	SAR	Overa	all Rating
AP	0-25	G	G		G	G	G	G	G	(Topsoil)
BMGJ	25-40	F	G		G	G	G	G	, F	(Subsoil)
CKGJ	40-100	F	G		F	G	G	G	F (	(Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

	_
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED PHASE OF ACADEMY. THESE SOILS EXHIBIT GLEYING AND MOTTLING FEATURES, ARE IMPERFECTLY DRAINED AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

SCA 6

## 9/01/93

SOIL SERIES: ACADEMY-SA (saady) LANDFORM:
SOIL ZONE: THIN BLACK TYPICAL SLOPES:

UNDULATING, HUMMOCKY

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: TEMPORARY PONDING

(SALINE)

SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL: MODERATELY FINE TILL

#### YPICAL SOIL PROFILE:

briz	zon Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
PSA	0-20	10YR	2/1	BLACK	WFGR	FR	L		7.7			
1SA	20-36	10YR	3/2	VERY DARK GRAYISH BROWN	MMSBK	FR	L		7.9			
CASA	A 36-75	2.5Y	6/4	LIGHT YELLOWISH BROWN	MA	FR	L		8.4	3.7		9.2
h												

# DIL QUALITY RATINGS:

rizo	n Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
SA	0-20	G	G		F				P (Topsoil)
ISA	20-36	G	G		F				P (Subsoil)
ASA	36-75	G	G		F	F		P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

CEACONALLY HIGH M. M.	SPR
SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
TMDODUNIU UEANIDE CHANCE.	NO

DTES: VARIANT OF ACADEMY THAT IS SALINE AND/OR SODIC TO THE SURFACE.

# 09/01/93

AΡ

CSK

SOIL SERIES:

BEDDINGTON

(BED) LANDFORM:

UNDULATING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon Depth

0-22

22-40 40-100

Col	or Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
104	R 2/1	BLACK	MFGR	FR	CL		8.	8.2	12.
10Y	R 2/2	VERY DARK BROWN	MMSBK	VF	L		8.1	15.1	18.7
2.5	Y 4/4	OLIVE BROWN	MA	F	CL		8.7	9.1	15.5

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-22	G	F		F	U		P	U (Topsoil)
BNT	22-40	P	G		F	U		U	U (Subsoil)
CSK	40-100	F	F		P	P		U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

WIND EROSION RISK:

TYPICAL THICKNESS:

THICKNESS RANGE:

WATER EROSION K=:

15 cm 10-25 CM NOT OBVIOUS NONE MODERATE 0.040 LOW MODERATE HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: MO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE. ORGANIC STAININGS MAY MAKE SEPARATION OF TOPSOIL AND SUBSOIL BY COLOR DIFFICULT UNLESS AN AE HORIZON IS PRESENT. THE LOWER SUBSOIL IS SALINE AND SODIC.

SCA 6

# 09/01/93

SOIL SERIES: SOIL ZONE:

BOW VALLEY THIN BLACK

(BOV)

LANDFORM:

TERRACED 1-5%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

TYPICAL SLOPES: USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE

SURFACE STONINESS:

SLIGHTLY

FLUVIAL

### TYPICAL SOIL PROFILE:

	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	AH	0-14	10YRm		BLACK	WFGR	VFR	L	3.9			
	ВМ	14-25	10YRm		DARK YELLOWISH BROWN	MMPR	VFR	L-SIL	1.5			
	CK	25-120	10YRm	5/2	GRAYISH BROWN	SGR	L	GR		7.6		
ш												

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AH	0-14	G	G	G	G				G (Topsoil)
вм	14-25	G.	G		G				G (Subsoil)
СК	25-120	F	U		F				U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.017
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

TOTES: DEVELOPED ON GRAVEL TERRACES IN THE BOW VALLEY. THE SOIL OFTEN HAS 30 TO 50 CM OF A LOAM TO SANDY LOAM TEXTURED, STONE-FREE CAPPING MATERIAL SURFACE OVER THE GRAVEL. EXPOSED FACES ARE UNSTABLE.

6

### 09/01/93

SOIL SERIES:

BOW VALLEY-ZR (zrBOV) LANDFORM:

\_\_\_\_

TERRACED

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY SLIGHTLY

VERY GRAVELLY, VERY COARSE SURFACE STONINESS:
FLUVIAL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
AH	0-14	10YRm	2/1	BLACK	WFGR	VFR	L	3.9	7.4			
CK	14-120	10YRm	5/2	GRAYISH BROWN	SGR	L	GR		7.6			

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-14	G	G	G	G				G (Topsoil)
CK	14-120	F	U		F				U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.017
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: REGO VARIANT OF BOW VALLEY. THESE SOILS LACK A B HORIZON BUT MAY HAVE SOME STONE-FREE CK MATERIAL ON TOP OF THE GRAVEL.

SCA 6

## 09/01/93

SOIL SERIES: DELACOUR (DEL) LANDFORM: BLANKET

SOIL ZONE: THIN BLACK TYPICAL SLOPES: 2-9%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SA	AR
AP	0-17	10YR 3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		6.4	0.7	52. (	0.3
BM .	17-45	10YR 4/4	DARK YELLOWISH BROWN	MFSBK	FR-F	L		6.6	0.5	36.	1.1
CK	55-100	10YR 6/4	LIGHT YELLOWISH BROWN	MA	FR-F	L		7.7	2.2	38. (	0.8

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	G		F	G	G ·	G	F (Topsoil)
BM	17-45	F	G		G	G	G	G	F (Subsoil)
CK	55-100	F .	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL	: OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.026	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TEXTURED TILL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS OBVIOUS.

### 09/01/93

SOIL SERIES:

DELACOUR-GL (glDEL) LANDFORM:

BLANKET 2-9%

SOIL ZONE:

THIN BLACK

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	Нq	EC	Sat%	SAR
AP	0-17	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		6.4	0.7	52.	0.3
BMGJ	17-55	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	FR-F	L		6.6	0.5	36.	1.1
CKGJ	55-100	10YR	6/4	LIGHT YELLOWISH BROWN	MA	FR-F	L		7.7	2.2	38.	0.8

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	F	G		F .	G	G	G	F (Topsoil)
BMGJ	17-55	G	G		G	G	G	G	G (Subsoil)
CKGJ	55-100	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

	0.0		
TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.026	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED VARIANT OF DELACOUR. THESE SOILS ARE IMPERFECTLY DRAINED,

EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR

IN LOWER SLOPE POSITIONS.

SCA 6

## 09/01/93

SOIL SERIES:

HAPPY VALLEY (HPV)

LANDFORM:

TERRACE, DELTA

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL/TILL SURFACE STONINESS:

NON

### TYPICAL SOIL PROFILE:

Consultation of the last	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рH	EC	Sat% SAR
h	APKJ ·		10YRm 10YRm		VERY DARK GRAYISH BROWN BROWN	SGR SGR	VFR VFR	SL SL-LS	3.63	7.4		
ş	h											

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
\ PKJ	0-14	G	G	G	G				G (Topsoil)
K.	14-100	G	P		F				P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.022
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

THESE SOILS ARE FOUND ON OUTWASH PLAINS, TERRACES AND DELTAS ADJACENT OTES: TO MAJOR GLACIAL OUTWASH CHANNELS. THEY CAN ALSO OCCUR ON IRREGULAR RIDGES, WHICH MAY BE ESKERS OR DUNES. THEY ARE DEVELOPED ON SANDY TO COARSE LOAMY TEXTURED MATERIAL WITH A HIGH SILT CONTENT. EXPOSED FACES MAY BE UNSTABLE. THE UPPER METRE IS, THEREFORE, HIGHLY VARIABLE IN TEXTURE, BUT FAIRLY UNIFORM TEXTURED TILL IS ENCOUNTERED WITHIN 0.5 TO 1.5 M OF THE SURFACE.

## 09/01/93

SOIL SERIES: INDUS (IND) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

PARENT MATERIAL: MODERATELY FINE TILL

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING SURFACE STONINESS:

NON

## TYPICAL SOIL PROFILE:

Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAI
0-17	10YRm	2/1	BLACK	MFGR	FR	SICL	4.74	6.1		
17-24	10YRm	3/1	VERY DARK GRAY	MFPL	FR	SIL	1.71	6.2		
24-33	10YRm	5/1	GRAY	SFPL	VFR	SIL	0.62	6.3		
33-48	10YRm	4/1	DARK GRAY	SFPL	FR	SICL	0.53	6.3		
48-110	10YRm	3/1	VERY DARK GRAY	MFSBK	F	CL	0.57	6.2		
110-150	2.5Ym	4/2	DARK GRAYISH BROWN	MA	F	L		7.		
	0-17 17-24 24-33 33-48 48-110	0-17 10YRm 17-24 10YRm 24-33 10YRm 33-48 10YRm 48-110 10YRm	0-17 10YRm 2/1 17-24 10YRm 3/1 24-33 10YRm 5/1 33-48 10YRm 4/1 48-110 10YRm 3/1	0-17 10YRm 2/1 BLACK 17-24 10YRm 3/1 VERY DARK GRAY 24-33 10YRm 5/1 GRAY 33-48 10YRm 4/1 DARK GRAY 48-110 10YRm 3/1 VERY DARK GRAY	0-17 10YRm 2/1 BLACK MFGR 17-24 10YRm 3/1 VERY DARK GRAY MFPL 24-33 10YRm 5/1 GRAY SFPL 33-48 10YRm 4/1 DARK GRAY SFPL 48-110 10YRm 3/1 VERY DARK GRAY MFSBK	0-17 10YRm 2/1 BLACK MFGR FR 17-24 10YRm 3/1 VERY DARK GRAY MFPL FR 24-33 10YRm 5/1 GRAY SFPL VFR 33-48 10YRm 4/1 DARK GRAY SFPL FR 48-110 10YRm 3/1 VERY DARK GRAY MFSBK F	0-17 10YRm 2/1 BLACK MFGR FR SICL 17-24 10YRm 3/1 VERY DARK GRAY MFPL FR SIL 24-33 10YRm 5/1 GRAY SFPL VFR SIL 33-48 10YRm 4/1 DARK GRAY SFPL FR SICL 48-110 10YRm 3/1 VERY DARK GRAY MFSBK F CL	0-17 10YRm 2/1 BLACK MFGR FR SICL 4.74 17-24 10YRm 3/1 VERY DARK GRAY MFPL FR SIL 1.71 24-33 10YRm 5/1 GRAY SFPL VFR SIL 0.62 33-48 10YRm 4/1 DARK GRAY SFPL FR SICL 0.53 48-110 10YRm 3/1 VERY DARK GRAY MFSBK F CL 0.57	0-17 10YRm 2/1 BLACK MFGR FR SICL 4.74 6.1 17-24 10YRm 3/1 VERY DARK GRAY MFPL FR SIL 1.71 6.2 24-33 10YRm 5/1 GRAY SFPL VFR SIL 0.62 6.3 33-48 10YRm 4/1 DARK GRAY SFPL FR SICL 0.53 6.3 48-110 10YRm 3/1 VERY DARK GRAY MFSBK F CL 0.57 6.2	0-17 10YRm 2/1 BLACK MFGR FR SICL 4.74 6.1 17-24 10YRm 3/1 VERY DARK GRAY MFPL FR SIL 1.71 6.2 24-33 10YRm 5/1 GRAY SFPL VFR SIL 0.62 6.3 33-48 10YRm 4/1 DARK GRAY SFPL FR SICL 0.53 6.3 48-110 10YRm 3/1 VERY DARK GRAY MFSBK F CL 0.57 6.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-17	G	F	G	F				F (Topsoil)
AHEG	17-24	G	G	F	F				F (Topsoil)
AEG1	24-33	G	G	P	F				P (Topsoil)
AEG2	33-48	G	F	P	F				P (Topsoil)
BTG	48-110	F	F		F				F (Subsoil)
CKG	110-150	F	G		G				G (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	15 cm 10-25 cm OBVIOUS WETNESS
WATER EROSION K=:	_
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

SCA 6

# 09/01/93

SOIL SERIES:

KEOMA

(KEO)

LANDFORM:

VENEER, LEVEL, UNDULATING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

0-5%

NON

SOIL CLASSIFICATION: GLEYED BLACK SOLODIZED

SOLONETZ

PARENT MATERIAL:

MEDIUM

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

GLACIOLACUSTRINE/TILL

### 'YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
P	0-25	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		7.5	0.7	59.	0.9
NTGJ	28-50	10YR	5/3	BROWN	COL	VF	CL		7.6	3.4	54.	5.1
ICSKGJ	50-100	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	CL		8.	3.5	60.	7.

#### OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-25	G	G		G	G	G	G	G (Topsoil)
NTGJ	28-50	P	F		F	F	G	F	P (Subsoil)
ICSKG	50-100	F	F		F	F	F	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO
----------------------------------------------------------------------------------------------------------------

DTES: THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT. THE LOWER SUBSOIL IS SALINE AND SODIC. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES AND GENERALLY OCCUR IN LOWER LANDSCAPE POSITIONS. TEXTURES ARE UNIFORM.

# 09/01/93

SOIL SERIES:

NOSE CREEK-AA (aaNSK)

SOIL ZONE: THIN B

SOIL CLASSIFICATION: PARENT MATERIAL:

THIN BLACK

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

MODERATELY FINE TILL

LANDFORM:

•

1-5%

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

MESIC

BLANKET

SURFACE STONINESS:

SLIGHTLY

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Co	nsistence	e Texture	o.c.	рН	EC	Sat%	SAR
AP	0-35	10YR	2/1	BLACK	WFGR	FR	L		7.4	0.6	55.	0.3
CK1	35-75	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	0.7	42.	1.
CK2	75-140	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	0.9	64.	1.5

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-35	G	G		G	G	G	G	G (Topsoil)
CK1	35-75	F	F		F	G	G	G	F (Subsoil)
CK2	75-140	F	F		F	G	F	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-35 cm OBVIOUS NONE MODERATE 0.030 LOW LOW MODERATE	
RISK ON 9-15% SLOPE:	MODERATE	

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 9. DEVELOPED ON LOAM TO CLAY LOAM TEXTURED TILL. TOPSOIL IS EASILY SEPARATED FROM SUBSOIL BY COLOR.

SCA 6

# 09/01/93

SOIL SERIES:

ROCKYVIEW

(RKV) LANDFORM:

VENEER, UNDULATING,

SOIL ZONE:

THIN BLACK

ROLLING

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC TYPICAL SLOPES:

-----

2-9%

PARENT MATERIAL: MEDIUM

USUAL SOIL MOISTURE:

MESIC

GLACIOLACUSTRINE/TILL

SURFACE STONINESS: SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color C	Code	Color Name		Structure	Consistence	Texture	O.C.	рH	EC	Sat% SAR	ι
н	0-15	10YRd	2/1	BLACK		MFGR	VFR	SIL	6.61	7.4			_
зм	15-40	10YRm	4/4	DARK YELLOWISH	BROWN	SMPR	FR	SIL	1.53	7.4			
:ICK	40-60	2.5Ym	5/4 L	IGHT YELLOWISH	BROWN	MA	F.	CL		7.9			
CICCA	60-120	2.5Ym	5/4 L	GHT YELLOWISH	BROWN	MA	F	CL		7.8			
1													-

## SOIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Н	0-15	G	G	G	G				G (Topsoil)
M	15-40	G	G		G				G (Subsoil)
ICK	40-60	F	F		F				F (Subsoil)
ICCA	60-120	F	F		F				F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.030
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: DEVELOPED ON A VENEER OF SILT LOAM TEXTURED MATERIAL OVER CLAY LOAM
TEXTURED TILL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS OBVIOUS.

# 09/01/93

SOIL SERIES:

THREE HILLS (THH)

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

ROLLING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

2-15%

PARENT MATERIAL: FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOIST NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рH	EC	Sat%	SAR
AP	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR-F	SIC		7.5	0.6	84.	1.1
BM	20-32	10YR	4/2	DARK GRAYISH BROWN	MMSBK	F	HC		7.7	0.7	87.	1.7
CK	32-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	HC		7.8	0.8	92.	2.7

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20 20-32	P	P		G F	G G	P P	G G	P (Topsoil)
BM CK	32-100	F	P		F	G	P	. G	P (Subsoil) P (Subsoil)

## TOPSOIL INTERPRETATIONS:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

0
0
0
0
0
0
0
0
0
0

NOTES: DEVELOPED ON HEAVY CLAY TEXTURED MATERIAL. SEPARATION OF TOPSOIL FROM SUBSOIL IS DIFFICULT.

# 09/01/93

SOIL SERIES:

TWINING

(TWG)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-9% TEMPORARY PONDING

SOIL CLASSIFICATION: SOLONETZIC BLACK

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL: FINE GLACIOLACUSTRINE

## TYPICAL SOIL PROFILE:

torizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
P	0-12	10YR	3/1	VERY DARK GRAY	MFGR	FR	SICL-SIC		5.9	1.1	43.	
TNJ	12-90	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	C		8.4	1.4	96.	9.2
SK	90-110	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.8	9.1	58.	9.1

#### OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-12	G	P		F	G	G		P (Topsoil)
TNJ	12-90	F	P		F	G	P	P	P (Subsoil)
sk	90-110	F	P		F	P	G	P	P (Subsoil)


# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	12 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

THE BNTJ HORIZON HAS WEAK SOLONETZIC TENDENCIES. SEPARATION OF TOPSOIL OTES: FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS SALINE AND SODIC.



# 2.7 Soil Correlation Area #7

# General Description of the Area

- The Thin Black Soil Zone of east-central Alberta.
- Extends northeast from Trochu, through Sedgewick to Lloydminster.

# **Ecoregion/Climate**

- Aspen Parkland ecoregion (transition between boreal forest and grassland).
- Agroclimate is 2H (slight heat limitation).
- Growing season P-PE= -200 to -250 mm.
- July is the wettest month in the Aspen Parkland whereas precipitation in the grassland areas is greatest during June.
- Cooler temperatures and less influence by chinook winds causes snow cover to remain longer than in the Dark Brown and southern Thin Black Soil Zones.

# Soils and Landscapes

- Soils in SCA 7 are mostly Chernozemic, although Solonetzic soils occur extensively on the Daysland Plain.
- Profile development is generally 60 cm deep with approximately 15 cm of black colored A horizon.
- Undulating to hummocky and rolling morainal (till) landscapes are most common while the
  undulating Daysland Plain is composed of veneers and blankets of till over fine textured,
  saline and sodic softrock.

# Soil Reclamation Issues

- Solonetzic soils, shallow soils with saline and sodic softrock, and others with highly saline
  and sodic subsoils may require special soil handling.
- Soil erosion by water is generally low while some areas have a moderate risk. The actual risks however, depend on local slope variations.
- The potential for soil erosion by wind is low for the most part. A moderate risk occurs for the southern-most portion where chinooks and higher wind speeds are more frequent.
   Sandy areas south of Wainwright have a high potential for soil erosion.



### 9/01/93

SOIL SERIES:

AMITY

(AMT)

LANDFORM:

VENEEER, UNDULATING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE/ SURFACE STONINESS:

MESIC NON

GLACIOFLUVIAL

### YPICAL SOIL PROFILE:

prizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-22	10YR	3/1	VERY DARK GRAY	WFGR	VFR	L	2.7	6.	0.3	48.	0.1
1	22-60	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	L		6.9	0.2	36.	0.3
CBC	60-120	10YR	5/6	YELLOWISH BROWN	MA	VFR	SL		7.	0.2	31.	0.7

### DIL QUALITY RATINGS:

104									
rizon	Depth	Consistence	Texture	0.C.	рн	EC	Sat%	SAR	Overall Rating
	0-22	G	G	G	F	G	G	G	F (Topsoil)
	22-60	G	G		G	G	G	G	G (Subsoil)
BC	60-120	G	G		G	G	G	G	G (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOI	L: NO
IMPORTANT TEXTURE CHANGE:	YES

TES: DEVELOPED ON A LOAM TEXTURED GLACIOLACUSTRINE VENEER OVER SANDY LOAM TEXTURED GLACIOFLUVIAL MATERIAL. THE LOWER MATERIAL MAY CAUSE UNSTABLE EXPOSED FACES.

# 09/01/93

SOIL SERIES:

BELLSHILL

(BEL) LANDFORM: BLANKET, UNDULATING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat%	SAR
AP	0-18		3/1	VERY DARK GRAY	WFGR	VFR	L	4.3	6.1			
BM	18-50	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	L-CL		6.9	0.3	47.	0.3
BC	50-120	10YR	5/3	BROWN	MA	F	L-CL		7.2	0.3	33.	0.5

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G	G	F	G	G	G	F (Topsoil)
BM	18-50	G	F		G	G	G	G	F (Subsoil)
BC	50-120	F	F		G	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
DIGH ON FO GLODE	T 01:1

RISK ON <5\* SLOPE: LOW RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: TOPSOILS ARE EASILY DISTINGUISHED FROM SUBSOILS BY COLOR.

# 09/01/93

SOIL SERIES:

BIGKNIFE-AA

(aaBKF) LANDFORM: APRON

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC REGOSOL (SALINE) PARENT MATERIAL:

MEDIUM FLUVIAL

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH	0-7	10YR	2/1	BLACK	WFGR	FR	L		6.6	0.3	102.	7.
BG/CG	22-55	10YR	3/3	DARK BROWN	MA	F	CL		5.8	0.4	64.	2.7
CKG	70-120	2.5Y	4/4	OLIVE BROWN	MA	F	SIL		8.3	1.	74.	11.1

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-7	. G	G		G	G	P	F	P (Topsoil)
BG/CG	22-55	F	F		F	G	F	G	F (Subsoil)
CKG	70-120	F	G		F	G	F	P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: NOT OBVIOUS NON-SODIC SOFTROCK: NO STRIPPING LIMITATIONS: VERY THIN SODIC SOFTROCK: NO WIND EROSION RISK: LOW GRAVEL: NO WATER EROSION KE: 0.040 STONY LAYER: NO RISK ON <5% SLOPE: LOW FACE INSTABILITY: NO RISK ON 5-9% SLOPE: MODERATE SOLONETZIC B HORIZON: NO RISK ON 9-15% SLOPE: HIGH SALINE OR SODIC LOWER SUBSOIL: YE	COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	NOT OBVIOUS VERY THIN LOW 0.040 LOW MODERATE	NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	SPR NO NO NO NO NO NO NO YES
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------	------------------------------

HOME SCA IS 4. THESE SOILS ARE BANDED WITH TEXTURES RANGING FROM FINE SAND TO SANDY LOAM AND SILTY CLAY LOAMS. BEDROCK CAN BE ENCOUNTERED AT DEPTHS GREATER THAN 1 M. BIGKNIFE SOILS ARE ASSOCIATED WITH ROUGH BROKEN TERRAIN AND BEDROCK ESCARPMENTS. THESE SOILS ARE WEAKLY SALINE AND MODERATELY SODIC.

# 09/01/93

Horizon

AP BT BC

SOIL SERIES:

BLAINE LAKE (BLL)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

TYPICAL SLOPES:

1-5% MESIC

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

n	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-15	10YR	3/1	VERY DARK GRAY	WFGR	VFR	L	2.	6.4	0.4	40.	0.6
	15-50	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	L		7.1	0.3	39.	0.5
	50-80	10YR	5/4	YELLOWISH BROWN	MA	VFR	L		7.8	0.5	39.	1.
	80-120	10YR	5/3	BROWN	MA	FR	L		8.2	0.9	37.	3.4

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рH	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	F	F	G	G	G	F (Topsoil)
BT	15-50	G	G		G	G	G	G	G (Subsoil)
BC	50-80	G	G		F	G	G	G	F (Subsoil)
CCA	80-120	G	G		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15	
15 cm	
10-20	cm
OBVIOUS	
NONE	
LOW	
0.032	
LOW	
MODERATI	E

HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

GOOD AGRICULTURAL SOIL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS

OBVIOUS.

SCA 7

# 9/01/93

SOIL SERIES: CAMP LAKE (CPL) LANDFORM:

UNDULATING, TERRACES

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2~5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL: VERY COARSE GLACIOFLUVIAL

SURFACE STONINESS:

NON

#### YPICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% :	SAR
)	0-15	10YR	2/1	BLACK	SGR	L	LCS	1.	7.2	0.3	23.	0.1
ı .	15-68	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LCS		7.4	0.2	20.	0.2
	68-140	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	LCS		7.9	0.2	21.	0.3

## DIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC .	Sat%	SAR	Overall Rating
	0-15	F	P	F	G	G	F .	G	P (Topsoil)
	15-68	F	P		G	G	P	G	P (Subsoil)
	68-140	F .	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 10-20 cm OBVIOUS NONE HIGH 0.020 LOW LOW MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO NO NO NO NO YES NO NO NO
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------

TES: DEVELOPED ON LOAMY SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE.

SCA

# 09/01/93

SOIL SERIES: CAMP LAKE-XT (xtCPL) LANDFORM:

UNDULATING, TERRACES

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

VERY COARSE

SURFACE STONINESS: NON

GLACIOFLUVIAL/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth			Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	2/1	BLACK	SGR	L	LCS	1.	7.2	0.3	23.	0.1
BM	15-68	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LCS		7.4	0.2	20.	0.2
CK	68-90	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	LCS		7.9	0.2	21.	0.3
2CK	90-140	2.5Y	4/4	OLIVE BROWN	MA	F	CL					

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AP BM	0-15 15-68	F F	P P	F	G G	G G	F P	G G	P (Topsoil) P (Subsoil)
CK 2CK	68-90 90-140	F F	P F		F	G	F	G	P (Subsoil) F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF CAMP LAKE THAT HAS TILL WITHIN 1 M OF THE SURFACE.

EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE. THE UNDERLYING TILL

IS NON SALINE-SODIC.

## /01/93

SOIL SERIES: CORDEL (COR) LANDFORM:

LEVEL 1-2%

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: MODERATELY FINE TILL

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

SURFACE STONINESS: NON

PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
	0-12	10YR	2/1	BLACK	WFGR	FR	L	6.	5.		1.
	28-480	10YR	5/2	GRAYISH BROWN	WMSBK	F	CL	1.	6.		2.
	48-120	10YR	5/1	GRAY	MA	F	CL		7.		

## IL QUALITY RATINGS:

izon	Depth		Texture	o.c.	рН	EC	Sat%	SAR	Ove	rall Rating
	0-12	G	G	G	P			G	P	(Topsoil)
	28-480	F	F		F			G	F	(Subsoil)
	48-120	F	F		G				F	(Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	12 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

ES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

### 09/01/93

SOIL SERIES: DAYSLAND (DYD) LANDFORM: BLANKET SOIL ZONE: THIN BLACK TYPICAL SLOPES: 2-9%

SOIL CLASSIFICATION: BLACK SOLOD USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: MODERATELY

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-20	10YR	2/1	BLACK	MMGR	FR	L	3.	5.5		
BNT	35-55	10YR	3/2	VERY DARK GRAYISH BROWN	SCCOL	VF	CL	1.	7.5		14.
CCASA	55-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.		6.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-20	G	G	G	F				F (Topsoil)
BNT	35-55	P	F		G			U	U (Subsoil)
CCASA	55-120	F	F		F			F	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.037	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	YES
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THE BNT STRUCTURE AND SODICITY IS UNDESIREABLE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS WEAKLY SALINE

AND SODIC.

## 1/93

SOIL SERIES: DAYSLAND-GL (glDYD)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

SOIL CLASSIFICATION: GLEYED BLACK SOLOD

TYPICAL SLOPES: USUAL SOIL MOISTURE:

1-5% TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

#### ICAL SOIL PROFILE:

on	Depth	Color	Code	Color Name	Structure	Consistence Texture	o.c.	рН	EC	Sat%	SAR
	0-20	10YR	2/1	BLACK	MMGR	L	3.				
	35-55	10YR	3/2	VERY DARK GRAYISH BROWN	SCCOL	CL	1.				14.
GJ	55-120	2.5Y	4/4	OLIVE BROWN	MA	CL					6.

#### QUALITY RATINGS:

on	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Over	all Rating
	0-20	G	G	G	F				F	(Topsoil)
	35-55	P	F		G			U	U	(Subsoil)
G	55-120	F	F		F			F	F	(Subsoil)

## OPSOIL INTERPRETATIONS:

YPICAL THICKNESS:	20 cm
HICKNESS RANGE:	10-25 cm
OLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
TRIPPING LIMITATIONS:	NONE
IND EROSION RISK:	LOW
ATER EROSION K=:	0.037
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

GLEYED VARIANT OF DAYSLAND. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

# 09/01/93

SOIL SERIES:

DESJARLAIS-AA (aaDSJ)

SOIL ZONE:

THIN BLACK

......

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

(CARBONATED, SALINE)

PARENT MATERIAL:

MODERTELY COARSE
GLACIOFLUVIAL

LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE: SURFACE STONINESS:

0-2% WATERTABLE/PONDING

LEVEL, DEPRESSIONAL

NON

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-47	10YR	2/1	BLACK	SGR	L	LS	2.1	5.6	0.3	48.	
BKG	47-90	10YR	5/2	GRAYISH BROWN	WMSBK	FR	SCL		8.	1.2	58.	17.
CKG	90-120	10YR	6/2	LIGHT BROWNISH GRAY	SGR	L	CS		8.4	1.2	52.	15.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-47	F	P	G	F	G	G		P (Topsoil)
BKG	47-90	G	F		F	G	G	U	U (Subsoil)
CKG	90-120	F	P		F	G	G	U	U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	30 cm 10-50 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS, VERY THICK
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 10. DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. THE SOIL IS WEAKLY SALINE AND MODERATELY TO STRONGLY SODIC. SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

SCA 7

01/93

SOIL SERIES:

ELNORA

(EOR)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

### PICAL SOIL PROFILE:

6 0.6 46. 0.3 2 0.8 45. 0.3 7 3.3 46. 0.8	
2	0.8 45. 0.3

## L QUALITY RATINGS:

zon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
	0-18	G	G	G	G	G	G	G	G (Topsoil)
	18-48	F	F		G	G	G	G	F (Subsoil)
	48-120	F	F		F	F	G	G	F (Subsoil)
all the second									

# TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K =: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

THICKNESS RANGE:

10-20	CM
OBVIOUS	
NONE	
LOW	
0.026	
LOW	
T OTAT	

MODERATE

15 cm

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

BOBBOIN (TO 1:5 M) INTERPRETATIONS	
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

ICES: DEVELOPED ON CLAY LOAM TEXTURED TILL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS OBVIOUS.

# 09/01/93

SOIL SERIES: ELNORA-ER (erEOR) LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

(ERODED)

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-7	10YR	2/2	VERY DARK BROWN	WFGR	FR	SL	2.1	6.2	0.3	37.	0.2
BM	7-30	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	SL	1.1	6.6	0.6	43.	0.4
CK	30-120	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	L		7.9	0.5	44.	0.6

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-7	G	G	G	F	G	G	G	F (Topsoil)
BM	7-30	G	G		G	G	G	G	G (Subsoil)
CK	30-120	F	G		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	7 cm
THICKNESS RANGE:	5-10 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

CER CONTRACTOR MATERIAL TO THE	370
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF ELNORA.

# 19/01/93

SOIL SERIES:

ELNORA-GL (glEOR)

LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TEMPORARY PONDING

YPICAL SOIL PROFILE:

orizon Depth Color Code \_\_\_\_\_\_

Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

P 0-13 10YR 2/2 MGJ · 13-36 10YR 5/4

0-13 10YR 2/2 VERY DARK BROWN WFGR FR SL 2.1 6.2 0.3 37. 0.2 13-36 10YR 5/4 YELLOWISH BROWN WFSBK FR SL 1.1 6.6 0.6 43. 0.4 36-120 10YR 6/4 LIGHT YELLOWISH BROWN MA F L 7.9 0.5 44. 0.6

OIL QUALITY RATINGS:

orizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

0-13

13-36 G MG,T 36-120 F

G G G G

15 cm

10-20

OBVIOUS

NONE

LOW

F G G G

G

F

G G

G

F (Topsoil) G (Subsoil)

G G

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

0.026 LOW LOW MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO NO FACE INSTABILITY: NO

SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

NO NO

DTES.

GLEYED VARIANT OF ELNORA. THESE SOILS EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL, ARE IMPERFECTLY DRAINED AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

cm

# 09/01/93

SOIL SERIES:

ELNORA-SC (scEOR) LANDFORM:

BLANKET 1-30%

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

(SALINE LOWER SUBSOIL)

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-18	10YR	2/1	BLACK	MMGR	FR	L		5.7	0.3	64.	1.4
BM	18-40	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	L-CL		7.	3.2	58.	6.9
CSK	40-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	FR-F	L-CL		7.6	9.2	54.	13.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	0v	erall Rating
AP	0-18	G	G		F	G	F	G	· F	(Topsoil)
BM	18-40	F	F		G	F	G	F	F	(Subsoil)
CSK	40-100	F	F		F	P	G	U	U	(Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.026	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ELNORA THAT HAS A SALINE LOWER SUBSOIL.

# **FOREMAN**

# INTERPRETATION GUIDELINES

SCA 7

## 09/01/93

SOIL SERIES:

FOREMAN

(FMN)

LANDFORM:

LEVEL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

0-2%

PARENT MATERIAL:

SOIL CLASSIFICATION: SOLONETZIC HUMIC GLEYSOL MODERATELY FINE TILL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
AP	0-15	10YR	2/1	BLACK	MFGR	FR	L	7.3	6.2	0.2	106.	2.1
BGNJ .	15-50	10YR	5/2	GRAYISH BROWN	MA	F	CL		7.4	1.9	86. 1	4.3
CSKG	100-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	SICL		7.7	4.4	104.	11.

#### SOIL QUALITY RATINGS:

Horizon	n Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G ·	F	G	р .	G	P (Topsoil)
BGNJ	15-50	F	F		G	G	P	Ü	U (Subsoil)
CSKG	100-120	F .	F		F	F	P	P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	YES
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES:

SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE B HORIZON HAS SOLONETZIC TENDENCIES AND IS VERY SODIC. THE LOWER SUBSOIL

IS NON TO WEAKLY SALINE AND MODERATELY SODIC.

# 09/01/93

SOIL SERIES:

HAIGHT-AA

(aaHGT) LANDFORM: LEVEL 0-1%

SOIL ZONE: SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

THIN BLACK

TYPICAL SLOPES:

WATERTABLE / PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рH	EC	Sat%	SAR
AP	0-15	10YR	2/1	BLACK	MFGR	FR	L	3.	6.	1.1	47.	0.1
BTG	15-80	10YR	5/3	BROWN	WFSBK	F	С		6.9	0.4	61.	0.3
BCG	80-100	10YR	5/2	GRAYISH BROWN	MA	F	С		6.4	0.1	59.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F	G	G	G	F (Topsoil)
BTG BCG	15-80 80-100	F F	P P		G F	G G	F G	G G	P (Subsoil) P (Subsoil)
200	00 200								(222227)

#### TOPSOIL INTERPRETATIONS:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	15-60 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 10. SOILS ARE FINE TEXTURED AND WET ALL YEAR AND THEREFORE

EXPOSED FACES ARE UNSTABLE

# 09/01/93

SOIL SERIES:

HAIRY HILL-AA (aaHYL)

SOIL ZONE: THIN BLACK

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

DEGO INDATO OF

\_\_\_\_\_

(CARBONATED, SALINE)

PARENT MATERIAL: MODERATELY FINE TILL

LANDFORM:

TYPICAL SLOPES:

LEVEL 0-1%

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
HKS	0-18	10YR	2/1	BLACK	MFGR	FR	L	3.	8.	9.2	60.	13.
SKG	18-46	10YR	4/2	DARK GRAYISH BROWN	MA	F	L-CL		8.5	10.8	60.	15.
CASG	46-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.5	11.3	46.	15.

### SOIL QUALITY RATINGS:

и											
ı	forizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating	
1											
1	HKS	0-18	G	G	G	F	U	F	U	U (Topsoil)	
1	SKG	18-46	F	F		F	U	F	U	U (Subsoil)	
-	CASG	46-120	F	F		F	U	G	U	U (Subsoil)	
н	1										

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	20 cm 10-35 cm OBVIOUS WETNESS
WATER EROSION K=:	_
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

OTES: HOME SCA IS 10. MODERATELY TO STRONGLY SALINE AND SODIC TO THE SURFACE. SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

## 09/01/93

SOIL SERIES: SOIL ZONE:

HEISLER (HER) LANDFORM:

BLANKET, UNDULATING,

THIN BLACK

TYPICAL SLOPES:

ROLLING 1-15%

SOIL CLASSIFICATION: SOLONETZIC BLACK

CHERNOZEMIC

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name		Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15		2/1	BLACK	MFGR	FR	L	2.1	5.6	1.2	33.	1.5
BTNJ	15-50	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL	0.6	6.8	0.8	37.	3.2
CSK	50-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		7.9	7.7	39.	7.4

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F .	G	G	G	F (Topsoil)
BTNJ	15-50	F	F		G	G	G	·G	F (Subsoil)
CSK	50-120	F	F		F	P	G	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE BTNJ HORIZON HAS WEAK SOLONETZIC TENDENCIES. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. LOWER SUBSOIL IS SALINE AND SODIC.

SCA 7

# 09/01/93

SOIL SERIES:

IRMA

(IRM) LANDFORM:

BLANKET, UNDULATING,

ROLLING

SOIL ZONE:

THIN BLACK

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC TYPICAL SLOPES:

1-15%

PARENT MATERIAL: MODERATELY COARSE

USUAL SOIL MOISTURE:

MESIC

GLACIOFLUVIAL

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	n Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-25	10YR		VERY DARK BROWN	SGR	VFR	FSL	1.6			37.	
ЗМ	25-90	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	FSL		6.3	0.2	29.	0.1
ВС	90-120	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	VFR	FSL		6.6	0.2	25.	0.1

#### SOIL QUALITY RATINGS:

Torizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
iP	0-25	G	G	F	F	G	G	G	F (Topsoil)
M	25-90	G	G		F	G	F	G	F (Subsoil)
C	90-120	G	G		G	G	F	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.024
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: DEVELOPED ON SANDY LOAM TEXTURED MATERIAL, EXPOSED FACES ARE UNSTABLE.

# 09/01/93

SOIL SERIES: IRMA-CR (crIRM) SOIL ZONE:

LANDFORM:

BLANKET, UNDULATING,

THIN BLACK

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

TYPICAL SLOPES:

1-15%

ROLLING

PARENT MATERIAL:

(CARBONATED)

USUAL SOIL MOISTURE: TEMPORARY PONDING

GLACIOFLUVIAL

MODERATELY COARSE

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture		*	EC	Sat%	SAR
APK	0-25	10YR	2/2	VERY DARK BROWN	SGR	VFR	FSL	1.6		0.6	37.	
BMK CK	25-90 90-120	10YR 10YR	4/4 6/4	DARK YELLOWISH BROWN LIGHT YELLOWISH BROWN	WFSBK SGR	FR VFR	FSL FSL				29. 25.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-25	G	G	F		G	G	G	F (Topsoil)
BMK	25-90	G	G			G	F	G	F (Subsoil)
CK	90-120	G	G			G	F	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.024
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CARBONATED VARIANT OF IRMA.

# 9/01/93

SOIL SERIES:

IRMA-GL

(alIRM)

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

ROLLING

SOIL CLASSIFICATION:

GLEYED BLACK CHERNOZEMIC

1-15%

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS: NON

PICAL SOIL PROFILE:

rizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat%	SAR
GJ ·	0-30	10YR	2/1	BLACK	WFGR	VFR	L	3.3	6.5	0.6	56.	0.7
ד	30-70	10YR	5/3	BROWN	WFSBK	VFR	SL		6.7	0.2	40.	0.4
1	70-120	10YR	5/3	BROWN	MA	VFR	SL		6.8	0.3	33.	0.3

#### IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
ЭJ	0-30	G	G	G	G	G	G	G	G (Topsoil)
T	30-70	G	G		G	G	G	G	G (Subsoil)
7	70-120	G	G		G	G	G	G	G (Subsoil)

#### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.024	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

PES: GLEYED VARIANT OF IRMA. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

# 09/01/93

SOIL SERIES: SOIL ZONE:

IRMA-SCXT (scxtIRM) LANDFORM: THIN BLACK

VENEER, UNDULATING,

ROLLING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

TYPICAL SLOPES:

1-15%

PARENT MATERIAL:

(SALINE LOWER SUBSOIL)

USUAL SOIL MOISTURE:

SURFACE STONINESS:

TEMPORARY PONDING SLIGHTLY

MODERATELY COARSE

GLACIOFLUVIAL/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
AP	0-18	10YR	2/1	BLACK	SGR	FR-L	SL	2.8	6.4	0.3	35. 0.4	4
BM	18-30	10YR	4/4	DARK YELLOWISH BROWN	SGR	FR-L	SL	0.7	6.8	0.4	33. 1.3	3
2CSK	30-120	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	L		8.1	10.8	45. 17.	7

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP .	0-18	F	G	G	F	G	G	G	F (Topsoil)
BM	18-30	F	G		G	G	G	G	F (Subsoil)
2CSK	30-120	F	G		F	U	G	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF IRMA THAT HAS A SHALLOW DEPTH TO SALINE TILL. EXPOSED FACES IN THE UPPER MATERIAL ARE UNSTABLE. THE B HORIZON USUALLY OCCURS IN THE UPPER SANDY LOAM TEXTURED MATERIAL AND IS NON SALINE-SODIC. THE UNDERLYING TILL IS LOAM TO CLAY LOAM TEXTURED AND STRONGLY SALINE AND SODIC.

//01/93

SOIL SERIES: SOIL ZONE: KILLAM

(KLM)

LANDFORM:

BLANKET, UNDULATING,

THIN BLACK

TYPICAL SLOPES:

ROLLING 1-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARY PONDING

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
	0-33	10YR	2/1	BLACK	MFGR	FR	L	2.1	7.	0.7	40.	0.8
	33-43	10YR	5/2	GRAYISH BROWN	MFPL	VFR	SL					
F	43-60	10YR	3/2	VERY DARK GRAYISH BROWN	SMCOL	VF	CL		7.9	4.2	46.	25.5
-	60-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	8.	48.	13.6

#### IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-33	G G	G G	G	G	G	G	G	G (Topsoil) F (Topsoil)
	43-60	P	F		F	F	G	U	U (Subsoil)
	60-180	F	F		F	P	G	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:
N .

15 cm
10-30 cm
NOT OBVIOUS
NONE
LOM
0.040
LOM
MODERATE
ITCH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

TES: THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE. THE LOWER SUBSOIL IS SALINE AND SODIC. SEPARATION OF TOPSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT.

# 09/01/93

SOIL SERIES:

KILLAM-GL (glKLM)

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

ROLLING 1-9%

SOIL CLASSIFICATION: GLEYED BLACK SOLODIZED

SOLONETZ

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

MODERATLELY FINE TILL

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat% SAR
AP	0-15		3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	2.1			74. 3.3
BNTSAGJ	20-50	10YR	4/4	DARK YELLOWISH BROWN	COL	VF	CL		7.1	15.2	57. 29.3
CSKGJ	50-100	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.6	17.	48. 30.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	G	F	F	G	F (Topsoil)
BNTSAG	20-50	P	F		G	υ	G,	U	U (Subsoil)
CSKGJ	50-100	F	F		F	υ	G	U	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOU
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.040
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

GLEYED VARIANT OF KILLAM. THESE SOILS ARE IMPERFECTLY DRAINED. EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

SCA 7

01/93

SOIL SERIES:

KINSELLA (KNA)

LANDFORM:

TERRACED

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE SURFACE STONINESS:

SLIGHTLY

GLACIOFLUVIAL

ICAL SOIL PROFILE:

zon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	рH	EC	Sat%	SAR
	0-10	10YR	2/1	BLACK	WFGR	VFR	SL		5.8	0.4	30.	0.4
	30-50	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	GRS		7.	0.4	24.	0.3
	50-120	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	GRS		7.7	0.5	22.	0.3

#### L QUALITY RATINGS:

zon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
	0-10	G	G		F	G	F	G	F (Topsoil)
	30-50	F	P		G	G	F	G	P (Subsoil)
	50-120	F	P		F	G	F	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
VIND EROSION RISK:	HIGH
NATER EROSION K=:	0.007
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	LOW

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OS: A 10-15 CM LAYER OF SANDY LOAM TEXTURED MATERIAL OVERLIES GRAVEL. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES:

LOUGHEED (LOG)

LANDFORM:

BLANKET, UNDULATING.

ROLLING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-9%

PARENT MATERIAL: MODERATELY FINE TILL

SOIL CLASSIFICATION: BLACK SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-35	10YR	2/2	VERY DARK BROWN	MFGR	FR	L	2.7	6.	0.7	35. 2.5
BNT	35-65	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	VF	L-SCL	0.7	7.2	2.8	42. 17.8
CSK	65-120	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	L-SCL		7.8	10.6	49. 17.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-35	G	G	G	F	G	G	G	F (Topsoil)
BNT	35-65	P	F		G	G	G	U	U (Subsoil)
CSK	65-120	F	F		F	U	G	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	20-40 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO SANDY CLAY LOAM TEXTURED TILL. SEPARATION OF TOPSOIL AND SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON EXISTS. THE BNT MATERIAL IS UNDESIRABLE. THE LOWER SUBSOIL IS SALINE AND SODIC.

0/01/93

SOIL SERIES:

REDWILLOW

(RED) LANDFORM:

BLANKET

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

2-98

SOIL CLASSIFICATIO

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

SURFACE STONINESS:

NON

EOLIAN

PICAL SOIL PROFILE:

rizon	izon Depth Co		Code	Color Name	Structure Consistence Text			o.c.	рН	EC	Sat%	SAR
	0-12	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	SL					
	12-35	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	GRSL					
	35-80	2.5Y	4/4	OLIVE BROWN	SGR	L	GRSL		8.	0.5	38.	0.8

#### IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-12	G	G						G (Topsoil)
	12-35	F	P						P (Subsoil)
	35-80	F	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20	cm
OBVIOUS	
NONE	
HIGH	
0.011	
LOW	
LOW	
MODERATE	3

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMDORTANT TRYTIDE CHANGE.	MO

SES: DEVELOPED ON LOAMY SAND TO SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES: ROSEBANK (ROS) LANDFORM:

VENEER, UNDULATING,

SOIL ZONE:

THIN BLACK

ROLLING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL/TILL

USUAL SOIL MOISTURE: DROUGHTY SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Text		Texture	O.C.	рН	EC	Sat%	SAR
AP BM	0-22 22-65	10YR 10YR	3/2	VERY DARK GRAYISH BROWN DARK YELLOWISH BROWN	WFGR	FR L	SL		5.6	1.5	40.	
BC	65-90	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LS		7.5	0.6	22.	0.2
2CK	90-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.	0.8	47.	0.4

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BM	0-22 22-65	G F	G P		F F	G G	G G	~	F (Topsoil) P (Subsoil)
BC BC	65-90	F	P		G G	G	F	G	P (Subsoil)
2CK	90-110	F	F		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: A SIGNIFICANT TEXTURAL CHANGE OCCURS BETWEEN THE GLACIOFLUVIAL AND TILL MATERIAL. THE UPPER SANDY LAYER MAY BE UNSTABLE ON EXPOSED FACES.

SOIL CLASSIFICATION: BLACK SOLONETZ

SCA 7

0/01/93

SOIL SERIES:

SEDGEWICK (SDG)

LANDFORM:

BLANKET, UNDULATING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

1-5%

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

MOM

PICAL SOIL PROFILE:

rizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR FR SICL 8.5 6.8 3.7 74.14.1 0-18 10YR 2/1 BLACK MMGR 18-38 10YR 4/2 DARK GRAYISH BROWN COL VF C 7.9 8.6 86. 18.9 F-VF 38-130 10YR 3/2 VERY DARK GRAYISH BROWN MA С 8. 14.1 71. 18.

IL QUALITY RATINGS:

rizon	Depth	Consistence	nce Texture O.C.		pH EC		Sat%	SAR	Overall Rating			
	0-18	G	F	G	G	F	F ·	U	U (Topsoil)			
	18-38	P	P		F ·	P	P	U	U (Subsoil)			
	38-130	Ρ .	P		F	U	F	U	U (Subsoil)			

#### TOPSOIL INTERPRETATIONS:

WIND EROSION RISK:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

THICKNESS RANGE:

WATER EROSION K =:

20 cm 15-30 COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE LOW

0.032 LOW

MODERATE HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

ES: THE BNT MATERIAL IS UNDESIREABLE. SEPARATING TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT. THE LOWER SUBSOIL IS STRONGLY SALINE AND SODIC.

SCA

#### 09/01/93

CSKGJ

CSKGJ

SOIL SERIES:

SEDGEWICK-GL (glSDG)

LANDFORM:

MA

F

BLANKET, UNDULATING

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED BLACK SOLONETZ FINE GLACIOLACUSTRINE USUAL SOIL MOISTURE: TEMPORARY PONDING

1-5%

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon Depth Color Code AP 0-18 10YR 2/1 BLACK 18-38 10YR 4/2 DARK GRAYISH BROWN RNTGT

Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

F-VF

MMGR FR SICL 8.5 6.8 3.7 74 14.1 COL VF C 7.9 8.6 86 18.9

86 18.9 8. 14.1 71 18.

SOIL OUALITY RATINGS:

38-130

TYPICAL THICKNESS:

THICKNESS RANGE:

WATER EROSION K=:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating 0-18 G F G G P P F 18-38

P

P

38-130 10YR 3/2 VERY DARK GRAYISH BROWN

F F FT P P U F, U U

C

U (Topsoil) U (Subsoil) U (Subsoil)

YES

TOPSOIL INTERPRETATIONS:

WIND EROSION RISK:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

20 cm 15-30 cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE

LOW 0.032

LOW MODERATE HTGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: SODIC SOFTROCK: NO GRAVEL. NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES

SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE: NO

NOTES:

GLEYED VARIANT OF SEDGEWICK. THESE SOILS ARE IMPERFECTLY DRAINED. EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR

IN LOWER LANDSCAPE POSITIONS.

/01/93

izon

SOIL SERIES:

THOMAS LAKE

LANDFORM:

BLANKET, LEVEL,

SOIL ZONE:

THIN BLACK

TYPICAL SLOPES:

UNDULATING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

(TOA)

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE:

1-5%

SURFACE STONINESS:

MOIST NON

PICAL SOIL PROFILE:

Depth	Color Code		lor Code Color Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR		
 0-13	10YR	3/2	VERY	DARK	GRAYISH	BROWN	SFGR	FR	SIC		5.5			
13-46	10YR	3/2	VERY	DARK	GRAYISH	BROWN	SCPR	VF	HC		6.2			
46-120	10YR	3/2	VERY	DARK	GRAYISH	BROWN	MA	F	SIC		7.6			

#### [L QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-13	G	Р		F				P (Topsoil)
	13-46	Р .	P		F				P (Subsoil)
	46-120	F	P		F				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15	cm		
10-1	15	cm	
TOM	OB	VIOUS	
NONE	E		
MODE	ERA	TE	
0.01	L3		
LOW			
LOW			

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE.	NO

CES: THE PARENT MATERIAL IS FINE CLAYEY AND STONE-FREE. THESE SOILS ARE SLIGHTLY IMPERVIOUS AND HAVE GOOD MOISTURE RETENTION.

# 09/01/93

SOIL SERIES: SOIL ZONE:

THOMAS LAKE-XT (xtTOA) LANDFORM:

THIN BLACK

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC TYPICAL SLOPES:

FINE GLACIOLACUSTRINE/TILL USUAL SOIL MOISTURE:

VENEER, LEVEL,

UNDULATING

1-5%

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MOIST NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code		Cold	or Name		Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AP	0-13	10YRm	3/2	VERY	DARK	GRAYISH	BROWN	SFGR	FR	sic		5.5			
BM	13-46	10YRm	3/2	VERY	DARK	GRAYISH	BROWN	SCPR	VF	HC		6.2			
CK	46-90	10YRm	3/2	VERY	DARK	GRAYISH	BROWN	MA	F	SIC		7.6			
2CK	90-120	10YRm	3/2	VERY	DARK	GRAYISH	BROWN	MA	F	CL		8.2			

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AP	0-13	G	P		F				P (Topsoil)
BM	13-46	P	P		F				P (Subsoil)
CK	46-90	F	P		F				P (Subsoil)
2CK	90-120	F	F		F				F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:	15 cm 10-15 cm NOT OBVIOUS NONE MODERATE 0.013 LOW	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY:	NO NO NO NO NO NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF THOMAS LAKE HAVING TILL WITHIN 1 M OF THE SURFACE. CHANGE IN TEXTURE BETWEEN THE TWO MATERIALS IS NOT SIGNIFICANT.

# 19/01/93

SOIL SERIES:

THREE HILLS-AA (aaTHH)

SOIL ZONE: THIN BLACK

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

FINE GLACIOLACUSTRINE

LANDFORM:

BLANKET, UNDULATING,

ROLLING

TYPICAL SLOPES: 2-15%

USUAL SOIL MOISTURE:

MOIST

SURFACE STONINESS:

NON

#### YPICAL SOIL PROFILE:

PARENT MATERIAL:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
P	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR-F	SIC		6.7	0.5	62.	0.3
м	20-100	10YR	4/2	DARK GRAYISH BROWN	MMSBK	F	C		7.4	0.6	80.	0.7
K	100-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	C		8.1	0.7	92.	3.7
1												

#### OIL QUALITY RATINGS:

prizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
>	0-20	Р	P		G	G	F	G	P (Topsoil)
n	20-100	F	P		G	G	P	G	P (Subsoil)
k	100-120	F	P		F	G	P	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

HOME SCA IS 6. DEVELOPED ON CLAY TEXTURED MATERIAL. SEPARATION OF TOPSOIL FROM SUBSOIL IS DIFFICULT.

# 09/01/93

SOIL SERIES:

THREE HILLS-AAGL (aaglTHH) LANDFORM:

SOIL ZONE: THIN BLACK

SOIL CLASSIFICATION:

GLEYED BLACK CHERNOZEMIC

PARENT MATERIAL: FINE GLACIOLACUSTRINE

TYPICAL SLOPES:

BLANKET, UNDULATING.

ROLLING

2-15%

USUAL SOIL MOISTURE: TEMPORARY PONDING

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	На	EC	Sat%	SAR
AP CKGJ	0-20 100-120			VERY DARK GRAYISH BROWN LIGHT OLIVE BROWN	WFGR MA	FR-F F	SIC C			0.5		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP CKGJ	0-20 100-120	P F	P P		G F	G G	F P	G G	P (Topsoil) P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.021
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE.	NO

NOTES: HOME SCA IS 6. GLEYED VARIANT OF THREE HILLS. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

# 2.8 Soil Correlation Area #8

# General Description of the Area

- Thick Black Soil Zone of southwestern Alberta.
- Occurs northwest from the U.S. border along the west side of Pincher Creek, and north through Turner Valley to Cochrane.

# **Ecoregion/Climate**

- The ecoregion of SCA 8 includes portions of the Fescue Grass, Montane, and Aspen Parkland (Strong and Leggat, 1992).
- Agroclimate is 4H (severe heat limitation).
- Growing season P-PE= -150 to -250 mm.
- Although temperatures are cooler and more precipitation is received during the growing season, moisture deficits do occur.
- Accumulation of snow is higher, but chinook activity results in comparable snow cover to SCA 5 & 6.

# Soils and Landscapes

- Soils are predominantly Chernozemic while Solonetzic and salt-affected soils are rare.
- Landforms are highly influenced by the underlying bedrock. Veneers and blankets of glacial drift overlie Tertiary- and Cretaceous-aged bedrock of varying lithology.
- Landscapes are undulating to hummocky and rolling.
- Soil profile development is generally 50 m deep with 20 to 30 cm of black colored A horizon.

# Soil Reclamation Issues

- Frequent strong winds cause erosion when the soil is disturbed.
- Potential soil erosion by water generally ranges from severe to moderate, although local conditions vary widely.



# 09/01/93

SOIL SERIES: BEAUVAIS (BVA) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АНЕ	0-13	10YR	4/2	DARK GRAYISH BROWN	MMGR	FR	L	8.6	5.9	0.1	0.1
AE	13-17	10YR	5/2	GRAYISH BROWN	MMPL	FR	SL		5.	0.1	0.1
BT1	17-50	10YR	5/3	BROWN	MMSBK	F	L		5.4	0.1	0.1
BT2	50-90	10YR	5/3	BROWN	MFSBK	F	CL		4.9	0.1	0.1
BC	90-120	10YR	4/4	DARK YELLOWISH BROWN	MA	F	L		5.2	0.1	0.3
CK	120-130	10YR	4/4	DARK YELLOWISH BROWN	MA	F	L		7.1	0.1	0.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нф	EC	Sat%	SAR	Overall Rating
AHE	0-13	G	G	G	F	G		G	F (Topsoil)
AE	13-17	G	G		P	G		G	P (Topsoil)
BT1	17-50	F	G		P	G		G	P (Subsoil)
вт2	50-90	F	F		P	G		G	P (Subsoil)
зс	90-120	F	G		P	G		G	P (Subsoil)
ск	120-130	F	G		G	G		G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 CM
THICKNESS RANGE:	12-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO CLAY LOAM TEXTURED CONTINENTAL TILL.

# 09/01/93

SOIL SERIES: BEAUVAIS-GR (grBVA) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

TILL

GRAVELLY, MODERATELY FINE

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name		Consistence		-		Sat% SAR
AP	0-18	10YR	4/2	DARK GRAYISH BROWN	MMGR	FR	GRSIL		0.1	
BM	30-45	10YR	5/3	BROWN	MMGR	FR	GRCL	5.7	0.1	
BC	80-100	10YR	4/4	DARK YELLOWISH BROWN	MA	F	GRCL	5.7	0.1	

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	. 0-18	G	P		G	G			P (Topsoil)
BM	30-45	G	P		F	G			P (Subsoil)
BC	80-100	F	P		F	G			P (Subsoil)

# TOPSOIL INTERPRETATIONS:

7	TYPICAL THICKNESS:	15 cm
7	THICKNESS RANGE:	12-25 cm
(	COLOR CHANGE TO SUBSOIL:	OBVIOUS
5	STRIPPING LIMITATIONS:	NONE
V	VIND EROSION RISK:	MODERATE
V	NATER EROSION K=:	0.034
	RISK ON <5% SLOPE:	LOW
	RISK ON 5-9% SLOPE:	LOW
	RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRAVELLY VARIANT OF HEARTBREAK. COARSE FRAGMENT CONTENT IS 15 TO 35%.

SCA 8

#### )9/01/93

SOIL SERIES:

BURMIS (BUR)

LANDFORM:

TERRACE, FAN

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE SURFACE STONINESS:

SLIGHTLY

GLACTOFLUVIAL

#### 'YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
н	0-5	10YR	2/1	BLACK	SGR	L	SL	9.4	7.		
нк	5-17	10YR	2/1	BLACK	SGR	L	GRSL	5.2	7.4		
c	17-38	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	GRSL	3.4	7.5		
K1	38-48	10YR	4/2	DARK GRAYISH BROWN	SGR	L	VGSL		7.6		
K2	48-70	10YR	4/2	DARK GRAYISH BROWN	SGR	L	VGS		7.8		
к3	70-115	10YR	5/2	GRAYISH BROWN	SGR	L	VGS		7.7		

#### OIL QUALITY RATINGS:

brizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Н	0-5	F	G	G	G				G (Topsoil)
IK	5-17	F	P	G	G				P (Topsoil)
1	17-38	F	P	G	G				P (Topsoil)
(1	38-48	F	U		F				U (Subsoil)
(2	48-70	F	U		F				U (Subsoil)
(3	70-115	F	U		F				U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS GRAVELLY HIGH 0.015 LOW LOW MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO YES GRAVEL: STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

PTES: THE SURFACE HORIZON MAY HAVE 10% COARSE FRAGMENTS BUT HORIZONS NEAR THE SURFACE MAY CONTAIN 40 TO 60%. TOPSOIL SEPARATION FROM SUBSOIL IS DIFFICULT BY COLOR AND MORE CONTROLLED BY GRAVEL LAYERS. EXPOSED FACES ARE UNSTABLE.

# SCA 8

# 09/01/93

SOIL SERIES:

BURMIS-ZZ (zzBUR)

LANDFORM:

TERRACE, FAN

SOIL ZONE: SOIL CLASSIFICATION:

CALCAREOUS BLACK

TYPICAL SLOPES: USUAL SOIL MOISTURE:

2-15% DROUGHTY

CHERNOZEMIC

THICK BLACK

SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL: VERY GRAVELLY, VERY COARSE

GLACIOFLUVIAL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-15	10YR	2/1	BLACK	SGR	L	SL	9.4	7.		
BMK	15-30	10YR	4/2	DARK GRAYISH BROWN	SGR	L	GRSL				
CK1	30-50	10YR	4/2	DARK GRAYISH BROWN	SGR	L	GRSL		7.6		
CK2	50-70	10YR	4/2	DARK GRAYISH BROWN	SGR	L	VGS		7.8		
CK3	70-120	10YR	5/2	GRAYISH BROWN	SGR	L	VGS		7.7		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	F	G	G	G				G (Topsoil)
BMK	15-30	F	P		G				P (Subsoil)
CK1	30-50	F	P		F				P (Subsoil)
CK2	50-70	F	U		F				U (Subsoil)
CK3	70-120	F	Ū		F				U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm
THICKNESS RANGE: 10-20 cm
COLOR CHANGE TO SUBSOIL: NOT OBVIOUS
STRIPPING LIMITATIONS: GRAVELLY WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

HIGH 0.015 LOW LOW MODERATE SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF BURMIS THAT IS CLASSIFIED AS A CALCAREOUS BLACK CHERNOZEM.

# 09/01/93

SOIL SERIES:

CARWAY

(CRW)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

5-30%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE
GLACIOFLUVIAL

SURFACE STONINESS:

NON

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-15	10YR	2/1	BLACK	WFGR	VFR	L	4.1	7.7	0.6	42.	0.1
BM	15-45	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	L		7.7	0.4	40.	0.2
CK	45-100	10YR	6/3	PALE BROWN	SGR	L	SL-LS		8.1	0.4	25.	0.2

# SOIL QUALITY RATINGS:

Iorizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
ьH	0-15	G	G	G	F	G	G	G	F (Topsoil)
3M	15-45	F	G		F	G	G	G	F (Subsoil)
K	45-100	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: SANDY LOAM TEXTURED MATERIAL WITH LESS THAN 2% COARSE FRAGMENTS.
EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED. ASSOCIATED WITH
ICE CONTACT STRATIFIED DRIFT LANDFORMS.

# 09/01/93

SOIL SERIES:

DRYWOOD

(DRW)

LANDFORM:

TERRACED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

DROUGHTY

-----

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL: MEDIUM

GLACIOFLUVIAL/GRAVEL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-30	10YR	2/1	BLACK	WFGR	VFR	SL	3.9	5.8		
BM1	30-54	10YR	5/3	BROWN	WFSBK	VFR	SL	1.2	5.9		
BM2	54-61	10YR	5/2	GRAYISH BROWN	MFSBK	FR	L	1.4	5.9		
2BC	61-75	10YR	4/2	DARK GRAYISH BROWN	SGR	L	VGLS	1.7	7.4		
2CK	75-105	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	VGS		7.7		

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
AH	0-30	G	G	G	F				F (Topsoil)	
BM1	30-54	G	G		F				F (Subsoil)	
BM2	54-61	G	G		F				F (Subsoil)	
2BC	61-75	F	U		G				U (Subsoil)	
2CK	75-105	F	U		F				U (Subsoil)	

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON SANDY LOAM TO LOAM TEXTURED MATERIAL OVER GRAVEL WITH COARSE FRAGMENTS VARYING FROM 40 TO >60%. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES: DRYWOOD-GR (grDRW) LANDFORM:

TERRACED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

PARENT MATERIAL: GRAVELLY, MEDIUM

USUAL SOIL MOISTURE: DROUGHTY SURFACE STONINESS: MODERATELY

GLACIOFLUVIAL/GRAVEL

TYPICAL SOIL PROFILE:

F	Horizon	Depth	Color Code		Color Name	Structure Consistence T		Texture	o.c.	рН	EC	Sat% SAR
7	ΗA	0-30	10YR	2/1	BLACK	SGR	L	GRSL	3.9	5.8		
F	BM1	30-54	10YR	5/3	BROWN	SGR	L	GRSL	1.2	5.9		
E	вм2	54-61	10YR	5/2	GRAYISH BROWN	SGR	L	GRL	1.4	5.9		
1 2	2BC	61-75	10YR	4/2	DARK GRAYISH BROWN	SGR	L	VGLS	1.7	7.4		
2	2CK	75-105	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	VGS		7.7		

#### SOIL QUALITY RATINGS:

ß	1									
1	Horizon	Depth	Consistence	Texture	O.C.	Нд	EC	Sat%	SAR	Overall Rating
	АН	0-30	F	P	G	F				P (Topsoil)
	BM1	30-54	F	P		F				P (Subsoil)
	BM2	54-61	F	P		F				P (Subsoil)
	2BC	61-75	F	U		G				U (Subsoil)
	2CK	75-105	F	U		F				U (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	GRAVELLY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

BOBBOTE (TO 1:3 II) INTERCREBITATIONS.	
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF DRYWOOD THAT IS GRAVELLY TO THE SURFACE.

# 09/01/93

SOIL SERIES:

DRYWOOD-ZR (zrDRW)

LANDFORM:

TERRACED 1-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

SURFACE STONINESS: SLIGHTLY

MEDIUM

GLACIOFLUVIAL/GRAVEL

# TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure (	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH 0-30 CK 30-60 2CK 60-105	10YR 2/1 10YR 5/2 10YR 4/2	BLACK GRAYISH BROWN DARK GRAYISH BROWN	WFGR WFSBK SGR	VFR FR L	SL SL-L VGS	3.9	5.8		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	Нд	EC	Sat%	SAR	Over	all Rating
AH	0-30	G	G	G	F				F	(Topsoil)
CK	30-60	G	G						F	(Subsoil)
2CK	60-105	F	U		F				U	(Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: REGO VARIANT OF DRYWOOD. THESE SOILS HAVE NO B HORIZON.

SCA 8

#### 09/01/93

SOIL ZONE:

SOIL SERIES: DUNVARGAN (DVG) THICK BLACK

LANDFORM: TYPICAL SLOPES: BLANKET 2-45%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence 1		Texture	o.c.	Нд	EC	Sat% SAR
AH1	0-14	10YR	2/1	BLACK	MMGR	F	CL	6.	6.1		
AH2	14-25	10YR	3/2	VERY DARK GRAYISH BROWN	WMPR	FR	CL	4.1	6.4		
BM	25-51	10YR	4/3	BROWN - DARK BROWN	MFSBK	F	CL	1.1	6.6		
BC	51-70	10YR	5/3	BROWN	WMPR	F	CL		7.2		
CK	70-95	10YR	5/3	BROWN	MA	F	CL		7.7		

# SOIL QUALITY RATINGS:

The state of	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
1	AH1	0-14	G	F	G	F				F (Topsoil)
ľ	AH2	14-25	G	F	G	F				F (Topsoil)
į	ВМ	25-51	F	F		G				F (Subsoil)
	BC	51-70	F	F		G				F (Subsoil)
1	CK	70-95	F	F		F				F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

DUNVARGAN SOILS ARE DEVELOPED ON MODERATELY FINE TEXTURED TILL OF NOTES: CONTINENTAL AND CORDILLERAN ORIGIN WITH 2 TO 20% COARSE FRAGMENTS.

SCA 8

# 09/01/93

SOIL ZONE:

SOIL SERIES: DUNVARGAN-GR (grDVG) LANDFORM:

BLANKET

THICK BLACK

TYPICAL SLOPES:

2-45%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: GRAVELLY, MODERATELY FINE SURFACE STONINESS: MODERATELY

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Structure Consistence Texture		o.c.	рН	EC	Sat% SAR
АН	0-27	10YR	2/1	BLACK	WFGR	FR	GRHC		5.6	0.	0.
BT	27-40	1.0YR	3/2	VERY DARK GRAYISH BROWN	MFSBK	FR-F	GRHC		6.9	0.	0.
CK	40-70	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	GRHC		7.8	0.9	0.4

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall R	ating
АН	0-27	G	P		F	G		G	P (Tops	oil)
BT	27-40	F	P		G	G	,	G	P (Subs	oil)
CK	40-70	F	P		F	G		G	P (Subs	oil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	GRAVELLY, VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRAVELLY VARIANT OF DUNVARGAN.

SCA 8

#### 09/01/93

SOIL SERIES:

DUNVARGAN-XP

(xpDVG) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-45%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL/SOFTROCK

SURFACE STONINESS:

MODERATELY

#### 'YPICAL SOIL PROFILE:

orizon	n Depth C		Depth Color Code Color Name		Structure Consistence Texture			O.C.	рН	EC	Sat%	SAR
н .	0-40	10YR	2/1	BLACK	MMGR	FR	L		7.	0.6	78.	0.1
MK	40-68	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	L-CL		7.9	0.3	50.	0.2
CK .	68-80	10YR	6/4	LIGHT YELLOWISH BROWN	I MA	F-VF	CL		8.	0.4	49.	0.3

#### OIL QUALITY RATINGS:

prizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
1	0-40	G	G		· G	G	F	G	F (Topsoil)
1K	40-68	F	F		F	G	G	G	F (Subsoil)
:K	68-80	P	F		F	G	G	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm 15-35 cm
THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	15-35 cm OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

TES: VARIANT OF DUNVARGAN WITH PARALITHIC BEDROCK WITHIN 1 M. THE TEXTURE CHANGE BETWEEN MATERIALS IS NOT SIGNIFICANT.

# 09/01/93

SOIL SERIES: SOIL ZONE:

DUNVARGAN-ZR (zrDVG)

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

THICK BLACK

PARENT MATERIAL: MODERATELY FINE TILL

LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS:

BLANKET

2-45%

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture		Texture	o.c.	рН	EC	Sat% SAR
AK BC	0-15 15-21	10YR 10YR	2/1 4/3	BLACK BROWN-DARK BROWN	MMGR WMPR	FR F	L		7.7		
CK1	21-40	10YR	5/2	GRAYISH BROWN	MA	F	CL	1.2	7.7		
CK2	40-100	10YR	5/3	BROWN	MA	F	CL	0.4	7.8		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AK	0-15	G	G	G	F				F (Topsoil)
BC	15-21	F	F		F		,		F (Subsoil)
CK1	21-40	F	F		F				F (Subsoil)
CK2	40-100	F	F		F				F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	

RISK ON 9-15% SLOPE:

25 cm 15-35 cm OBVIOUS VERY THICK LOW 0.026 LOW LOW

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF DUNVARGAN. THESE SOILS HAVE NO B HORIZON.

SCA 8

# 09/01/93

SOIL SERIES: FISH CREEK (FSH) LANDFORM: BLANKET
SOIL ZONE: THICK BLACK TYPICAL SLOPES: 1-5%
SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MOIST
PARENT MATERIAL: FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name S			Consistence		pН	EC	Sat%	SAR			
AP	0-28	10YR	3/2		MMGR	FR	CL	6.7		77.	
BM	28-60	10YR	5/3	BROWN	MFSBK	F	С	7.4	0.5	80.	0.2
CK	60-110	10YR	5/4	YELLOWISH BROWN	MA	F	C	7.8	0.3	73.	0.3
1											

#### SOIL QUALITY RATINGS:

The state of the s	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Distance of the last	AP	0-28	G	, F	G	G	G	F		F (Topsoil)
b	BM	28-60	F	P		G	G	P	G	P (Subsoil)
	CK	60-110	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	25 cm 15-40 cm OBVIOUS VERY THICK HIGH	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL:	NO NO NO NO
WATER EROSION K=:	0.013	STONY LAYER:	NO
RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	LOW	FACE INSTABILITY: SOLONETZIC B HORIZON:	NO NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THESE SOILS ARE DEVELOPED ON FINE CLAYEY TEXTURED, STONE-FREE GLACIOLACUSTRINE DEPOSITS.

SCA 8

#### 09/01/93

SOIL SERIES: FISH CREEK-SA (saFSH) LANDFORM:

SOIL ZONE:

THICK BLACK

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

(SALINE)

PARENT MATERIAL: FINE GLACIOLACUSTRINE

BLANKET

TYPICAL SLOPES:

1-5%

USUAL SOIL MOISTURE:

MOIST

SURFACE STONINESS: NON

# TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure C	onsistence	Texture	O.C.	рН	EC Sat% SAR
APSA 0-30 BTJSA 30-42	10YR 2/1 10YR 5/3	BLACK BROWN	MMGR MFSBK	FR F	L C	3.4	6.9	71. 78.

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSA BTJSA	0-30 30-42	G F	G P	G	G G		F F		P (Topsoil) P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF FISH CREEK THAT IS SALINE TO THE SURFACE.

# 09/01/93

SOIL SERIES:

LUNDBRECK (LNB)

LANDFORM:

TERRACED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GRAVELLY, VERY COARSE

SURFACE STONINESS: NON

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	olor Name Structure Consistence		Texture O.C.		рН	EC	Sat% SAR
AH BM	0-18 18-55	10YR 10YR	2/1 5/2	BLACK GRAYISH BROWN	SGR SGR	L L	GRSL GRSL	6.2	5.5 5.4		
BC CK	55-85 85-150	10YR 10YR	4/2 4/2	DARK GRAYISH BROWN	SGR SGR	L L	VGLS VGS		7.3 7.6		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-18	F	P	G	F				P (Topsoil)
BM	18-55	F	P		P				P (Subsoil)
BC	55-85	F	U		G				U (Subsoil)
CK	85-150	F	U		F				U (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cr
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSO	IL: NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON GRAVELLY, SANDY LOAM TEXTURED MATERIAL (20 TO 40% COARSE FRAGMENTS) OVER GRAVEL (60% COARSE FRAGMENTS) AT ABOUT 50 CM EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED. THESE SOILS OCCUR ON UPPER AND LOWER TERRACES ASSOCIATED WITH MAJOR STREAMS.

# 09/01/93

SOIL SERIES:

MAYCROFT

(MFT)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Structure Consistence Texture			рН	EC	Sat% SAR
AP	0-7	10YR	2/1	BLACK	MMGR	FR	CL	7.6	6.3		
AH	7-24	10YR	2/1	BLACK	MMGR	FR	CL	6.5	6.3		
BM	24-58	10YR	5/3	BROWN	WFSBK	F	SICL	1.3	6.2		
CK1	58-64	2.5Y	5/4	LIGHT OLIVE BROWN	MA	FR	L		7.7		
CK2	64-90	2.5Y	5/4	LIGHT OLIVE BROWN	MA	FR	SIL		7.5		
CK3	90-105	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SICL-CL		7.7		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рн	EC	Sat%	SAR	Overall Rating
AP	0-7	G	F	G	F				F (Topsoil)
AH	7-24	G	F	G	F				F (Topsoil)
BM	24-58	F	F		F				F (Subsoil)
CK1	58-64	G	G		F				F (Subsoil)
CK2	64-90	G	G		G				G (Subsoil)
CK3	90-105	F	F		F				F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25	CM	
15-3	35	cm
OBV:	IOUS	
VER:	Y TH	ICK
LOW		
0.03	32	
LOW		

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON MODERATELY FINE TEXTURED GLACIOLACUSTRINE DEPOSITS VARYING FROM SILT LOAM TO CLAY LOAM TO SILTY CLAY LOAM.

SCA 8

# 09/01/93

SOIL SERIES:

MAYCROFT-GLZR (glzrMFT)

SOIL ZONE:

THICK BLACK

SOIL CLASSIFICATION: GLEYED REGO BLACK

CHERNOZEMIC

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

SURFACE STONINESS:

0-5% TEMPORARY PONDING

NON

BLANKET

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR BLACK FR L FR SIL 0-25 10YR 2/1 MMGR 6.6 0.4 82. 0.1 25-100 2.5Y 5/4 LIGHT OLIVE BROWN MA 7.9 0.4 46. 0.2 CKGJ

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G		G	G	P	G	P (Topsoil)
CKGJ	25-100	G	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 25 cm COLOR CHANGE TO SUBSOIL: 0BVIOUS
STRIPPING LIMITATIONS: NONE
WIND EROSION RISK: WATER EROSION K=: 0.032 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: MO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

GLEYED AND REGO VARIANT OF MAYCROFT. THESE SOILS HAVE NO B HORIZON. NOTES . THEY ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND GENERALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

8

# 09/01/93

SOIL SERIES: MAYCROFT-ZR (zrMFT) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE GLACIOLACUSTRINE SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence			Texture O.C.		EC	Sat%	SAR
AP	0-25 25-100	10YR 2.5Y		BLACK LIGHT OLIVE BROWN	MMGR MA	FR FR	L SIL		6.6	0.4	82.	

#### SOIL QUALITY RATINGS:

Horizon	Depth		Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP CK	0-25 25-100	G G	G G		G F	G G	P G	G G	P (Topsoil) F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	25 cm 15-35 cm OBVIOUS VERY THICK LOW 0.032 LOW LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE.	MO

NOTES: REGO VARIANT OF MAYCROFT. THESE SOILS HAVE NO B HORIZON.

# 09/01/93

SOIL SERIES:

OUTPOST

(OTP)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-9% USUAL SOIL MOISTURE: MESIC

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC PARENT MATERIAL:

STONY, MEDIUM

SURFACE STONINESS: EXCEEDINGLY

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH ·	0-20	10YR	2/1	BLACK	MFGR	FR	STL	9.2			
BM1	20-32	10YR	5/3	BROWN	WFSBK	FR-F	STC	1.7			
BM2	32-47	10YR	5/2	GRAYISH BROWN	WFSBK	FR-F	STC	1.1			
BC1	47-80	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	FR	SBSCL	0.7			
BC2	80-100	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	SBSL				
CK	100-125	2.5Y	6/4	LIGHT OLIVE BROWN	SGR	L	GRLS				

#### SOIL QUALITY RATINGS:

ı	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	АН	0-20	G	P	G	F				P (Topsoil)
	BM1	20-32	F	P		P				P (Subsoil)
	BM2	32-47	F	P		P				P (Subsoil)
II,	BC1	47-80	G	P		G				P (Subsoil)
I	BC2	80-100	G	P		G				P (Subsoil)
ı	CK	100-125	F	P		F				P (Subsoil)
N/										

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON MAINLY SANDY LOAM TO LOAM TEXTURED GLACIOFLUVIAL MATERIAL THAT IS GRAVELLY, VERY COBBLY OR STONY WITH 35 TO 60% COARSE FRAGMENTS.

cm

# 09/01/93

SOIL SERIES: SOIL ZONE: POTHOLE CREEK (POT)

THICK BLACK

SOIL CLASSIFICATION: PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

FINE GLACIOLACUSTRINE

LANDFORM:

TYPICAL SLOPES:

IIFICAL SLOPES:

USUAL SOIL MOISTURE: SURFACE STONINESS: LEVEL, DEPRESSIONAL

0-2%

USUAL SOIL MOISTURE: WATERTABLE/PONDING

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-30	10YR	2/1	BLACK	MMGR	FR	L		6.5	0.2	
BG	50-65	10YR	3/2	VERY DARK GRAYISH BRO	WN MA	S	SIL		6.8	0.1	
BCG	90-110	10YR	3/3	DARK BROWN	MA	VS	С		7.	0.1	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-30	G	G		G	G			G (Topsoil)
BG	50-65	F	G		G	G			F (Subsoil)
BCG	90-110	P	P		G	G			P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

30 cm		
20-40	cm	
NOT OBVI	OUS	
WETNESS,	VERY	THICK

WETNESS,	VERY	THICK
_		
-		
_		
-		

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE FINE TEXTURED AND WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

SPR NO NO NO NO NO NO YES YES NO

# 09/01/93

SOIL SERIES:

RED DEER LAKE (RDL)

GLEYED BLACK SOLODIZED

LANDFORM:

BLANKET 0-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOLONETZ

USUAL SOIL MOISTURE: SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NON

PARENT MATERIAL: MODERATELY FINE

GLACIOLACUSTRINE

# TYPICAL SOIL PROFILE:

SOIL CLASSIFICATION:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
AH	0-10	10YR	2/1	BLACK	MFGR	VFR	SIL-SICL	10.72	7.8		
AHEK	10-16	10YR	3/2	VERY DARK GRAYISH BROWN	MFSBK	FR	SICL-SIC	3.5	8.1		
ABKG	16-28	10YR	8/1	WHITE	SMSBK	FR	SICL	5.45	8.4		
BNTKG	28-43	2.5Y	4/4	OLIVE BROWN	SCCOL	VF	SICL	3.71	8.6		
BNTJKG	43-55	2.5Y	4/4	OLIVE BROWN	WMABK	F	SICL	0.79	9.6		
CSKG	55-120	2.5Y	4/4	OLIVE BROWN	MA	FR	SICL		9.6		

#### SOIL QUALITY RATINGS:

Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
0-10	G	F	G	F				F (Topsoil)
10-16	G	P	G	F				P (Topsoil)
16-28	G	F		F				F (Subsoil)
28-43	P	F		P				P (Subsoil)
43-55	F	F		U				U (Subsoil)
55-120	G	F		U				U (Subsoil)
	0-10 10-16 16-28 28-43 43-55	0-10 G 10-16 G 16-28 G 28-43 P 43-55 F	0-10 G F 10-16 G P 16-28 G F 28-43 P F 43-55 F F	0-10 G F G 10-16 G P G 16-28 G F 28-43 P F 43-55 F F	0-10 G F G F 10-16 G P G F 16-28 G F F 28-43 P F P 43-55 F F U	0-10 G F G F 10-16 G P G F 16-28 G F F 28-43 P F P 43-55 F F U	0-10 G F G F 10-16 G P G F 16-28 G F F 28-43 P F P 43-55 F F U	0-10 G F G F 10-16 G P G F 16-28 G F F 28-43 P F P 43-55 F F U

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:
WIND EROSION RISK:	LOW	GRAVEL:
WATER EROSION K=:	0.040	STONY LAYER:
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:
		IMPORTANT TEXTURE CHANGE:

THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING NOTES: FEATURES AND GENERALLY OCCUR IN LOWER LANDSCAPE POSITIONS. THE BNT MATERIAL IS UNDESIRABLE. THE LOWER SUBSOIL IS SALINE AND/OR SODIC.

### 09/01/93

SOIL SERIES:

ROBINSON-AA (aaRSN) LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

ROLLING

SOIL CLASSIFICATION: DARK GRAY LUVISOL

2-9%

PARENT MATERIAL:

FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOIST SLIGHTLY

#### TYPICAL SOIL PROFILE:

	Depth	Color		Color Name	Structure (			-	EC	Sat%	SAR
AP	0-30 30-75		2/1	BLACK BROWN-DARK BROWN	MFGR MMSBK	FR	SICL	5.4	0.2	59.	
BT CK	75-120	5Y	5/3	OLIVE	MA	F	С		0.2		0.5

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-30	G	F	G	P	G	G		P (Topsoil)
BT	30-75	F	P		F	G	F		P (Subsoil)
CK	75-120	F	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.050
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 16. THESE SOILS SOMETIMES HAVE A LIGHT COLORED, PLATY AE HORIZON BETWEEN THE TOPSOIL AND THE SUBSOIL. WITH CULTIVATION, THIS HORIZON IS OFTEN PLOWED UNDER AND BECOMES PART OF THE AP HORIZON.

cm

# 09/01/93

SOIL SERIES:

SARCEE

(SRC)

LANDFORM:

TERRACED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-20	10YRm 2/2	VERY DARK BROWN	SMGR	VFR	CL	4.71	6.9		
вм	20-35	10YRm 3/3	DARK BROWN	MA	VFR	L	2.06	7.4		
CK	35-120	10YRm 4/3	BROWN-DARK BROWN	MA	VFR	L		7.6		
1										

#### SOIL QUALITY RATINGS:

1	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
The state of the state of	АН	0-20	G	F	G	G				F (Topsoil)
ĺ	BM	20-35	· G	G		G				G (Subsoil)
-	CK	35-120	G	G		F				F (Subsoil)
	1									

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 10-3 NOT	0 OBV	çm IOUS
0.03		

LOW	
LOW	
MODERATE	

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON FINE LOAMY RECENT FLUVIAL TERRACES. GRAVEL IS SOMETIMES

ENCOUNTERED AT DEPTHS GREATER THAN 1.5 MS.

#### 09/01/93

SOIL SERIES:

SHARP HILLS (SHL)

LANDFORM:

BLANKET, RIDGED

SOIL ZONE:

THICK BLACK

GLACIOFLUVIAL

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name		Consistence			Hq	EC	Sat% SAR
AP	0-15	10YRm 3/1	VERY DARK GRAY	MFGR	FR	L	4.25	7.2		
CCA	15-30	10YRm 7/2	LIGHT GRAY	MA	FR	L		7.6		
CK	30-120	2.5Ym 5/2	GRAYISH BROWN	MA	F	L		8.1		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP CCA CK	0-15 15-30 30-120	G G F	G G G	G	G F F				G (Topsoil) F (Subsoil) F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.024
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES WITH SANDY TEXTURES ARE UNSTABLE.

# INTERPRETATION GUIDELINES

SCA 8

# 09/01/93

SOIL SERIES:

SPY HILL (SPY)

LANDFORM:

HUMMOCKY, RIDGED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

6-60%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

STONY MODERATELY FINE TILL

SURFACE STONINESS:

VERY

#### TYPICAL SOIL PROFILE:

	Depth	Color Code Color Name		Structure Consistence Texture			o.c.	рН	EC	Sat% S	SAR
AH BTJ	0-18 18-40	10YR 2/1 10YR 4/2	BLACK DARK GRAYISH BROWN	MFGR MMSBK	FR F	STL STL	5.5	7.2	0.7	54. 43.	0.3
CK	40-110	10YR 4/2	DARK GRAYISH BROWN	MA	F .	STL		8.	0.4	47.	0.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-18	G	P	G	G	G	G	G	P (Topsoil)
BTJ	18-40	F	P		G	G	G	G	P (Subsoil)
CK	40-110	F	P		F	G	G	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

n
cm
JS
TOPOGRAPHY
ATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TEXTURED, STONY TILL (20 TO 30% COARSE FRAGMENTS) WHICH OVERLIES GRAVEL AT DEPTHS OF 10 M, SOMETIMES LESS. THE B HORIZON

IS OFTEN VERY THIN OR ABSENT.

#### 09/01/93

SOIL SERIES:

TWIN BRIDGES (TBR)

TYPICAL SLOPES:

LANDFORM:

LEVEL . 0-2

SOIL ZONE: SOIL CLASSIFICATION:

GLEYED HUMIC REGOSOL

USUAL SOIL MOISTURE:

WATER TABLE

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS: NON

FLUVIAL/VERY COARSE

FLUVIAL

THICK BLACK

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
АНЈК	0-12	10YRm 3/2	VERY DARK GRAYISH BROWN	SMGR	FR	SL-L	6.56	7.5			
CK	12-75	10YRm 3/3	DARK BROWN	SGR	VFR	LS-SL		7.5			
CKG	75-120	2.5Ym 4/2	DARK GRAYISH BROWN	SGR	VFR	LS-SL		7.6			

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
АНЈК	0-12	G	G	G	G				G (Topsoil)
CK	12-75	G	P		G				P (Subsoil)
CKG	75-120	G	P		F				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

12	cm		
10-1		cm	
NOT	OBV	IOUS	
NONE	2		
MODE	ERAT	E	
0 01	3		

LOW LOW MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	ALL NO NO NO NO NO YES NO NO YES
	210

DEVELOPED ON HIGHLY VARIABLE TEXTURED, RECENT FLUVIAL DEPOSITS. USUALLY TEXTURES ARE COARSE LOAMY OVER SANDY. EXPOSED FACES ARE UNSTABLE. THESE SOILS ARE IMPERFECTLY DRAINED BUT MODERATELY TO RAPIDLY PERVIOUS. RESTRICTED DRAINAGE RESULTS FROM A HIGH WATER TABLE, NOT FROM PONDING OF SURFACE WATER. MOTTLING AND GLEYING TEXTURE ARE

COMMON BUT NOT ALWAYS PRESENT.

#### 2.9 Soil Correlation Area #9

# General Description of the Area

- Thick Black Soil Zone of southwestern Alberta.
- Occurs from the north edge of Calgary to Ponoka.

# **Ecoregion/Climate**


- Aspen Parkland ecoregion.
- Agroclimate is 3H (moderate heat limitation).
- Growing season P-PE= -150 to -250 mm.
- Snow cover tends to persist throughout the winter because of cooler temperatures and the infrequent influence of chinooks.

# Soils and Landscapes

- Chernozemic soils are most common while Solonetzic and other salt-affected soils are rare.
- Gleysolic soils (sloughs) occur in depressional areas.
- Undulating moraine (till), and glaciolacustrine blankets and veneers over till are the dominant landscapes. Some moraine veneers and blankets over bedrock are also present.
- Chernozemic soils have between 15 and 30 cm of a black colored A horizon and the profile is developed to 60 cm.
- Solonetzic soils are shallower and have less topsoil.

# Soil Reclamation Issues

- Potential soil erosion by water is generally low except on the Delburne Upland (hummocky landscapes) where potential erosion is severe to moderate.
- The risk of soil erosion by wind increases from low in the north to moderate in the south, reflecting higher, average wind speeds. Sandy textured soils have a high potential for erosion by wind.
- Bedrock may be encountered at shallow (1 to 2 m) depth usually sandstone that may be hard or soft.



# 09/01/93

SOIL SERIES:

ANTLER THICK BLACK

(ATL)

LANDFORM:

BLANKET

SOIL ZONE:

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: PARENT MATERIAL:

ORTHIC BLACK CHERNOZEMIC

MODERATELY FINE TILL

USUAL SOIL MOISTURE:

MESIC SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure C	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-15		2/1	BLACK	MFGR	FR	SCL		6.1	0.32	
BM	15-40	10YR	3/3	DARK BROWN	MMABK	F	CL		5.5	0.26	
CK1	40-80	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	CL		7.7	0.34	
CK2	150-200	2.5Y	4/2	DARK GRAYISH BROWN	MA	F	CL		7.8	0.33	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	G	F		F	G			F (Topsoil)
BM	15-40	F	F		F	G			F (Subsoil)
CK1	40-80	F	F		F	G			F (Subsoil)
CK2	150-200	F	F		F	G			F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

20 cm 10-30 cm OBVIOUS NONE LOW 0.026 LOW LOW HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: THESE SOILS ARE DEVELOPED ON LOAM TO CLAY LOAM TEXTURED TILL OF MIXED CONTINENTAL AND CORDILLERAN ORIGIN.

#### 09/01/93

SOIL SERIES:

ANTLER-GL (glATL)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-15% TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-22	10YR	2/1	BLACK	MFGR	FR	L	8.2	6.4	0.4	71.
BGJ	22-55	10YR	5/3	BROWN	MFSBK	F	SICL		6.2	0.3	71.
CKGJ	55-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		7.	0.5	46.

#### SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-22	G	G	G	F	G	F		F (Topsoil)
BGJ	22-55	F	F		F	G	F		F (Subsoil)
CKGJ	55-130	F	F		G	G	G		F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	20 cm 10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPF
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

GLEYED VARIANT OF ANTLER. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR IN LOWER

LANDSCAPE POSITIONS.

# 09/01/93

SOIL SERIES: ANTLER-XP (xpATL) LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TILL/SOFTROCK

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL: MODERATELY FINE

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-17	10YR	2/1	BLACK	MFGR	FR	L		7.	0.8	66.	0.4
вм	17-40	10YR	5/4	YELLOWISH BROWN	MFSBK	F	CL		7.2	0.6	52.	0.4
CK	40-100	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		8.	0.6	52.	0.3
2CK	100-110	2.5Y	5/6	LIGHT OLIVE BROWN	MA	FR-F	FSL		8.	0.4	42.	0.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	G		G	G	F	G	F (Topsoil)
BM	17-40	F	F		G	G	G	G	F (Subsoil)
CK	40-100	F	G		F	G	G	G	F (Subsoil)
2CK	100-110	F	G		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	20 cm 10-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

VARIANT OF ANTLER HAVING SOFTROCK WITHIN 1 M. THERE IS NO SIGNIFICANT TEXTURE CHANGE BETWEEN THE TWO MATERIALS. THE UNDERLYING WEATHERED SOFTROCK IS NON SALINE-SODIC.

### 09/01/93

SOIL SERIES: BALZAC-AA (aaBZC) LANDFORM:

VENEER, LEVEL, DEPRESSIONAL

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

(SALINE)

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

PARENT MATERIAL:

FINE LACUSTRINE/TILL

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Col	or Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH1	0-11	10YR	3/2	VERY DARK	GRAYISH BROWN	SFGR	VFR	CL	5.39	7.2		
AH2	11-21	10YR	3/1	VERY	DARK GRAY	SCGR	H	CL	4.23	7.6		
AHSK	21-32	10YR	3/1	VERY	DARK GRAY	WMPR	F	C	1.32	8.2		
CSAK	32-48	10YR	5/1		GRAY	MA	VF	CL		8.4		
CSAKG	48-120	10YR	5/1		GRAY	MA	F	CL		8.4		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH1 AH2 AHSK CSAK CSAKG	0-11 11-21 21-32 32-48 48-120	G G P P	F F F F	G G F	G F F F				F (Topsoil) F (Topsoil) P (Topsoil) P (Subsoil) F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
COLOR CHANGE TO SUBSOIL:
COLOR CHANGE TO SUBSOIL:
WETNESS, VERY THICK WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

20 cm

NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL:

STONY LAYER: FACE INSTABILITY:

HARD BEDROCK:

SEASONALLY HIGH W.T.:

SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

ALL NO MO NO NO NO YES NO YES

NO

NOTES:

HOME SCA IS 6. THESE SOILS ARE DEVELOPED ON FINE TEXTURED RECENT LACUSTRINE SEDIMENTS OVERLYING MODERATELY FINE TEXTURED TILL. BALZAC SOILS ARE STRONGLY CALCAREOUS AND HAVE BEEN SALINIZED BY GROUNDWATER DISCHARGE. THESE SOILS ARE FINE TEXTURED AND WET ALL YEAR, THEREFORE EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES:

BEARSPAW (BPW)

LANDFORM:

BLANKET, HUMMOCKY

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

6-15%

SCIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MOIST

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	-	Color		Color Name	Structure Consistence Texture			рН	EC	Sat%	SAR
AP CCA	0-45 45-100	10YR 10YR	2/1	BLACK DARK YELLOWISH BROWN	MMGR MA	FR VF	SICL	7.9 8.3	0.7		

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP CCA	0-45 45-100	G P	F F	G	F F	G G	G G	G G	F (Topsoil) P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.033
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: MOST BEARSPAW SOILS HAVE THIN AND VARYING TOPSOIL THICKNESS CAUSING STRIPPING DIFFICULTY WITH LARGE MACHINERY.

# 09/01/93

SOIL SERIES:

BOW VALLEY-AA (aaBOV)

LANDFORM:

TERRACED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE SURFACE STONINESS:

SLIGHTLY

FLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat% SAR	ł.
AH BM CK	0-14 14-25 25-120	10YRm 2 10YRm 4 10YRm 5	1/4	BLACK DARK YELLOWISH BROWN GRAYISH BROWN	WFGR MMPR SGR	VFR VFR L	L L-SIL GR		7.4 7.3 7.6			_

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
AH BM CK	0-14 14-25 25-120	G G F	G G U	. G	G G F				G (Topsoil) G (Subsoil) U (Subsoil)	

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.017
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: HOME SCA IS 6. DEVELOPED ON GRAVEL TERRACES IN THE BOW VALLEY. THE SOIL OFTEN HAS 30 TO 50 CM OF A LOAM TO SANDY LOAM TEXTURED, STONE-FREE CAPPING MATERIAL OVER THE GRAVEL. EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES:

CYGNET

(CYG)

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

SOIL CLASSIFICATION:

ELUVIATED BLACK CHERNOZEMIC

ROLLING 2-30%

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC VERY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name Structure Consi		Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP ·	0-35	10YR	2/1	BLACK	MMGR	FR	I.	6.3	6.4	0.7		
BTJ	35-70	10YR	6/6	BROWNISH YELLOW	MFSBK	FR-F	CL		7.2	0.5	59.	0.
CK	70-110	10YR	5/4	YELLOWISH BROWN	MA	F	CL		7.4	0.5	51.	0.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AP	0-35	G	G	G	F	G	F	G	F (Topsoil)
BTJ	35-70	F	F		G	G	G	G	F (Subsoil)
CK	70-110	F	F		G	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	30 cm 20-45 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CYGNET SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL THAT IS MAINLY OF PASKAPOO ORIGIN. THESE SOILS SOMETIMES HAVE A LIGHTER COLORED, PLATY AE HORIZON BETWEEN THE TOPSOIL AND THE SUBSOIL. WITH CULTIVATION, THE AE HORIZON IS OFTEN PLOWED UNDER AND BECOMES PART OF THE AP HORIZON.

# 09/01/93

SOIL SERIES:

DIDSBURY

(DDY)

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE: THICK BLACK

TYPICAL SLOPES:

ROLLING

SOIL CLASSIFICATION: PARENT MATERIAL:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

1-15% MESIC

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-25	10YR	2/1	BLACK	MFGR	FR	L	5.3	6.9	0.5	60.	0.
BM	25-65	10YR	5/4	YELLOWISH BROWN	MFSBK	F	L		7.6	0.6	45.	0.6
CK	65-110	10YR	5/3	BROWN	MA	F	CL		8.	0.3	48.	0.3

#### SOIL QUALITY RATINGS:

Horizon	Depth Consistence Textur		Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	G	G	F	G	F (Topsoil)
BM	25-65	F	G		F	G	G	G	F (Subsoil)
CK	65-110	F	F		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm	S
THICKNESS RANGE:	20-45 cm	H
COLOR CHANGE TO SUBSOIL:	OBVIOUS	N
STRIPPING LIMITATIONS:	VERY THICK	S
WIND EROSION RISK:	LOW	G
WATER EROSION K=:	0.026	S
RISK ON <5% SLOPE:	LOW	F
RISK ON 5-9% SLOPE:	LOW	S
RISK ON 9-15% SLOPE:	HIGH	S
		т

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: DIDSBURY SOILS ARE DEVELOPED ON TILL MATERIAL WHICH APPEARS TO HAVE BEEN MODIFIED BY GLACIOFLUVIAL PROCESSES. THE UPPER 30 TO 50 CM OF THE TILL IS FREQUENTLY LOAM OR SANDY LOAM TEXTURED WHILE THE LOWER PORTION IS LOAM TO CLAY LOAM TEXTURED.

#### 09/01/93

SOIL SERIES:

HARMATTON

(HAR)

LANDFORM:

VENEER, LEVEL,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

DEPRESSIONAL

SOIL CLASSIFICATION:
PARENT MATERIAL:

REGO HUMIC GLEYSOL

FINE GLACIOLACUSTRINE/TILL

USUAL SOIL MOISTURE:

0-2%

SURFACE STONINESS: NON

WATERTABLE/PONDING

#### TYPICAL SOIL PROFILE:

Horizon	Depth Color Code Color			Color Name	Structure (	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AHG 2CKG	0-60 60-120		2/1 5/3	BLACK	MMGR MA	FR	SCL	6.8	8.			

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AHG	0-60	G	F	G	F	G	G	G	F (Topsoil)
2CKG	60-120	F	F		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	35 cm
THICKNESS RANGE:	30-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS, VERY THICK
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE FINE TEXTURED AND WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

9

#### 09/01/93

SOIL SERIES:

HARMATTON-CR (crHAR) LANDFORM:

VENEER, LEVEL, DEPRESSIONAL

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

(CARBONATED)

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE/TILL SURFACE STONINESS:

BLACK

BROWN

MOM

# TYPICAL SOIL PROFILE:

Horizon Depth Color Code

-	_	_	_	-	_	_	-	-	_	-	_	-	-	-	_	-	_	_	-	-	_	-	_	-	_	-	-	-	_	_	_	_	-	_	_	-	_
				C	0	1	0	r		N	a	m	е										S	t	r	u	C	t	u	r	е		C	0	n	s	i

stence Texture O.C. pH EC Sat% SAR

0-60 10YR 2/1

MMGR

F

F

G

G

CL

G

G

SEASONALLY HIGH W.T.:

HARD BEDROCK:

FR SCL 6.8 8. 0.5 46. 0.7

Overall Rating

F (Topsoil)

NO

NO

NO

NO

NO

YES

F (Subsoil)

2CKG

60-120 10YR 5/3

MA

7.9 0.3 44. 0.5

SOIL QUALITY RATINGS:

0-60

# Horizon Depth Consistence Texture O.C. pH EC Sat% SAR

2CKG	60-120	F	F

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

G

TYPICAL THICKNESS: THICKNESS RANGE:

TOPSOIL INTERPRETATIONS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
COMPTEDEING LIMITATIONS:
WETNESS, VERY THICK

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

35 cm 30-40 cm

NON-SODIC SOFTROCK: SODIC SOFTROCK: **GRAVEL:** STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

NOTES: CARBONATED VARIANT OF HARMATTON.

ALL NO NO NO NO NO YES NO

NO NO

# 09/01/93

SOIL SERIES:

HARMATTON-PT (ptHAR) LANDFORM:

VENEER, LEVEL,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

DEPRESSIONAL 0-2%

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL (PEATY) FINE GLACIOLACUSTRINE/TILL

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Structure Consistence		O.C.	рН	EC	Sat% SAR
ОМ	0-18	10YR	2/1	BLACK			0	16.36	6.6		
AHG	18-27	5Y	2/1	BLACK	MMGR	VF	SICL	2.7	7.4		
CKG	27-120	5Y	6/2	LIGHT OLIVE GRAY	MA	F	SIL-CL		7.6		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
OM	0-18			G					(Peat)
AHG	18-27	P	F	G	G				P (Topsoil)
CKG	27-120	F	F		F				F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm (PEAT & TOPSOIL)	SEASONALLY HIGH W.T.: HARD BEDROCK:
THICKNESS RANGE:	25-60 cm	NON-SODIC SOFTROCK:
COLOR CHANGE TO SUBSOIL:	OBVIOUS	SODIC SOFTROCK:
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:
WIND EROSION RISK:		STONY LAYER:
WATER EROSION K=:	-	FACE INSTABILITY:
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF HARMATTON THAT HAS 15 TO 50 CM OF SURFACE PEAT. THE UNDERLYING TOPSOIL IS ABOUT 10 CM THICK.

# 09/01/93

SOIL SERIES: SOIL ZONE:

LLOYD LAKE

(LLK)

LANDFORM:

BLANKET, UNDULATING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

THICK BLACK

TYPICAL SLOPES: USUAL SOIL MOISTURE:

2-5%

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

MOIST NON

### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name		Structure	Structure Consistence Texture			рН	EC	Sat% SAF	3	
AP	0-40	10YR	2/1		BLACK		MMGR	FR	SICL	6.1	6.6	0.3	72.	
BM	40-85	2.5Y	5/4	LIGHT	OLIVE	BROWN	MMSBK	F	SIC		6.7	0.4	70.	
BC	85-130	2.5Y	5/4	LIGHT	OLIVE	BROWN	MA	F	SIC		6.9	0.3	66.	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat% .	SAR	Overall Rating
AP	0-40	G	F	G	G	G	F		F (Topsoil)
BM	40-85	F	P		G	G	F		P (Subsoil)
BC	85-130	F	P		G	G	F		P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	15-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.030
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON STONE-FREE, FINE TEXTURED GLACIOLACUSTRINE SEDIMENTS WITH A HIGH SILT CONTENT. TOPSOILS ARE SELDOM LESS THAN 15 CM THICK.

#### 09/01/93

SOIL SERIES: SOIL ZONE:

LLOYD LAKE-GL (gllLK)

THICK BLACK

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC

FINE GLACIOLACUSTRINE

LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE: SURFACE STONINESS:

BLANKET, UNDULATING

0-5%

TEMPORARY PONDING

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure Consistence Te		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-35		2/1	BLACK	MMGR	FR	SICL	6.5	7.4	0.9	54.	0.5
BGJ ·	35-90	10YR	5/2	GRAYISH BROWN	WMSBK	VF	С		7.8	0.5	60.	1.
CCAGJ	90-100	10YR	3/4	DARK YELLOWISH BROWN	MA	VF	С		7.9	0.8	56.	1.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-35	G	F	G	G	G	G	G	F (Topsoil)
BGJ	35-90	P	P		F	G	F	G	P (Subsoil)
CCAGJ	90-100	P ·	P		F	G	G	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	15-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.030
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE.	NO

NOTES: VARIANT OF LLOYD LAKE THAT IS GLEYED. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND GENERALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

BLANKET, UNDULATING

# 09/01/93

SOIL SERIES: LLOYD LAKE-GLSA (glsaLLK) LANDFORM:

SOIL ZONE:

THICK BLACK

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC

(SALINE)

PARENT MATERIAL: FINE GLACIOLACUSTRINE

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
APSA	0-35		2/1	BLACK	MMGR	FR	SICL	6.5	7.4		54.
BGJSA	35-90	10YR	5/2	GRAYISH BROWN	WMSBK	VF	C .		7.8		60.
CCAGJSA	90-100	10YR	3/4	DARK YELLOWISH BROWN	MA	VF	С		7.9		56.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSA	0-35	G	F	G	G		G		F (Topsoil)
BGJSA	35-90	P	P		F		F		P (Subsoil)
CCAGJS	90-100	P	P		F		G		P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

50	CIII	
15-	40	cm
OBV	IOUS	
VER	Y TH	ICK
LOW		
0.0	30	
LOW		
MOD	ERAT	Έ
HIG	H	

30 cm

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF LLOYD LAKE THAT IS GLEYED AND SALINE TO THE SURFACE.

#### 09/01/93

SOIL SERIES: SOIL ZONE:

PARENT MATERIAL:

MORNINGSIDE (MGS) THICK BLACK

EOLIAN

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC VERY COARSE FLUVIAL OR LANDFORM:

BLANKET

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

2-30% DROUGHTY

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP .	0-22	10YR	3/2		SGR	L	LS		6.3		36.	
BM	22-60	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LS		6.8	0.2	36.	0.3
BC	60-110	10YR	5/4	YELLOWISH BROWN	SGR	L	LS					
CK	110-140	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	LS		8.2	0.6	25.	0.4

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-22	F	P		F	G	G	G	P (Topsoil)
вм	22-60	F	P		G	G	G	G	P (Subsoil)
BC	60-110	F	P						P (Subsoil)
CK	110-140	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	20 cm 10-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.011
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SANDS AND LOAMY SANDS. EXPOSED FACES ARE UNSTABLE BECAUSE OF LOOSE CONSISTENCE AND SANDY TEXTURES.

#### 09/01/93

SOIL SERIES:

NIOBE

(NIB)

VENEER, UNDULATING

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

LANDFORM:

1-5%

SOIL CLASSIFICATION: BLACK SOLOD

GLACIOLACUSTRINE/TILL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Horizon Depth Color Code Color Name S		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR		
AP	0-18	10YR	2/1	BLACK	MMGR	FR-F	L	6.1	7.6	3.4	69.	3.7
BNTSK	18-80	10YR	3/3	DARK BROWN	WMSBK	F	CL-C		7.9	7.6	50.	10.
2CCASA	80-120	10YR	5/2	GRAYISH BROWN	MA	F	CL		8.	9.8	61.	15.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	P	G	G	F	F	F	G	P (Topsoil)
BNTSK	18-80	F	· P		F	P	G	P	P (Subsoil)
2CCASA	80-120	F	F		F	P	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	20 cm 15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.038
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE BNT HORIZON IS UNDESIREABLE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS SALINE AND SODIC.

# **NOSE CREEK**

# INTERPRETATION GUIDELINES

SCA 9

# 09/01/93

SOIL SERIES:

NOSE CREEK (NSK)

LANDFORM:

BLANKET, UNDULATING

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	rizon Depth Color Code Color Name		Structure (	Consistence	Texture	o.c.	рH	EC	Sat%	SAR		
AP	0-35	10YR	2/1	BLACK	WFGR	FR	L	3.4	7.4	0.6	55.	0.3
CK1	35-75	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	0.7	42.	1.
CK2	75-140	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	0.9	64.	1.5

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-35	G	G	G	G	G	G	G	G (Topsoil)
CK1	35-75	F	F		F	G	G	G	F (Subsoil)
CK2	75-140	F	F		F	G	F	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-35 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.030	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

DEVELOPED ON LOAM TO CLAY LOAM TEXTURED TILL. TOPSOIL IS EASILY NOTES: SEPARATED FROM SUBSOIL BY COLOR.

# 09/01/93

SOIL SERIES:

NOSE CREEK-SA (saNSK)

SOIL ZONE:

THICK BLACK

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

(SALINE)

PARENT MATERIAL: MODERATELY FINE TILL

LANDFORM:

TYPICAL SLOPES:

1-5%

USUAL SOIL MOISTURE:

TEMPORARY PONDING

BLANKET, UNDULATING

SURFACE STONINESS: SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR BLACK 0-35 10YR 2/1 WFGR FR L 3.4 7.4 55 APSA OLIVE BROWN F 35-75 2.5Y 4/4 MA CL 8.1 75-140 2.5Y 5/4 LIGHT OLIVE BROWN MA F CL 8.1 CSK2

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSA	0-35	G	G	G	G		G		G (Topsoil)
CSK1	35-75	F	F		F		G		F (Subsoil)
CSK2	75-140	F	F		F		F		F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-35 cm OBVIOUS NONE LOW 0.030

MODERATE HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: VARIANT OF NOSE CREEK THAT IS SALINE TO THE SURFACE.

# 09/01/93

SOIL SERIES:

PENHOLD (PED)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

MEDIUM FLUVIAL OR LACUSTRINE

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-18	10YR	3/3	DARK BROWN	MFGR	FR	L	2.1	7.		53.	
BM	18-40	10YR	5/3	BROWN	WFSBK	F	L		7.4	1.	44.	0.2
CK	40-140	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	SIL		7.9	0.3	49.	0.2

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G	G	G	G	G	G	G (Topsoil)
BM	18-40	F	G		G	G	G	G	F (Subsoil)
CK	40-140	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO SILT LOAM TEXTURED MATERIALS. THESE SOILS ARE VERY GOOD ARABLE LANDS.

# 09/01/93

SOIL SERIES:

PENHOLD-GL (glPED)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION:

GLEYED BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

MEDIUM FLUVIAL OR

SURFACE STONINESS:

NON

LACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рH	EC	Sat%	SAR
AH BMGJ CKGJ	0-20 18-50 40-75		3/3 5/3 6/4	DARK BROWN BROWN LIGHT YELLOWISH BROWN	MFGR WFSBK MA	FR F F	L L SIL	2.1	7. 7.4 7.9	1.	53. 44. 49.	0.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-20	G	G	G	G	G	G	G	G (Topsoil)
BMGJ	18-50	F	G		G	G	G	G	F (Subsoil)
CKGJ	40-75	F	G		F	G	G ·	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	I,OW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED VARIANT OF PENHOLD. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND GENERALLY OCCUR IN THE SLIGHTLY DEPRESSIONAL AREAS OF LEVEL TO UNDULATING

LANDSCAPES.

# 09/01/93

SOIL SERIES:

PENHOLD-XC

(xcPED)

LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION:
PARENT MATERIAL:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS: MESIC NON

LACUSTRINE/

GLACIOLACUSTRINE

MEDIUM FLUVIAL OR

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рH	EC	Sat%	SAR
AP	0-13	10YR	2/1	BLACK	MFGR	FR	L	4.2	7.7	0.5	51.	0.1
BM	13-60	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR-F	L-SIL		7.6	0.4	58.	0.2
2CK	60-140	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	SIC		8.3	2.4	62.	2.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нф	EC	Sat%	SAR	Overall Rating
AP	0-13	G	G	G	F	G	G	G	F (Topsoil)
BM	13-60	F	G		F	G	G	G	F (Subsoil)
2CK	60-140	F	P		F	G	F	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF PENHOLD WITH CLAY AT LESS THAN 1 M BELOW THE SURFACE. TEXTURE CHANGE BETWEEN THE TWO MATERIALS IS SIGNIFICANT.

# 09/01/93

SOIL SERIES: SOIL ZONE:

PENHOLD-XS THICK BLACK

(xsPED)

LANDFORM: TYPICAL SLOPES:

VENEER 1-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

\_\_\_\_\_

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL OR LACUSTRINE/GLACIOFLUVIAL SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-20	10YR	2/1	BLACK	MFGR	FR	L	4.6	6.4	0.3	55.	0.1
BM	20-70	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR-F	L-SIL		6.1	0.2	44.	0.3
2BC	70-100	10YR	5/6	YELLOWISH BROWN	SGR	L	LS		6.7	0.1	20.	0.6

#### SOIL QUALITY RATINGS:

e Texture	O.C.	Н	EC	Sat%	SAR	Overall Rating
G	G	F	G	G	G	F (Topsoil)
G		F	G	G	G	F (Subsoil)
P		G	G	P ·	G	P (Subsoil)
	G G	G G	G G F G F	G G F G F G	G G F G G G G G	G G F G G G G G G G G G G G G G G G G G

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	BTO
SEASUNALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

VARIANT OF PENHOLD WITH SAND AT LESS THAN 1 M BELOW THE SURFACE. TRENCH WALLS OF THE NOTES: UNDERLYING MATERIAL ARE UNSTABLE WHEN VERTICALLY DITCHED.

#### 09/01/93

SOIL SERIES:

PENHOLD-XT (xtPED)

LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL OR LACUSTRINE/TILL

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP .	0-40 40-65		2/1	BLACK DARK YELLOWISH BROWN	MFGR MMSBK	FR FR	L-SIL			1.1		
2CK	65-100	10YR	5/4	YELLOWISH BROWN	MA	F	CL			2.		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP.	0-40	G	G		G	G	G	G	G (Topsoil)
BM	40-65	G ·	G		G	G	G	G	G (Subsoil)
2CK	65-100	F	F		F	G.	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF PENHOLD WITH TILL AT LESS THAN 1 M BELOW THE SURFACE. THE TEXTURE CHANGE BETWEEN THE TWO MATERIALS IS NOT SIGNFICANT.

9

### 09/01/93

SOIL SERIES:

STRATHCONA (SCO)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: DROUGHTY

GRAVELLY, MEDIUM PARENT MATERIAL:

GLACIOFLUVIAL

SURFACE STONINESS: VERY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Cod	e Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH BM1 BM2 CCA	0-15 15-22 22-40 40-120	10YRd 2/ 7.5YR 4/ 10YRd 5/ 10YRd 6/	DARK BROWN GRAYISH BROWN	WFGR WMPR SGR SGR	VFR FR L L	SIL-L L GRL GRL	10.44 2.16 4.34	7.1 6. 7.2 7.5		

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	 G	G	G	 G				G (Topsoil)
BM1	15-22	G	G		F				F (Subsoil)
BM2	22-40	F	P		G				P (Subsoil)
CCA	40-120	F	P		G				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm THICKNESS RANGE: 10-20 cm

COLOR CHANGE TO SUBSOIL: OBVIOUS
STRIPPING LIMITATIONS: STONY, GRAVELLY
WIND EROSION RISK: LOW 0.017 WATER EROSION K=: RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON LOAM TO FINE SANDY LOAM AND SAND TEXTURED ESKERS, KAMES, DELTAS, FANS, AND MELTWATER CHANNELS. THE DEPTH TO GRAVEL IS VARIABLE. THERE IS OFTEN A VERY THIN (<20 CM), LOAMY EOLIAN OR FLUVIAL VENEER OVER THE GRAVEL. THE GRAVEL CONTAINS LARGE QUANTITIES OF SAND, SILT, STONES AND BOULDERS. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED.

# 09/01/93

SOIL SERIES:

TWEEDSMUIR (TWS)

LANDFORM:

TERRACED

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-5% USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC MODERATELY COARSE FLUVIAL

SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code
AP	0-50	10YR	2/1

Color Name Structure Consistence Texture O.C. pH EC Sat% SAR BLACK

30 cm 10-50 cm

LIGHT OLIVE BROWN

SGR VFR

FSL FSL

8. 0.6 8.1 0.6 34.

50-110

SOIL	QUA	LITY	RA'	TING	S:
Horizo	on	Depth		Cons	iste

AP CK

۰	4	•	+ 3			DCDCII										
-	_	_	_	_	_	_	-	_	_	_	_	_	_	-	-	
								0	_	5	0					
							5	0	_	1	1	0				

)		F							G																					
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		_	_	_	_			_	_	_	_		_	_																

G G G

2.5Y 5/4

nsistence Texture O.C. pH EC Sat% SAR Overall Rating

SGR

F G G F G G

L

F (Topsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:


OBVIOUS VERY THICK LOW 0.032 LOW RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

2.8

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIT	L: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON FINE SANDY LOAM TEXTURED TERRACES AND DISSECTED CHANNELS. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED. B HORIZONS ARE OFTEN VERY THIN OR ABSENT.



## 2.10 Soil Correlation Area #10

## General Description of the Area

- Thick Black Soil Zone of central and east-central Alberta.
- Occurs in the vicinity of Bashaw, Edmonton, Westlock and Vegreville, with the exception
  of the Beaver Hills upland.

## **Ecoregion/Climate**


- Aspen Parkland ecoregion.
- Agroclimate is 2H (slight heat limitation).
- Growing season P-PE= -150 to -250 mm.
- Snow cover persists throughout the winter as the influence of chinooks is rare.

## Soils and Landscapes

- Soils are dominantly Chernozemic with significant Solonetzic and other salt-affected soils.
   Gleysolic soils (sloughs) occur in depressional areas.
- Undulating moraine (till) landscapes are the most common, with blankets and veneers of till over saline-sodic softrock on the Daysland Plain. Glaciolacustrine and glaciofluvial deposits comprise other significant landforms.
- Chernozemic soils have between 15 and 30 cm of a black colored A horizon and is developed to 65 cm. Solonetzic soils are shallower and have less topsoil.

## Soil Reclamation Issues

- Solonetzic soils, shallow soils with saline and sodic softrock, and others with highly saline
  and sodic subsoils may require special soil handling during stripping and trenching.
- Potential soil erosion by water is generally low although the risk varies with local conditions.
- The risk of soil erosion by wind is low except for sandy textured areas where it is high.



## 09/01/93

SOIL SERIES:

ANGUS RIDGE (AGS)

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION: ELUVIATED BLACK

1-15%

CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

MODERATELY FINE TILL PARENT MATERIAL:

SURFACE STONINESS: MODERATELY

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	2/1	BLACK	MFGR	FR	L	4.8	5.7	0.9	53.	0.5
BTJ	15-70	10YR	4/3	BROWN	MMSBK	F	CL		6.5	0.9	39.	3.1
CK	70-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.7	2.	46.	5.5

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рH	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F	G	G	G	F (Topsoil)
BTJ	15-70	F	F		G	G	G	G	F (Subsoil)
CK	70-180	F	F		F	G	G	F	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	VERY THICK LOW 0.020 LOW LOW MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL	: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY LOAM TEXTURED TILL. THIS SOIL IS VERY GOOD FOR AGRICULTURE. CULTIVATION MAY HAVE INCORPORATED THE AE HORIZON INTO THE PLOW LAYER.

## 09/01/93

SOIL SERIES: ANGUS RIDGE-ER (erAGS) LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION: ELUVIATED BLACK

1-15%

PARENT MATERIAL: MODERATELY FINE TILL

CHERNOZEMIC (ERODED)

SURFACE STONINESS: MODERATELY

USUAL SOIL MOISTURE: MESIC

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Structure Consistence Tex			o.c.	pН	EC	Sat% SAR	
AP BTJ	0-10 10-35	10YR 10YR	3/1	VERY DARK GRAY DARK BROWN	MFGR MMSBK	FR F	CL		6.1		40.
CK1	35-55	10YR	5/3	BROWN	MA	F	CL		7.5 8.1	0.6	42. 41.
CK2	120-150	10YR	5/3	BROWN	MA	F	CL		8.4	1.8	44.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AP	0-10	G	F		F	G	G		F (Topsoil)
BTJ	10-35	F	F		G	G	G		F (Subsoil)
CK1	35-55	F	F		F	G	G		F (Subsoil)
CK2	120-150	F	F		F	G	G		F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
5-10	cm
OBVIOUS	
VERY TH	ΙN
LOW	
0.020	
LOW	
LOW	
MODERATE	Ξ

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF ANGUS RIDGE. OFTEN OCCUR ON UPPER SLOPES OR CRESTS OF HILLS.

## **ANGUS RIDGE-GL**

## INTERPRETATION GUIDELINES

**SCA 10** 

## 09/01/93

SOIL SERIES:

ANGUS RIDGE-GL

LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION:

GLEYED ELUVIATED BLACK CHERNOZEMIC

1-15%

PARENT MATERIAL:

USUAL SOIL MOISTURE:

TEMPORARY PONDING

MODERATELY FINE TILL SURFACE STONINESS: MODERATELY

(glAGS)

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure (	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-15	10YR	2/1	BLACK	MMGR	FR	L	3.6	5.6	0.6	66.
BMGJ	15-50	10YR	3/3	DARK BROWN	MFSBK	F	SCL		5.2	0.4	48.
BCGJ	50-130	10YR	5/3	BROWN	MA	F	CL		5.3	0.3	44.

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-15	G	G	G	F	G	F		F (Topsoil)
BMGJ	15-50	F .	F		P	G	G		P (Subsoil)
BCGJ	50-130	F	F		P	G	G		P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED VARIANT OF ANGUS RIDGE. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

NO

NO

NO

NO

NO

NO

NO

YES

#### 09/01/93

SOIL SERIES:

ANGUS RIDGE-SA (saAGS) LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

HUMMOCKY 1-15%

SOIL CLASSIFICATION: ELUVIATED BLACK

USUAL SOIL MOISTURE:

PARENT MATERIAL: MODERATELY FINE TILL

CHERNOZEMIC (SALINE)

SURFACE STONINESS: MODERATELY

TEMPORARY PONDING

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	2/1	BLACK	MFGR	FR	L	3.8	5.6	0.4	53.	1.1
BTJSA	15-40	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		6.	1.3	51.	6.9
CSKSA	40-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.9	9.7	63.	8.4

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	· F	G	G	G	F (Topsoil)
BTJSA	15-40	F	F		F	G	G	F	F (Subsoil)
CSKSA	40-180	F	F		F	P	F	P	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### 25 cm SEASONALLY HIGH W.T.: HARD BEDROCK:

NON-SODIC SOFTROCK:

SODIC SOFTROCK:

TYPICAL THICKNESS: COLOR CHANGE TO SUBSOIL: OBVIOUS
STRIPPING LIMITATIONS: VERY THICK
WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

0.020 LOW LOW MODERATE

GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF ANGUS RIDGE THAT IS SALINE AND/OR SODIC AT OR NEAR THE SURFACE.

# **ANGUS RIDGE-SC**

## INTERPRETATION GUIDELINES

**SCA** 10

#### 09/01/93

SOIL SERIES: SOIL ZONE:

ANGUS RIDGE-SC (scAGS) LANDFORM:

BLANKET, UNDULATING,

THICK BLACK

SOIL CLASSIFICATION: ELUVIATED BLACK

TYPICAL SLOPES:

HUMMOCKY 1-15%

CHERNOZEMIC (SALINE LOWER

USUAL SOIL MOISTURE: TEMPORARY PONDING

SUBSOIL)

SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

Horizon Depth Col		Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-10	10YR	2/1	BLACK	MFGR	FR	L	4.8	5.2	0.7	52.	0.8
BTJ	10-50	10YR	4/3	BROWN-DARK BROWN	MMSBK	F	CL		5.7	1.2	41.	3.6
CSK	50-180	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.8	7.7	43.	9.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G	G	P	G	G	G	P (Topsoil)
BTJ	10-50	F	F		F	G	G	G	F (Subsoil)
CSK	50-180	F	F		F	P	G	P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	25 cm 20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

VARIANT OF ANGUS RIDGE WITH SALINE LOWER SUBSOIL. THE BTJ HORIOZN IS NOTES: NON SALINE-SODIC. THE C HORIZON IS MODERATELY TO STRONGLY SALINE AND SODIC.

# **ANGUS RIDGE-ST**

## INTERPRETATION GUIDELINES

SCA 10

## 09/01/93

SOIL SERIES: ANGUS RIDGE-ST (stAGS) LANDFORM:

BLANKET, UNDULATING,

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION: ELUVIATED BLACK

CHERNOZEMIC

1-15%

PARENT MATERIAL:

STONY, MODERATELY FINE SURFACE STONINESS: EXCEEDINGLY

USUAL SOIL MOISTURE: MESIC

TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-20	10YR	2/1	BLACK	MMGR	FR	STSL		7.	0.27	
BM	20-50	2.5Y	4/4	OLIVE BROWN	MMSBK	F	STSCL		7.	0.2	
CK	50-180	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	STCL		7.6	0.22	

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	Р		G	G			P (Topsoil)
BM	20-50	F	P		G	G			P (Subsoil)
CK	50-180	F	P		F	G			P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

MYDIGNI MILICKNIEGG.

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

CEACONALLY HIGH W. m.

TYPICAL THICKNESS:	25 CM	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	20-40 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	STONY, VERY THICK	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.020	STONY LAYER:	YES
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ANGUS RIDGE THAT IS STONIER THAN NORMAL.

#### 09/01/93

SOIL SERIES:

ARMENA

(ARM)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

SLIGHTLY

LACUSTRINE/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рн н	C Sat% SAR
AH	0-10	10YRm 3/1	VERY DARK GRAY	WFGR	FR	SL	5.43	6.9	
AE	10-13	2.5Ym 4/4	OLIVE BROWN	WFPL	FR	SL	1.77	6.9	
BNT	13-30	10YRm 3/1	VERY DARK GRAY	SCCOL	VF	SCL	1.76	8.7	
2CKSAG	30-120	2.5Ym 4/4	OLIVE BROWN	MA	F	SL		8.7	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рH	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G	G	G				G (Topsoil)
AE	10-13	G	G	F	G				F (Topsoil)
BNT	13-30	P	F		P				P (Subsoil)
2CKSAG	30-120	F	G		P				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm
10-20 cm
NOT OBVIOUS
NONE
HIGH
0.040
LOW
MODERATE
HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

THESE SOILS ARE DEVELOPED ON MODERATELY FINE TEXTURED FLUVIAL OR NOTES: LACUSTRINE DEPOSITS OVERLYING MODERATELY FINE TEXTURED TILL. THERE IS OFTEN A LIGHTER COLORED, PLATY AE HORIZON BETWEEN THE AH AND BNT HORIZONS WHICH WILL HELP IN SEPARATING TOPSOILS FROM SUBSOILS. THE BNT MATERIAL IS UNDESIRABLE. THE LOWER SUBSOIL IS SALINE AND SODIC. THESE SOILS OFTEN EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

## 09/01/93

SOIL SERIES: BAWLF

(BWF) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

NON

GLACIOLACUSTRINE

## TYPICAL SOIL PROFILE:

Horizon	izon Depth Color Code		Color Name	Structure	Texture	o.c.	рН	EC	Sat% SAR		
AP CK	0-20 20-100	10YR 2.5Y		BLACK OLIVE BROWN	WFGR MA	FR F	L-SIL SICL		6.2 8.		32. 43.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence Texture		xture O.C. pH EC		EC	Sat% S		Overall Rating
AP CK	0-20 20-100	G F	G F		F F		G G		F (Topsoil) F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.030
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SILT LOAM TO SILTY CLAY LOAM TEXTURED MATERIAL.

## 09/01/93

SOIL SERIES:

BAWLF-XT

(xtBWF)

LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS: MESIC NON

MODERATELY FINE

GLACIOLACUSTRINE/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth Color Code		Color Name	Structure C	ce Texture	o.c.	рН	EC Sat% SAR		
AP .	0-20 20-70	10YR 10YR	2/1	BLACK OLIVE BROWN	WFGR MA	FR	L-SIL SICL		6.2	32.
2CK	70-100	10YR	5/4	LIGHT OLIVE BROWN	MA	F	FSCL-CL		8.4	42.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence		onsistence Tex		O.C. pH EC		EC	Sat%	SAR	0ve:	Overall Rating	
AP.	0-20		G		G		F		G		F	(Topsoil)	
CK	20-70		F		F		F		G		F	(Subsoil)	
2CK	70-100		F		F		F		G		F	(Subsoil)	

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.030
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BAWLF WITH MODERATELY FINE TEXTURED TILL AT LESS THAN 1 M BELOW THE SURFACE.

## 09/01/93

SOIL SERIES: BEAVERHILLS (BVH) LANDFORM: SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

BLANKET 6-30% USUAL SOIL MOISTURE: MESIC

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

	Depth	Color Code				Structure Consistence Texture		o.c.	рН	EC	Sat%	SAR		
AP	0-10	10YR	2/1		BLACK		MMGR	FR	L		6.2	0.3	54.	0.4
BM	10-50	10YR	4/4	DARK	YELLOWISH	BROWN	MFSBK	F	CL		7.1	0.5	52.	0.5
CK	50-120	10YR	4/3		BROWN		MA	F	CL		8.1	0.4	47.	0.6

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G		F	G	G	G	F (Topsoil)
BM	10-50	F	F		G	G	G	G	F (Subsoil)
CK	50-120	F	F		F	G	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CLAY LOAM TEXTURED TILL.

## 09/01/93

SOIL SERIES:

BEAVERHILLS-CR (crBVH) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

6-30% USUAL SOIL MOISTURE: TEMPOARY PONDING

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

(CARBONATED)

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture		e Texture	o.c.	рН	EC	Sat% SAR
APK .	0-30	10YR	2/1	BLACK	MFGR	FR	SIL		8.3	0.6	61.
BMK	30-45	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	SIL		8.	0.9	61.
CCA	45-75	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	SICL		8.1	0.6	52.
CK	75-400	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.2	0.7	43.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
APK	0-30	G	G		F	G	F		F (Topsoil)
BMK	30-45	F	G		F	G	F		F (Subsoil)
CCA	45-75	F	F		F	G	G		F (Subsoil)
CK	75-400	F	F		F	G	G		F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	ИО
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CARBONATED VARIANT OF BEAVERHILLS.

## 09/01/93

SOIL SERIES: BEAVERHILLS-ER (erBVH) LANDFORM:

(ERODED)

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name		Structure Consistence		рН	EC	Sat% SAR
AP BM	0-8 20-35		3/2 3/3	VERY DARK GRAYISH BROWN DARK BROWN		FR FR	L L	6.7	0.2	40.
CCA	50-100	10YR	5/3	BROWN	MA	F	CL	8.4	1.4	47.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-8	G	G		G	G	G		G (Topsoil)
BM	20-35	G	G		G	G	G		G (Subsoil)
CCA	50-100	F	F		F	G	G ·		F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	10 cm 5-20 cm OBVIOUS VERY THIN, DISCONTINUOUS
WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	LOW 0.026 LOW LOW MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF BEAVERHILLS.

SCA 10

## 09/01/93

SOIL SERIES:

BEAVERHILLS-SA (saBVH)

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

LANDFORM:

1-5%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: TEMPORARY PONDING

(SALINE)

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

## TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH BMSA	0-10 10-30	10YR 10YR	2/1	BLACK DARK YELLOWISH BROWN	MMGR MFSBK	FR F	Ľ CL		6.1 7.5	0.6	70. 54.	
CSK	30-100	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.3	8.	48.	5.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G		F	G	F	G	F (Topsoil)
BMSA	10-30	F	F		G	F	G	F	F (Subsoil)
CSK	30-100	F	F		F	P	G	F	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BEAVERHILLS THAT IS SALINE AND/OR SODIC AT OR NEAR THE SURFACE.

## **BEAVERHILLS-SC**

## INTERPRETATION GUIDELINES

SCA 10

## 09/01/93

SOIL SERIES:

BEAVERHILLS-SC (scBVH) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

(SALINE LOWER SUBSOIL)

USUAL SOIL MOISTURE: TEMPORARY PONDING

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

0-20 10YR 3/1 VERY DARK GRAY SGR FR SIL 6. 0.2 45. 20-50 10YR 4/4 DARK YELLOWISH BROWN FR SICL WMSBK 7.6 0.4 39. RM CL 70-100 10YR 4/2 DARK GRAYISH BROWN MA F 8.2 9.2 42. 5.2

SOIL OUALITY RATINGS:

O.C. pH EC Sat% SAR Horizon Depth Consistence Texture Overall Rating G G F AP 0-20 G G F (Topsoil) 20-50 G F F G G F (Subsoil) F CCASA 70-100 F P G F F P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

20 cm 10-35 cm OBVIOUS LOW 0.026 LOW LOW

MODERATE

SEASONALLY HIGH W.T.: HARD BEDROCK. NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: GRAVEL: STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES:

VARIANT OF BEAVERHILLS WITH A SALINE LOWER SUBSOIL. THE BM HORIZON IS NON SALINE-SODIC. THE C HORIZON IS MODERATELY TO STRONGLY SALINE AND

. .

SODIC.

**SCA** 10

## 09/01/93

SOIL SERIES:

CAMROSE

(CMO)

LANDFORM:

BLANKET 1-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon Depth Color Code

Color Name

Structure Consistence Texture O.C. pH EC Sat% SAR

0-18 10YR 2/1 BLACK 36-180 2.5Y 4/4 OLIVE BROWN 18-36 10YR 3/3

DARK BROWN

SMCOL MA

G

P

VF CL F CL

MFGR FR L 3.4 5.4 0.9 49. 9.3 7.5 5.8 84.40.4

7.8 12.9 64. 35.1

SOIL QUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

G . G P

F

G

P

P (Topsoil) U (Subsoil)

18-36 36-180 CSK F F G F

U U F U II (Subsoil)

P

## TOPSOIL INTERPRETATIONS:

0-18 G

P

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 20 cm 15-35 cm NOT OBVIOUS NONE LOW

0.036 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

THE BNT HORIZON IS UNDESIREABLE. SEPARATION OF TOPSOIL FROM SUBSOIL IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT. THE LOWER SUBSOIL IS SALINE AND SODIC.

SCA 10

## 09/01/93

SOIL SERIES: (glCMO) LANDFORM: CAMROSE-GL SOIL ZONE: THICK BLACK

SOIL CLASSIFICATION: GLEYED BLACK SOLODIZED

SOLONETZ

MODERATELY FINE TILL PARENT MATERIAL:

TYPICAL SLOPES:

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

MODERATELY

BLANKET

1-5%

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat% S	SAR
AP BNTGJ	0-13 23-45	10YR 10YR	2/1 4/2	BLACK DARK GRAYISH BROWN	MFGR COL	FR VF	L CL	4.3	6.2 7.	0.4	44. 58.	
CSKGJ1	45-70	2.5Y	4/4	OLIVE BROWN	MA	F-VF	CL		7.8	0.6	61.	4.4
CSKGJ2	70-150	2.5Y	4/4	OLIVE BROWN	MA	F-VF	CL		7.9	0.8	60.	7.3

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP BNTGJ	0-13 23-45	G P	G F	G	F G	G G	G G		F (Topsoil) P (Subsoil)
CSKGJ1	45-70	P	F		F	G	F	F	P (Subsoil)
CSKGJ2	70-150	P	F		F	G	F	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-35
COLOR CHANGE TO SUBSOIL:	NOT OBV
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.036
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATI
RISK ON 9-15% SLOPE:	HIGH

30	CM	
.5-3	35	cm
TO	OBV	ZUOUS
IONE	S	
WOL		

Ε

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED VARIANT OF CAMROSE. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND GENERALLY

OCCUR IN LOWER LANDSCAPE POSTIONS.

**SCA** 10

#### 09/01/93

SOIL SERIES:

CAMROSE-GLXP

LANDFORM:

VENEER

SOIL ZONE:

(glxpCMO)
THICK BLACK

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION:

GLEYED BLACK SOLODIZED

SURFACE STONINESS:

MODERATELY

SOLONETZ

PARENT MATERIAL:

MODERATELY FINE TILL/SOFTROCK

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Co	onsistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-18	10YR	2/1	BLACK	MFGR	FR	L	4.2	6.5	0.4	52.	
BNTGJ	18-40	10YR	4/2	DARK GRAYISH BROWN	COL	VF	CL		7.3	0.7	84.	8.
2CSKGJ	40-150	2.5Y	4/4	OLIVE BROWN	MA	F	SICL		8.2	0.6	178.	8.8

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G	G	G	G	G		G (Topsoil)
BNTGJ	18-40	P	F		G	G	P	P	P (Subsoil)
2CSKGJ	40-150	F	F		F	G	U	P	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm 15-35 cm NOT OBVIOUS NONE LOW 0.036

0.036 LOW MODERATE HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: YES GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: GLEYED VARIANT OF CAMROSE HAVING SOFTROCK AT LESS THAN 1 M BELOW THE SURFACE.
THE TEXTURE CHANGE BETWEEN MATERIALS IS NOT SIGNIFICANT. BOTH THE TILL AND THE
WEATHERED BEDROCK IS SALINE AND SODIC.

## 09/01/93

SOIL SERIES:

CAMROSE-SA (saCMO) LANDFORM:

(SALINE)

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ

USUAL SOIL MOISTURE: SURFACE STONINESS: MODERATELY

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat% SAR
AP	0-25	10YR	2/1	BLACK	MMGR	FR	L	4.4	7.2	3.7	2.6
BNTSA	25-43	10YR	3/2	VERY DARK GRAYISH BROWN	COL	VF	CL-C		7.5	6.7	6.3
CSK	43-160	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		7.6	6.7	6.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	G	F		G	F (Topsoil)
BNTSA	25-43	P	P		G	P		F	P (Subsoil)
CSK	43-160	F	F		F	P		F	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RICK ON 9-15% SLOPE.

20 cı	m
15-35	cm
O TON	BVIOUS
NONE	
LOW	
0.036	

LOW MODERATE HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CAMROSE THAT IS SALINE AND/OR SODIC AT OR NEAR THE SURFACE.

## 09/01/93

SOIL SERIES: CAMROSE-ST (stCMO) LANDFORM:

BLANKET

SOIL ZONE:

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ

THICK BLACK

TYPICAL SLOPES:

1-5%

PARENT MATERIAL:

STONY, MODERATELY FINE

USUAL SOIL MOISTURE: TEMPORARY PONDING

SURFACE STONINESS: EXCEEDINGLY

TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Name Structure Consistence Texture O.C		O.C.	рН	EC	Sat% SAR	
AP	0-10	10YR	2/1	BLACK	MFGR	FR	STL		7.1	6.8	63.
BNT	10-20	10YR	3/2	VERY DARK GRAYISH BROWN	COL	VF	STCL		8.	6.9	64. 14.7
CSK	20-100	2.5Y	4/4	OLIVE BROWN	MA	F	STCL		8.5	6.7	98. 22.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	P		G	P	F		P (Topsoil)
BNT	10-20	P	P		F	P	F	U	U (Subsoil)
CSK	20-100	F	P		F	P	P	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm	ı
15-35	cm
NOT OB	VIOUS
STONY	
LOW	
0.036	
LOW	
MODERA	TE

HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CAMPOSE THAT IS STONIER THAN NORMAL.

## 09/01/93

SOIL SERIES: CUCUMBER (CCB) LANDFORM: BLANKET
SOIL ZONE: THICK BLACK TYPICAL SLOPES: 0-5%
SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC USUAL SOIL MOISTURE: MOIST
PARENT MATERIAL: FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Code Color Name			Consistence		o.c.	рН	EC	Sat%	SAR
AP	0-17	10YR	3/2		MFGR	FR	SICL	2.84	6.4				
BM	17-45	10YR	5/4	YELLOWISH BROWN	MFSBK	F	С	0.93	7.7				
CK	45-100	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	SICL		8.2	1.2	62.	4.	

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	F	G	F				F (Topsoil)
BM	17-45	F	P		F				P (Subsoil)
CK	45-100	F	F		F	G	F	F	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.013	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILTY CLAY LOAM TO CLAY TEXTURED MATERIAL. THE LOWER SUBSOIL MAY BE WEAKLY SODIC BUT NOT SALINE.

#### 09/01/93

SOIL SERIES: SOIL ZONE:

DEMAY

(DMY)

LANDFORM:

BLANKET, LEVEL,

THICK BLACK

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: PARENT MATERIAL:

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

DEPRESSIONAL WATERTABLE / PONDING

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure C	onsistenc	e Texture	o.c.	рН	EC	Sat% SAR
AP	0-10	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	SIL		6.3	0.4	37.
BTG	20-50	10YR	3/3	DARK BROWN	MMSBK	F	SICL		6.9	0.4	42.
CKG	50-110	10YR	5/3	BROWN	MA	F	CL		8.	0.5	39.

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G		F	G	G		F (Topsoil)
BTG	.20-50.	F	F		G	G	G		F (Subsoil)
CKG	50-110	F	F		F	G	G		F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY LOAM TEXTURED TILL. SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. THIN TOPSOIL MAY BE DIFFICULT TO REMOVE. AE HORIZONS ARE OFTEN INCORPORATED INTO THE PLOW LAYER.

cm 0-10

OBVIOUS

cm

WETNESS, VERY THIN

## 09/01/93

SOIL SERIES: DESJARLAIS-ZR (zrDSJ) LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

PARENT MATERIAL:

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

(CARBONATED, SALINE)

MODERATELY COARSE GLACIOFLUVIAL

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		olor Code Color Name		Consistence	Texture	O.C.	рН	EC	Sat% SA
APKSA	0-50	10YR	2/1	BLACK	MFGR	FR	SL	9.4	7.7	7.3	65. 10
CSKG1	50-70	10YR	6/2	LIGHT BROWNISH GRAY	STRAT	VFR	SL-LS		8.4	1.1	43. 5
CSKG2	70-140	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	LS		8.4	0.7	29. 2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APKSA	0-50	G	G	G	F	P	F	P	P (Topsoil)
CSKG1	50-70	G	P		F	G	G	F	P (Subsoil)
CSKG2	70-140	F	P		F	G	F	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	20-50 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS, VERY THICK
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REGO VARIANT OF DESJARLAIS. THESE SOILS HAVE NO B HORIZON.

## 09/01/93

SOIL SERIES:

DUAGH

(DUG)

LANDFORM:

BLANKET 0-2%

SOIL CLASSIFICATION: BLACK SOLONETZ

THICK BLACK

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-16 16-32	10YR	2/1	BLACK VERY DARK GRAYISH BROWN	MFGR	FR VF	SICL	3.3	6.5	1.	67. 84.	
CK	32-55	10YR	4/3	BROWN-DARK BROWN	MA	F	C		7.9	0.8	94.	
CSK	55-155	10YR	4/3	BROWN-DARK BROWN	MA	F	С		7.6	4.	92.	2.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-16	G	F	G	G	G	F	G	F (Topsoil)
BNT	16-32	Ρ.	P		G	, G	P	G	P (Subsoil)
CK	32-55	F	P		F	G	P	G	P (Subsoil)
CSK	55-155	F	P		F	F	P	G	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20 cm	
NOT OBVIOUS	
NONE	
LOW	
0.034	
LOW	
MODERATE	
HIGH	

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE SOLONTZIC B HORIZON IS UNDESIREABLE. SEPARATING THE TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS SALINE AND SODIC. THESE SOILS HAVE NO AE HORIZON BETWEEN THE TOPSOIL AND SUBSOIL.

## 09/01/93

SOIL SERIES:

DUAGH-GL

(glDUG) LANDFORM:

BLANKET 0-2%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED BLACK SOLONETZ FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Torizon Depth Color Code Color Name		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
AH BNTGJ	0-12 12-50	10YR 10YR	4/1 4/2	DARK GRAY DARK GRAYISH BROWN	MFGR SCSBK	FR VF	L . L	4.5	7.9	5.6 9.1	8.3
CSAKGJ1 CSAKGJ2	50-75 75-100	10YR 10YR	4/2 4/2	DARK GRAYISH BROWN		F F	SIL		8. 7.8	10.3 7.6	16.8 12.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-12	G	G	G	F	P		P	P (Topsoil)
BNTGJ	12-50	P	G		F	P		U	U (Subsoil)
CSAKGJ	50-75	F	G		F	U		U	U (Subsoil)
CSAKGJ	75-100	F	F		F	P		U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20 cm	
NOT OBVIOUS	
NONE	
LOW	
0.034	
LOW	
MODERATE	

HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED VARIANT OF DUAGH. THESE SOILS ARE ALL IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

#### 09/01/93

SOIL SERIES:

EDBURG

(EDG)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO BLACK CHERNOZEMIC

MODERATELY FINE TILL

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

0-30 10YR 2/1 BLACK MFGR FR L 3.2 6.5 0.4 40. 1. 30-100 10YR 4/4 DARK YELLOWISH BROWN MA F CL 8. 8.9 47. 13.8 8. 8.9 47. 13.8

SOIL QUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

F

P

30-100 F

0-30 G G G F

G G G G

G (Topsoil)

U (Subsoil)

NO

NO

NO

NO

NO

NO

NO

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 20-30 OBVIOUS

NONE LOW 0.030 LOW

CM

LOW

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

U

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK:

GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON:

SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

THESE SOILS ARE DEVELOPED ON MODERATELY FINE TEXTURED TILL. TOPSOILS NOTES: ARE EASILY DISTINGUISHED FROM SUBSOILS BY COLOR.

## 09/01/93

SOIL SERIES: SOIL ZONE:

FERINTOSH (FTH) THICK BLACK

LANDFORM:

TERRACE TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

PARENT MATERIAL:

GRAVELLY, MODERATELY COARSE GLACIOFLUVIAL

NON

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR VFR SL 0-30 10YR 2/1 BLACK WFGR 5.8 0.4 30. 0.4 30-50 10YR 4/4 DARK YELLOWISH BROWN SGR L VGS 7. 0.4 24. 0.3 BROWN 50-120 10YR 5/3 SGR L VGS 7.7 0.5 22. 0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-30	G	G		F	G	F	G	F (Topsoil)
BM	30-50	F	U		G	G	F	G	U (Subsoil)
CK	50-120	F	U		F	G	F	G	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: COLOR CHANGE TO SUBSOIL: OBVIOUS
STRIPPING LIMITATIONS: GRAVELLY, VERY THICK
WIND EROSION RISK. WATER EROSION K=: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

30 cm 20-40 cm

0.026 LOW LOW MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: SANDY LOAM TEXTURED MATERIAL OVERLIES GRAVEL AT VARIOUS DEPTHS. THE TOPSOIL MAY OR MAY NOT BE GRAVELLY. THESE SOILS HAVE DEVELOPED ON OUTWASH MATERIALS DEPOSITED EITHER IN A STREAM TRENCH OR ALONG ITS SLOPES. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED.

## 09/01/93

SOIL SERIES:

HAIGHT

(HGT)

LANDFORM:

LEVEL 0-1%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: FINE GLACIOLACUSTRINE

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	L	3.	6.	1.1	47.	0.1
BTG	15-80	10YR	5/3	BROWN	MFSBK	F	C		6.9	0.4	61.	0.3
BCG	80-140	10YR	5/2	GRAYISH BROWN	MA	F	C		6.4	0.1	59.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рн	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F	G	G	G	F (Topsoil)
BTG	15-80	F	P		G	G	F	G	P (Subsoil)
BCG	80-140	F	P		F	G	G	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm 15-60 cm NOT OBVIOUS WETNESS, VERY THICK

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE FINE TEXTURED AND WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES: HAIRY HILL (HYL) LANDFORM: LEVEL SOIL ZONE: THICK BLACK TYPICAL SLOPES: 0-1%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

(CARBONATED, SALINE) SURFACE STONINESS: NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

PARENT MATERIAL: MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Depth Color Code Color Name		Structure (	Consistence	o.c.	рН	EC	Sat%	SAR		
APSAK	0-22	10YR	2/1	BLACK	MFGR	FR	L	4.3	8.	9.2	60.	13.
CSKG1	22-45	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		7.8	10.8	60.	15.
CSKG2	45-180	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.	11.3	46.	15.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
APSAK	0-22	G	G	G	F	U	F	U	U (Topsoil)
CSKG1	22-45	F	F		F	U	F	U	U (Subsoil)
CSKG2	45-180	F	F		F	U	G '	U	U (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=:	20 cm 10-35 cm OBVIOUS WETNESS	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER:	ALL NO NO NO NO
RISK ON <5% SLOPE:	_	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	YES NO

NOTES: MODERATELY TO STRONGLY SALINE AND SODIC TO THE SURFACE. SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

ALL

## 09/01/93

SOIL SERIES:

HERCULES

(HRL)

LANDFORM:

LEVEL 0-1%

SOIL ZONE:

THICK BLACK

SOIL CLASSIFICATION:

ORTHIC HUMIC GLEYSOL

TYPICAL SLOPES: USUAL SOIL MOISTURE:

WATERTABLE / PONDING

(SALINE)

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Co	onsistence	Texture	o.c.	рН	EC	Sat%	SAR
APK	0-20	10YR	2/1	BLACK	MFGR	FR	SICL	4.4	7.5	3.2	108.	0.4
AHSAK	20-55	10YR	2/1	BLACK	MFGR	FR	SICL	0.9	7.9	6.4	54.	1.9
BSKG	55-85	10YR	5/1	GRAY	MA	F	SICL		8.1	8.	62.	3.3
CSKG	85-130	10YR	5/1	GRAY	MA	F	SICL		8.	8.	62.	3.5

### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-20	G	F	G	G	F	Р	G	P (Topsoil)
AHSAK	20-55	G	F	G	F	P	G	G	P (Topsoil)
BSKG	55-85	F	F		F	P	F	G	P (Subsoil)
CSKG	85-130	F	F		F	P	F	G	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

40	cm		
30-5	5	cm	
TOV	OBVI	OUS	
METN	IESS.	VERY	F

NOT OBVIOUS	
WETNESS, VERY THIC	CK

HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:

SOILS ARE MODERATELY SALINE AND SODIC TO THE SURFACE. SOILS ARE FINE NOTES: TEXTURED AND WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES:

HOBBEMA

(HBM)

LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: ELUVIATED BLACK

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL/TILL OR

SURFACE STONINESS:

NON

CHERNOZEMIC LACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth Col		Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AP	0-13	10YR	2/1	BLACK	MFGR	FR	L	3.	6.5	0.3	51.	0.2
BM	13-35	10YR	5/4	YELLOWISH BROWN	WFSBK	F	L		5.5	0.2	44.	0.4
2BT	35-85	10YR	3/4	DARK YELLOWISH BROWN	MFSBK	F	CL		5.5	0.2	43.	0.7
2CK	85-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		7.9	0.4	49.	0.9

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-13	G	G		 G	G	 G	 G	G (Topsoil)
BM	13-35	F	G		F	G	G	G	F (Subsoil)
2BT	35-85	F	F		F	G	G	G	F (Subsoil)
2CK	85-120	F	F		F	G	G	G	F (Subsoil)

### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

THESE SOILS ARE DEVELOPED ON SILTY CLAY LOAM GRADING TO SILT LOAM TEXTURED VENEERS WITH CLAY LOAM TILL OCCURRING ABOUT 30 TO 70 CM BELOW THE SURFACE. IN CULTIVATED AREAS, THE AE HORIZON IS USUALLY INCORPORATED INTO THE SLOW LAYER (AP HORIZON). THESE SOILS ARE ASSOCIATED WITH STREAM CHANNELS.

## 09/01/93

SOIL SERIES:

HOBBEMA-SA

(saHBM)

LANDFORM:

VENEER 0-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: ELUVIATED BLACK

CHERNOZEMIC (SALINE)

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

FLUVIAL OR LACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Color Name	Structure C	onsistence	Texture	O.C.	pН	EC	Sat%	SAR
AP ·	0-23	10YR	2/1	BLACK	MFGR	FR	L	4.6	7.4	0.4	57.	1.4
BMSA	23-60	10YR	5/4	YELLOWISH BROWN	WFSBK	F	SICL	0.8	7.4	12.	52.	7.8
CSK	60-90	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	SICL		8.2	12.	45.	8.3
2CSK	90-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	7.8	34.	6.9

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-23	G	G	G	G	G	G	G	G (Topsoil)
BMSA	23-60	F	F		G	U	G	F	U (Subsoil)
CSK	60-90	F	F		F	U	G	P	U (Subsoil)
2CSK	90-120	F	F		F	P	G	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HOBBEMA THAT IS MODERATELY TO STRONGLY SALINE AND/OR SODIC AT OR NEAR THE SURFACE.

SPR

NO

NO

NO

NO

NO

NO

YES

NO

#### 09/01/93

SOIL SERIES:

HOBBEMA-SC (scHBM) LANDFORM:

VENEER 0-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

SOIL CLASSIFICATION: ELUVIATED BLACK

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SUBSOIL)

CHERNOZEMIC (SALINE LOWER SURFACE STONINESS:

NON

PARENT MATERIAL:

FLUVIAL OR LACUSTRINE/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	o.c.	рН	EC	Sat%	SAR		
AP	0-32	10YR	2/1	BLACK	MFGR	FR	L	4.8	7.1	0.4	59.	0.4
BM	32-70	10YR	5/4	YELLOWISH BROWN	MFSBK	FR	L		7.8	1.2	46.	1.6
CSK	70-110	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	L		8.1	7.1	53.	3.3
2CSK	110-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	6.4	36.	3.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	На	EC	Sat%	SAR	Overall Rating		
HOI 12011	Depth				pn				Overall Racing		
AP	0-32	G	G	G	G	G	G	G	G (Topsoil)		
BM	32-70	G	G		F	G	G	G	F (Subsoil)		
CSK	70-110	F	G		F	P	G	G	P (Subsoil)		
2CSK	110-120	F	F		F	P	G	G	P (Subsoil)		

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: LOW WATER EROSION K=: 0.032 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

20 cm 15-30 cm

NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY:

HARD BEDROCK:

SEASONALLY HIGH W.T.:

SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF HOBBEMA WITH LOWER SUBSOIL SALINITY. THE BM HORIZON IS NON SALINE-SODIC. THE LOWER SUBSOIL (C HORIZON) IS MODERATELY SALINE AND

WEAKLY SODIC.

#### 09/01/93

SOIL SERIES:

JEFFREY

(JFF)

LANDFORM:

BLANKET 1-2%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

SOIL CLASSIFICATION:

MEDIUM FLUVIAL OR

GLEYED ELUVIATED BLACK

LACUSTRINE

#### TYPICAL SOIL PROFILE:

Depth Color Code		Color Name	Structure Consistence		Texture	O.C.	рН	EC	Sat%	SAR	
0-25	10YR	2/1	BLACK	MFGR	FR	L	2.1	6.7	0.3	44.	1.2
30-50	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	L	0.4	6.9	0.3	40.	1.3
50-100	10YR	5/4	YELLOWISH BROWN	WFSBK	F	L-SIL		6.9	0.3	49.	4.7
100-120	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	L-SIL		7.8	0.6	55.	7.3
	0-25 30-50 50-100	0-25 10YR 30-50 10YR 50-100 10YR	0-25 10YR 2/1 30-50 10YR 4/4 50-100 10YR 5/4	0-25 10YR 2/1 BLACK 30-50 10YR 4/4 DARK YELLOWISH BROWN 50-100 10YR 5/4 YELLOWISH BROWN	0-25 10YR 2/1 BLACK MFGR 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK 50-100 10YR 5/4 YELLOWISH BROWN WFSBK	0-25 10YR 2/1 BLACK MFGR FR 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK F 50-100 10YR 5/4 YELLOWISH BROWN WFSBK F	0-25 10YR 2/1 BLACK MFGR FR L 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK F L 50-100 10YR 5/4 YELLOWISH BROWN WFSBK F L-SIL	0-25 10YR 2/1 BLACK MFGR FR L 2.1 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK F L 0.4 50-100 10YR 5/4 YELLOWISH BROWN WFSBK F L-SIL	0-25 10YR 2/1 BLACK MFGR FR L 2.1 6.7 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK F L 0.4 6.9 50-100 10YR 5/4 YELLOWISH BROWN WFSBK F L-SIL 6.9	0-25 10YR 2/1 BLACK MFGR FR L 2.1 6.7 0.3 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK F L 0.4 6.9 0.3 50-100 10YR 5/4 YELLOWISH BROWN WFSBK F L-SIL 6.9 0.3	0-25 10YR 2/1 BLACK MFGR FR L 2.1 6.7 0.3 44. 30-50 10YR 4/4 DARK YELLOWISH BROWN MFSBK F L 0.4 6.9 0.3 40. 50-100 10YR 5/4 YELLOWISH BROWN WFSBK F L-SIL 6.9 0.3 49.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC .	Sat%	SAR	Overall Rating	
AP	0-25	G	G	G	G	G	G	G	G (Topsoil)	
BGJ	30-50	F	G		G	G	G	G	F (Subsoil)	
BCGJ	50-100	F	G		G	G	G	F	F (Subsoil)	
CKGJ	100-120	F	G		F	G	G	F	F (Subsoil)	

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 20-30 OBVIOUS NONE LOW 0.026 LOW

LOW

MODERATE

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO **GRAVEL:** NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: IN CULTIVATED AREAS, THE AE HORIZON IS OFTEN INCORPORATED INTO THE PLOW LAYER (AP HORIZON). THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES AND OCCUR IN LOWER LANDSCAPE POSITIONS.

YES

#### 09/01/93

SOIL SERIES: KAVANAGH (KVG) LANDFORM: BLANKET SOIL ZONE: THICK BLACK TYPICAL SLOPES: 2-5%

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: MODERATELY FINE SOFTROCK SURFACE STONINESS: SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	~		lor Code Color Name			Consistence		-	EC	Sat% SAR
AP	0-22	10YR	3/2		MMSBK	F	CL			63. 4.7
BNT	22-45	10YR	3/3	DARK BROWN	WMCOL	VF	C	7.5	2.6	84. 10.6
CSK	45-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	С	7.6	7.2	98. 9.9

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating				
AP	0-22	P	F		G	G	F	F	P (Topsoil)				
BNT	22-45	P	P		G	G	P	P	P (Subsoil)				
CSK	45-100	F	P		F	Ρ .	P	P	P (Subsoil)				

#### TOPSOIL INTERPRETATIONS:

#### TYPICAL THICKNESS: 20 cm SEASONALLY HIGH W.T.: SPR THICKNESS RANGE: 15-25 cm HARD BEDROCK: NO COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE NON-SODIC SOFTROCK: NO SODIC SOFTROCK: YES WIND EROSION RISK: LOW GRAVEL: NO WATER EROSION K=: 0.040 STONY LAYER: NO NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

RISK ON <5% SLOPE: FACE INSTABILITY: TIOW RISK ON 5-9% SLOPE: MODERATE SOLONETZIC B HORIZON: RISK ON 9-15% SLOPE: HIGH SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE: NO

DEVELOPED ON SILTY CLAY LOAM TO CLAY TEXTURED SOFTROCK. THE BNT NOTES: HORIZON UNDESIREABLE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HOEIZON IS PRESENT. IN CULTIVATED AREAS, THE AE HORIZON IS USUALLY INCORPORATED INTO THE PLOW LAYER (AP HORIZON). THE LOWER SUBSOIL IS SALINE AND SODIC.

NO NO NO NO NO NO

NO

NO

## 09/01/93

SOIL SERIES:

MALMO

(MMO)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION:

ELUVIATED BLACK

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE:

MOIST

CHERNOZEMIC

NOZEMIC SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SUBSOIL:

# PARENT MATERIAL: TYPICAL SOIL PROFILE:

	on Depth Color Code		Color Name	Color Name Structure		Consistence Texture		рН	EC	Sat%	SAR	
AP	0-20		2/1	BLACK	MFGR	FR	L	5.	6.	0.5	59.	0.2
BTJ	20-100	10YR	3/3	DARK BROWN	SFSBK	F	SICL		6.2	0.4	41.	0.7
CK	100-180	10YR	4/2 D	ARK GRAYISH BROWN	MA	F	SICL		7.6	0.9	44.	0.7

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	G	G	F	G	G	G	F (Topsoil)
BTJ	20-100	F	F		F	G	G	G	F (Subsoil)
CK	100-180	F	F		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=:	25 cm 20-30 cm NOT OBVIOUS NONE LOW 0.021	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER:
RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	LOW LOW MODERATE	FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBS IMPORTANT TEXTURE CHANGE:

NOTES:

MALMO SOILS SOMETIMES HAVE A LIGHTER COLORED, PLATY AE HORIZON BETWEEN THE TOPSOIL AND SUBSOIL. HOWEVER, IN CULTIVATED AREAS, THE AE HORIZON IS USUALLY INCORPORATED INTO THE PLOW LAYER (AP HORIZON).

# 09/01/93

SOIL SERIES: MENAIK (MAK) LANDFORM: LEVEL SOIL ZONE: THICK BLACK TYPICAL SLOPES: 0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: MEDIUM FLUVIAL SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth Color Code			Color Name	Structure	Consistence	tence Texture		рН	EC	Sat% SAR	
					MEGE	77		2				
APK	0-30	10YR	2/1	BLACK	MFGR	FR	L	3.5	8.3	0.8	57.	0.3
CKG1	30-50	10YR	5/3	BROWN	STRAT	FR	SICL		8.8	0.6	73.	1.1
CKG2	50-140	10YR	5/6	YELLOWISH BROWN	STRAT	FR	SL		8.7	0.7	25.	3.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-30	G	G	G	F	G	G	F	F (Topsoil)
CKG1	30-50	G	F		P	G	F	F	P (Subsoil)
CKG2	50-140	G	G		P	G	F	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 30 cm THICKNESS RANGE: 20-40 cm COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: WETNESS, VERY THICK WIND EROSION RISK: WATER EROSION K=: - RISK ON <5% SLOPE: - RISK ON 5-9% SLOPE: - RISK ON 9-15% SLOPE: -	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	ALL NO NO NO NO NO YES NO NO
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

# 09/01/93

SOIL SERIES: MENAIK-PT SOIL ZONE:

(ptMAK) LANDFORM:

LEVEL 0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL (PEATY)

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: MEDIUM FLUVIAL

SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat	% SAR
OP	0-30	10YR	3/2	VERY DARK GRAYISH BROWN			0	20.7	4.	4.3	85.	0.6
AH	30-50	10YR	2/1	BLACK	WFGR	FR	L	7.1	3.4	3.9	43.	0.6
CKG	50-120	10YR	5/1	GRAY	MA	F	SICL		5.1	3.2	44.	0.5

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
OP	0-30			G		Р	P	G	(Peat)
AH	30-50	G	G	G	U	F	G	G	U (Topsoil)
CKG	50-120	F	F		P	F	G	G	P (Subsoil)

THICK

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS, VERY
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RICK ON 9-15% SLOPE.	_

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MENAIK THAT HAS 15 TO 50 CM OF SURFACE PEAT.

ALL NO NO NO NO YES NO YES

NO

#### 09/01/93

SOIL SERIES: MENAIK-SA (SAMAK) LANDFORM: LEVEL SOIL ZONE: THICK BLACK TYPICAL SLOPES: 0-2%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

(SALINE) SURFACE STONINESS: NON

PARENT MATERIAL: MEDIUM FLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
APSAK	0-20	10YR	2/1	BLACK	MFGR	FR	L-SL	3.7	8.	1.96	54. 13.2
AHSAK	20-30	10YR	2/1	BLACK	MMGR	FR	L	4.5	8.5	2.	67. 17.9
CCASAG	30-100	10YR	6/2	LIGHT BROWNISH GRAY	STRAT	FR-F	SIL-SICL		8.8	2.2	97. 28.4
CSKG	100-140	2.5Y	5/4	LIGHT OLIVE BROWN	STRAT	VFR	FSL		8.8	4.5	78. 34.9

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSAK	0-20	G	G	G	F	G	G	U	U (Topsoil)
AHSAK	20-30	G	G	G	P	F	F	U	U (Topsoil)
CCASAG	30-100	F	F		P	G	P	U	U (Subsoil)
CSKG	100-140	G	G		P	F	F	Ū	U (Subsoil)

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	30 cm 20-40 cm OBVIOUS WETNESS, VERY THICK	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL:
WATER EROSION K=:	-	STONY LAYER:
RISK ON <5% SLOPE:	-	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	_	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF MENAIK THAT IS SALINE AND/OR SODIC TO THE SURFACE.

# 09/01/93

SOIL SERIES:

MILLET

(MLT)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL MODERATELY COARSE

SURFACE STONINESS:

NON

GLACIOFLUVIAL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color C	ode	Color Name	Structure	O.C.	рН	EC	Sat% SAR			
AP .	0-30		2/1	BLACK	WFGR	FR	SL	5.7	6.2	1.7	44.	
BG	30-90	10YR	3/3	DARK BROWN	MA	F	LS		6.3	0.9	58.	
CG	90-130	10YR	5/3	BROWN	SGR	L	LS-S		6.3	0.9	40.	

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP .	0-30	G	G	G	F	G	G		F (Topsoil)
BG	30-90	F .	P		F	G	G		P (Subsoil)
CG	90-130	F	P		F	G	G		P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS, VERY THICK
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

## SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE SANDY AND WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

#### 09/01/93

SOIL SERIES: SOIL ZONE:

SOIL CLASSIFICATION:

MORINVILLE THICK BLACK

ELUVIATED BLACK CHERNOZEMIC

PARENT MATERIAL: MODERATELY FINE TILL/SOFTROCK

LANDFORM:

TYPICAL SLOPES: USUAL SOIL MOISTURE:

SURFACE STONINESS:

1-15% MESIC

VENEER

SLIGHTLY

# TYPICAL SOIL PROFILE:

Horizon De	epth Co.	lor Code Color Name		Structure	o.c.	рН	EC	Sat%	SAR				
AP	0-32 101	YR 2	/1	BLACK		MFGR	FR	L	5.8	7.1	0.2	52.	
BM 3	2-50 103	YR 5	/3	BROWN		MFSBK	F	CL		7.3	0.2	42.	0.3
2CK1 5	0-90 2.5	5Y 5	/6 LIGHT	OLIVE	BROWN	MA	F	CL		7.7	0.3	56.	1.8
2CK2 9	0-150 2.5	5Y 5	/6 LIGHT	OLIVE	BROWN	MA	F	CL		7.8	0.5	58.	1.6

(MVL)

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-32	G	G	G	G	G	G		G (Topsoil)
BM	32-50	F	F		G	G	G	G	F (Subsoil)
2CK1	50-90	F	F		F	G	G	G	F (Subsoil)
2CK2	90-150	F	F		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	15-50 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOI	L: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL OVERLYING CLAY LOAM TO LOAM TEXTURED WEATHERED BEDROCK. THE UNDERLYING SOFTROCK OCCURS AT 40 TO 90 CM BELOW THE SURFACE AND IS NON SALINE-SODIC.

# INTERPRETATION GUIDELINES

**SCA** 10

# 09/01/93

SOIL SERIES:

MORINVILLE-GL (glMVL)

/L) LANDFORM:

VENEER 1-15%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED ELUVIATED BLACK

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

31 TOURT 11

CHERNOZENIC

MODERATELY FINE TILL/SOFTROCK

INESS: SLIGHTLY

# TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Color Code Color Name		Structure	Structure Consistence Texture			рН	EC	Sat% SAR
AP	0-17	10YR	2/1	BLACK	MFGR	FR	L	4.5	6.6	0.5	54.
BTGJ	17-40	10YR	5/3	BROWN	MFSBK	F	CL		7.1	0.4	54.
CKGJ	60-90	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		7.7	0.4	45. 1.7
2CKGJ	90-150	2.5Y	5/6	LIGHT OLIVE BROWN	MA	FR-F	SL		7.8	0.4	26. 1.2

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	G	G	G	G	G		G (Topsoil)
BTGJ	17-40	F	F		G	G	G		F (Subsoil)
CKGJ	60-90	F	F		F	G	G	G	F (Subsoil)
2CKGJ	90-150	F	G		F	G	F	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	15-50 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GLEYED VARIANT OF MORINVILLE. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND GENERALLY OCCUR IN THE LOWER LANDSCAPE POSITIONS.

# 09/01/93

SOIL SERIES: SOIL ZONE:

MUNDARE THICK BLACK

(MDR) LANDFORM:

BLANET

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

6-30% DROUGHTY

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

SURFACE STONINESS:

NON

EOLIAN

#### TYPICAL SOIL PROFILE:

Horizon Depth	Color	or Code Color Name			Consistence			2	EC	Sat%	SAR
AH 0-25 BM 25-70 BC 70-14	10YR 10YR		VERY DARK GRAYISH BROWN DARK YELLOWISH BROWN YELLOWISH BROWN	SGR SGR SGR	L L	LS-S LS-S LS-S	4.9	6. 7.1	0.5	53. 24. 26.	0.2

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-25	F	P	G	F	G	G	G	P (Topsoil)
BM	25-70	F	P		G	G	F	G	P (Subsoil)
BC	70-140	F	P		G	G	F	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25 cm	
L5-30	cm
DBVIOUS	
ONE	
HIGH	
0.011	
LOW	
LOW	

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE.	MO

NOTES: DEVELOPED ON LOAMY SAND TO SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE.

# 09/01/93

SOIL SERIES:

NAMEPI

(NMP)

LANDFORM:

UNDULATING

1-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

\_\_\_\_\_

SOIL CLASSIFICATION:

GLEYED BLACK SOLODIZED

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

SOLONETZ

PARENT MATERIAL:

MODERATELY FINE SOFTROCK

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat% SAR
AP	0-18	10YR	2/1	BLACK	MFGR	FR	L	4.2	5.9	0.5	55.
BNTGJ	33-60	5Y	3/2	DARK OLIVE GRAY	COL	VF	CL		7.4	0.6	58. 6.3
CSKGJ	60-150	5Y	5/2	OLIVE GRAY	MA	VF	CL		8.2	0.9	80. 12.1

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G	G	F	G	G		F (Topsoil)
BNTGJ	33-60	P	F		G	G	G.	F	P (Subsoil)
CSKGJ	60-150	P	F		F	G	P	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm
15-30 cm
NOT OBVIOUS
NONE
LOW
0.040
LOW
MODERATE
HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS SALINE AND SODIC. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

## 09/01/93

SOIL SERIES:

NAVARRE

(NVR)

LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION:

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

1-9%

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

GLEYED ELUVIATED BLACK

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		e Texture	O.C.	рН	EC	Sat%	SAR
AP BM	0-15 15-50	10YR 10YR	2/1	BLACK BROWN - DARK BROWN	WFGR WMSBK	FR F	L CL		5.7 7.2	1.1	64.	
CCAGJ	50-80	101R 10YR	2/2	VERY DARK BROWN	MA	F	SICL		8.6		48.	
CKGJ	80-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	SIC		8.8	1.1	78.	4.8

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		F	G	F	G	F (Topsoil)
BM	15-50	F	F		G	G	F	G	F (Subsoil)
CCAGJ	50-80	F	F		P	F	G	G	P (Subsoil)
CKGJ	80-120	F	P		P	G	F	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25	cm	
10-4	0	CM
OBVI	SUC	
VERY	TH	ICK
LOW		
0.02	1	
LOW		

LOW

MODERATE

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILTY CLAY LOAM TO SILTY CLAY TEXTURED MATERIAL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS EASIER WHEN CULTIVATION HAS NOT DISTURBED THE AE HORIZON. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS ARE NON SALINE AND NON TO WEAKLY SODIC.

# 09/01/93

SOIL SERIES:

NAVARRE-SA

(sanvr) LANDFORM:

BLANKET 1-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED ELUVIATED BLACK

CHERNOZEMIC (SALINE)

SURFACE STONINESS:

NON

PARENT MATERIAL: FINE GLACIOLACUSTRINE

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure Consistence Texture		Texture	o.c.	рН	EC	Sat%	SAR
APSAK	0-20	10YR	2/1	BLACK	WFGR	FR	L				65.	
BMSAKGJ	20-65	10YR	7/1	LIGHT GRAY	MA	FR	SIL-L		8.7	23.7	33.	47.
CSKGJ	65-120	10YR	5/2	GRAYISH BROWN	MA	F	SIC-C		8.7	9.6	93.	41.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating		
APSAK	0-20	G	G		F	Ū	F	υ	U (Topsoil)		
BMSAKG	20-65	G	G		P	U	G	U	U (Subsoil)		
CSKGJ	65-120	F	P		P	U	P	U	U (Subsoil)		

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25	cm	
10-4	.0	cm
)BVI	OUS	
/ERY	THI	CK
LOW		
0.02	1	
LOW		
TATO.		

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF NAVARRE THAT IS STRONGLY SALINE AND SODIC TO THE SURFACE.

MODERATE

# 09/01/93

SOIL SERIES:

NAVARRE-SC

(scNVR) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION:

GLEYED ELUVIATED BLACK

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

1-5%

CHERNOZEMIC (SALINE LOWER SUBSOIL)

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Depth Color Code		Color Name	Structure	Structure Consistence Te		0.C.	рН	EC	Sat%	SAR
AP	0-20	10YR	2/1	BLACK	MFGR	FR	L	5.2	5.6	0.8	59.	1.
BTJ	20-40	10YR	4/4	DARK YELLOWISH BROW	VN MMSBK	F	CL		6.8	1.9	51.	4.6
CSK	50-180	10YR	3/4	DARK YELLOWISH BROW	VN MA	F	SICL		7.9	11.3	56.	5.9

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	G	G	F	G	G	G	F (Topsoil)
BTJ	20-40	F	F		G	G	G	F	F (Subsoil)
CSK	50-180	F	F		F	Ŭ	G	F	U (Subsoil)

# TOPSOIL INTERPRETATIONS:

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF NAVARRE WITH A SALINE LOWER SUBSOIL. THE BTJ HORIZON IS NON SALINE. THE LOWER SUBSOIL IS STRONGLY SALINE. THESE SOILS ARE USUALLY NON TO WEAKLY SODIC BUT THE LOWER SUBSOIL SOMETIMES HAS HIGHER SAR VALUES.

## 09/01/93

SOIL SERIES:

NAVARRE-SCXT (scxtNVR)

LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

TEMPORARY PONDING

SOIL CLASSIFICATION:

GLEYED ELUVIATED BLACK
CHERNOZEMIC (SALINE LOWER

SURFACE STONINESS:

NON

SUBSOIL)

PARENT MATERIAL:

FINE GLACIOLACUSTRINE/TILL

## TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-28	10YR	2/1	BLACK	MFGR	FR	SICL	4.5	7.	0.7	66.	
BM	28-42	10YR	4/3	BROWN-DARK BROWN	MFSBK	F	SIC		7.5	0.5	70.	0.6
CCASA	42-90	10YR	5/3	BROWN	MA	F	SICL		7.5	4.	55.	1.5
2CSK	90-160	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		7.5	5.5	54.	3.8

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-28	G	F	G	G	G	F		F (Topsoil)
BM	28-42	F	P		G	G	F	G	P (Subsoil)
CCASA	42-90	F	F		G	F	G	G	F (Subsoil)
2CSK	90-160	F	F		G	P	G	G	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25 cm	
10-40	CM
OBVIOUS	
VERY TH	ICK
LOW	
0.021	
LOW	
LOW	
MODERAT	Έ

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

VARIANT OF NAVARRE WITH TILL AT LESS THAN 1 M BELOW THE SURFACE AND A SALINE LOWER SUBSOIL. THE TEXTURE CHANGE IS NOT SIGNIFICANT. THE B HORIZON IS NON SALINE WHILE THE C HORIZONS ARE MODERATELY TO STRONGLY SALINE. THESE SOILS ARE USUALLY NON TO WEAKLY SODIC BUT THE LOWER SUBSOIL SOMETIMES HAS HIGHER SAR VALUES.

#### 09/01/93

SOIL SERIES:

NAVARRE-XT

(xtNVR) LANDFORM:

VENEER 1-9%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC

SOIL CLASSIFICATION: GLEYED ELUVIATED BLACK

SURFACE STONINESS:

NON

PARENT MATERIAL:

FINE GLACIOLACUSTRINE/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Structure Consistence Texture			рН	EC	Sat%	SAR
AP	0-23	10YR	2/1	BLACK	MFGR	FR	SICL	4.6	6.8	1.		
BM CK	23-70 70-80	10YR 10YR	4/3	BROWN-DARK BROWN DARK GRAYISH BROWN	MFSBK MA	F	C		7.1	0.7	61.	1 /
2CK	80-160	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.3	1.6		1.2

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-23	G	F	G	G	G			F (Topsoil)
BM	23-70	F	P		G	G			P (Subsoil)
CK	70-80	F	F		G	G	F	G	F (Subsoil)
2CK	80-160	F	F		G	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

THICKNESS COLOR CHA STRIPPING WIND EROS WATER ERG RISK ON	NGE TO SUBSOIL: G LIMITATIONS: GION RISK: DSION K=: U <5% SLOPE:	25 cm 10-40 c OBVIOUS VERY THIC LOW 0.021 LOW
RISK ON		
	7 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF NAVARRE WITH TILL AT LESS THAN 1 M BELOW THE SURFACE. THE TEXTURE CHANGE IS NOT SIGNIFICANT. THESE SOILS ARE NON SALINE AND NON TO WEAKLY SODIC.

# 09/01/93

SOIL SERIES:

NORMA

(NRM)

LANDFORM:

BLANKET 1-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: SOLONETZIC BLACK

CHERNOZEMIC

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture		o.c.	рН	EC	Sat%	SAR	
AP · BTNJ CSK	0-30 30-80 80-180	10YR 10YR 2.5Y	2/1 3/3 4/4	BLACK DARK BROWN OLIVE BROWN	MFGR MMSBK MA	FR F F	L CL CL	4.1	6.7	3.6	48. 44. 57.	4.5

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-30	G	G	G	G	G	G	G	G (Topsoil)
BTNJ	30-80	F	F		G	F	G	F	F (Subsoil)
CSK	80-180	F	F		G	P	G	P	P (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25	cm	
20 - 3	0	cm
TOM	OBV	/IOUS
NONE	:	
HIGH	[	
0.02	6	
LOW		
LOW		

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE B HORIZON HAS WEAK SOLONETZIC TENDENCIES. THE LOWER SUBSOIL IS SALINE AND SODIC.

MODERATE

# 09/01/93

SOIL SERIES: PEACE HILLS (PHS) LANDFORM: SOIL ZONE:

THICK BLACK

BLANKET

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

2-9% DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE FLUVIAL

SURFACE STONINESS:

TYPICAL SLOPES:

NON

OR EOLIAN

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-38	10YR	2/1	BLACK	WFGR	VFR	SL	2.2	6.3	0.4	39.	0.5
BM	38-70	10YR	5/4	YELLOWISH BROWN	WFSBK	VFR	SL	0.5	6.7	0.3	29.	0.6
BC	70-95	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	SL					
CK	95-180	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	SL-LS		7.8	0.5	30.	1.5

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
AP	0-38	G	G	G	F	G	G	G	F (Topsoil)	
BM	38-70	G	G		G	G	F	G	F (Subsoil)	
BC	70-95	G	G						F (Subsoil)	
CK	95-180	F	P		F	G	F	G	P (Subsoil)	

## TOPSOIL INTERPRETATIONS:

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES MAY BE

UNSTABLE WHEN VERTICALLY DITCHED.

# **PEACE HILLS-GLXC**

# INTERPRETATION GUIDELINES

SCA 10

## 09/01/93

SOIL SERIES:

PEACE HILLS-GLXC

LANDFORM:

VENEER

2-9%

SOIL ZONE:

(glxcPHS)
THICK BLACK

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED BLACK CHERNOZEMIC

\_\_\_\_\_

0001111 00111 11011011011

LITI OTART TONE

PARENT MATERIAL:

MODERATELY COARSE FLUVIAL OR EOLIAN/GLACIOLACUSTRINE

SURFACE STONINESS: NON

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Code		Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-30	10YR	2/1	BLACK	WFGR	FR	SL	2.4	7.7	0.4	46.	0.2				
BGJ	30-100	10YR	4/3	BROWN-DARK BROWN	SGR	L	SL		7.9	0.4	36.	0.3				
2CKGJ	100-130	10YR	5/1	GRAY	MA	F	SICL		7.8	0.8	54.	0.4				

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AP	0-30	G	G	G	F	G	G	G	F (Topsoil)
BGJ	30-100	F	G		F	G	G	G	F (Subsoil)
2CKGJ	100-130	F	F		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	30 cm 20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.024
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBS	OIL: NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES:

GLEYED VARIANT OF PEACE HILLS WITH SILTY CLAY LOAM TEXTURED MATERIAL WITHIN 1 M OF THE SURFACE. EXPOSED FACES IN THE UPPER MATERIAL MAY BE UNSTABLE. THE UNDERLYING GLACIOLACUSTRINE MATERIAL IS SILTY CLAY LOAM TO CLAY TEXTURED. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

#### 09/01/93

SOIL SERIES: PIBROCH (PIB) LANDFORM: BLANKET SOIL ZONE: THICK BLACK TYPICAL SLOPES: 1-5%

SOIL CLASSIFICATION: GLEYED ELUVIATED BLACK USUAL SOIL MOISTURE: TEMPORARY PONDING

CHERNOZEMIC SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MODERATELY FINE TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code				Color Code				Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-22	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	L		6.4	0.2	48.	0.4						
AHE	22-27	10YR	3/3	DARK BROWN	MFPL	FR	SIL		6.3	0.4								
BTGJ	27-65	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	CL		7.1	0.4	42.							
BCGJ	65-110	10YR	5/2	GRAYISH BROWN	MA	F	CL		7.1	0.5	44.	0.7						

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-22	G	G		F	G	G	G	F (Topsoil)
AHE	22-27	G	G		F	G			F (Topsoil)
BTGJ	27-65	F	F		G	G	G		F (Subsoil)
BCGJ	65-110	F	F		G	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	20-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.026	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

# 09/01/93

SOIL SERIES:

PIBROCH-XP THICK BLACK (xpPIB)

LANDFORM:

VENEER

1-5%

SOIL ZONE:

SOIL CLASSIFICATION:

PARENT MATERIAL:

GLEYED ELUVIATED BLACK

TYPICAL SLOPES:
USUAL SOIL MOISTURE:
SURFACE STONINESS:

TEMPORARY PONDING

CHERNOZEMIC

MODERATELY FINE

TILL/SOFTROCK

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L		6.4	0.22	
BTGJ	18-45	2.5Y	4/2	DARK GRAYISH BROWN	MMSBK	F	CL		7.1	0.44	
2CKGJ	45-100	2.5Y	6/6	OLIVE YELLOW	STRAT	F	SL-SCL		7.9	0.52	

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G		F	G			F (Topsoil)
BTGJ	18-45	F	F		G	G			F (Subsoil)
2CKGJ	45-100	F	F		F	G			F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF PIBROCH WITH PARALITHIC BEDROCK AT LESS 1 M BELOW THE SURFACE.

THE UNDERLYING SOFTROCK IS NON SALINE-SODIC AND SIMILAR IN TEXTURE TO THE TILL.

NO NO NO NO NO NO NO NO

NO

NO

# 09/01/93

SOIL SERIES: PONOKA

(POK) LANDFORM:

BLANKET

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ELUVIATED BLACK

USUAL SOIL MOISTURE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MESIC

PARENT MATERIAL:

CHERNOZEMIC MEDIUM FLUVIAL OR SURFACE STONINESS:

NON

LACUSTRINE

# TYPICAL SOIL PROFILE:

Horiz	on Depth	Color		Color Name	Structure	Consistence	Texture		pН	EC	Sat%	
AP	0-25		2/1	BLACK	MFGR	FR	L		7.6			
BM	25-60	10YR	4/3	BROWN	MFSBK	F	L	0.9	7.9	0.4	49.	0.2
CK	60-120	10YR	5/2	GRAYISH BROWN	MA	F	SIL		8.2	0.6	53.	0.2

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	F	G	G	G	F (Topsoil)
BM	25-60	F	G		F	G	G	G	F (Subsoil)
CK	60-120	F	G		F	G	G	G	F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	25 cm 20-40 cm	SEASONALLY HIGH W.T.: HARD BEDROCK:
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:
STRIPPING LIMITATIONS:	VERY THICK	SODIC SOFTROCK:
WIND EROSION RISK:	LOW	GRAVEL:
WATER EROSION K=:	0.032	STONY LAYER:
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:
		IMPORTANT TEXTURE CHANGE:

NOTES: THE OCCURRENCE OF THESE SOILS IS ALWAYS ASSOCIATED WITH A STREAM OF SOME KIND. PONOKA SOILS ARE EXCELLENT AGRICULTURAL SOILS AND ARE EXTENSIVELY CULTIVATED. TOPSOILS ARE VERY DEEP AND THE AE HORIZON HAS ALMOST ALWAYS BEEN INCORPORATED INTO THE PLOW LAYER. THE TOPSOIL BECOMES BROWN IN COLOR WITH DEPTH.

# INTERPRETATION GUIDELINES

SCA 10

# 09/01/93

SOIL SERIES:

PONOKA-SC

(scPOK)

LANDFORM:

BLANKET 1-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

CHERNOZEMIC (SALINE LOWER

SOIL CLASSIFICATION:

ELUVIATED BLACK

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

SUBSOIL)

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE

#### TYPICAL SOIL PROFILE:

Horizon	Depth			Color Name	Structure Consistence T		Texture O.C.		рН	EC	Sat% SAR
AP	0-28	10YR	2/1	BLACK	WFGR	FR	L	2.9	6.	0.2	48. 0.7
BM	28-70	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	L		7.3	0.7	40. 1.2
CSK	70-120	10YR	3/3	DARK BROWN	STRAT	FR	L		8.1	8.2	44. 6.3

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-28	G	G	G	F	G	G	G	F (Topsoil)
BM	28-70	G	G		G	G	G	G	G (Subsoil)
CSK	70-120	G	G		F	P	G	F	P (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 20-40 OBVIOUS VERY THICK LOW 0.032

LOW MODERATE HIGH

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES:

VARIANT OF PONOKA WITH A SALINE LOWER SUBSOIL. THE BM HORIZON OR UPPER SUBSOIL IS NON SALINE-SODIC. THE LOWER SUBSOIL IS MODERATELY TO

STRONGLY SALINE AND SODIC.

# 09/01/93

SOIL SERIES:

PONOKA-SCXT (scxtPOK)

LANDFORM:

VENEER 1-5%

NON

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION:

ELUVIATED BLACK

USUAL SOIL MOISTURE: CHERNOZEMIC (SALINE LOWER SURFACE STONINESS:

SUBSOIL)

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP BTJ	0-30 35-57	10YR 10YR	2/1 5/4	BLACK YELLOWISH BROWN	MFGR MFSBK	FR FR	L L	3.2	6.5		58. 64.	
2CSK	57-140	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	5.9	54.	4.

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-30	G	G	G	G	G	G	G	G (Topsoil)
BTJ	35-57	G	G		G	G	·F	G	F (Subsoil)
2CSK	57-140	F	F		F	P	G	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

25 (	cm	
20-40	)	CM
OBVI	OUS	
VERY	THI	CK
LOW		
0.032	2	
LOW		
MODE	RATE	3

HIGH

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF PONOKA WITH A SALINE LOWER SUBSOIL AND TILL AT LESS THAN 1 M BELOW THE SURFACE. UNDERLYING TILL IS CLAY LOAM TEXTURED AND OFTEN WHERE THE SALINITY AND SODICITY IS FOUND. THE B HORIZON OR UPPER SUBSOIL IS NON SALINE-SODIC.

# INTERPRETATION GUIDELINES

**SCA** 10

# 09/01/93

SOIL SERIES:

PONOKA-XC

(xcPOK) LANDFORM: VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ELUVIATED BLACK

USUAL SOIL MOISTURE: SURFACE STONINESS: MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE/

CHERNOZEMIC

GLACIOLACUSTRINE

NON

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-25	10YR	2/1	BLACK	MMGR	FR	L	4.2	7.4	0.5	61.
BM	25-70	10YR	5/3	BROWN	MFSBK	FR	L	1.7	6.8	0.8	39.
2CK	70-125	10YR	4/2	DARK GRAYISH BROWN	MA	F	C	0.4	8.2	0.5	56.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	G	G	F		F (Topsoil)
BM	25-70	G	G		G	G	G		G (Subsoil)
2CK	70-125	F	P		F	G	G		P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 20-40 OBVIOUS VERY THICK 0.032 LOW MODERATE

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO NO NO NO NO NO NO NO NO

YES

NOTES: VARIANT OF PONOKA WITH CLAY TEXTURED MATERIAL AT LESS THAN 1 M BELOW THE SURFACE.

HIGH

#### 09/01/93

SOIL SERIES: SHANDRO (SHD) LANDFORM: LEVEL SOIL ZONE: THICK BLACK TYPICAL SLOPES: 0-2%

SOIL CLASSIFICATION: SOLONETZIC HUMIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: MODERATELY FINE SOFTROCK SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	on Depth Color Code		Color Name	Structure Con	sistence Texture O.	.С. рН	EC Sat% SAR			
AHKS	0-18	2.5Ym 2/0	BLACK	SFGR	SIC	8.				
BSKG	18-36	2.5Ym 4/2	DARK GRAYISH BROWN	WFGR	С	7.9				
CCASG	36-120	2.5Ym 4/4	OLIVE BROWN	MA	C.	7.7				

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHKS	0-18	P	P		F				P (Topsoil)
BSKG	18-36	F	P		F				P (Subsoil)
CCASG	36-120	F	P		F				P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

#### 20 cm TYPICAL THICKNESS: SEASONALLY HIGH W.T.: ALL 15-30 cm THICKNESS RANGE: HARD BEDROCK: NO COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: WETNESS NON-SODIC SOFTROCK: NO SODIC SOFTROCK: YES WIND EROSION RISK: GRAVEL: WATER EROSION K=: STONY LAYER: NO RISK ON <5% SLOPE: FACE INSTABILITY: YES RISK ON 5-9% SLOPE: SOLONETZIC B HORIZON: NO RISK ON 9-15% SLOPE: SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THE SOILS ARE SALINE AND SODIC TO THE SURFACE, HAVING A B HORIZON THAT HAS SOLONETZIC TENDENCIES. SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. SHANDRO SOILS ARE CARBONATED TO THE SURFACE.

# 09/01/93

SOIL SERIES: SOIL ZONE: TOFIELD

(TFD)

LANDFORM:

BLANKET 1-5%

SOIL CLASSIFICATION:

THICK BLACK
BLACK SOLOD

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAI
AH	0-23	10YRm	2/1	BLACK	WMGR	FR	SL	3.36	5.8		
AHE	23-30	10YRm	3/2	VERY DARK GRAYISH BROWN	WFPL	FR	SL	2.92	6.7		
AB	30-35	10YRm	5/4	YELLOWISH BROWN	MFABK	F	SCL		6.8		
BNT	35-55	10YRm	4/4	DARK YELLOWISH BROWN	MCCOL	VF	SCL		7.7		
CCASA	55-80	2.5Ym	5/2	GRAYISH BROWN	WFSBK	FR	L		7.9		
CK	80-120	2.5Ym	5/2	GRAYISH BROWN	WFSBK	FR	L		7.7		

## SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-23	G	G	G	F				F (Topsoil)
AHE	23-30	G	G	G	G				G (Topsoil)
AB	30-35	F	F		G				F (Subsoil)
BNT	35-55	P	F		F				P (Subsoil)
CCASA	55-80	F	G		F				F (Subsoil)
CK	80-120	F	G		F				F (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25 cm	1
20-30	cm
NOT OF	SVIOUS
NONE	
HIGH	
0.037	
LOW	
MODERA	TE

HIGH

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK:	SPR NO NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE AND IS SODIC. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS SALINE AND SODIC.

# 09/01/93

SOIL SERIES: UKALTA

(UKT) LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS:

SLIGHTLY

GLACIOFLUVIAL/TILL

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture (		o.c.	рН	EC	Sat%	SAR	
AP BM	0-23	10YR 10YR	2/1 5/3	BLACK BROWN	SGR SGR	VFR VFR	SL SL	2.7	6.6	0.2	44.	
2BT	30-100	10YR	5/2	GRAYISH BROWN	MFSBK	F	CL		7.7	0.5	43.	
2CK	100-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.8	0.4	42.	0.6

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-23	G	G	G	G	G	G	G	G (Topsoil)
BM	23-30	G	G		G	G	F	G	F (Subsoil)
2BT	30-100	F	F		F	G	G	G	F (Subsoil)
2CK	100-120	F	F		F	G	G	G	F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	30 cm 20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.024
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON A SANDY LOAM TEXTURED VENEER OVER CLAY LOAM TEXTURED TILL. EXPOSED FACES OF THE SANDY MATERIAL MAY BE UNSTABLE.

## 09/01/93

SOIL SERIES:

UKALTA-GL

(glUKT)

LANDFORM: VENEER, UNDULATING

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: PARENT MATERIAL: GLEYED BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

TEMPORARY PONDING

MODERATELY COARSE GLACIOFLUVIAL/TILL

SURFACE STONINESS:

SLIGHTLY

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	SAR
AP	0-60	10YR	2/1	BLACK	WFGR	VFR	SL	2.6	7.4	0.5	40.	4.
BGJ	60-107	10YR	5/4	YELLOWISH BROWN	WFSBK	VFR	SL		7.	0.8	48.	
2CKGJ	107-150	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.7	0.4	48.	3.

# SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-60	G	G	G	G	G	G	F	F (Topsoil)
BGJ	60-107	G	G		G	G	G		G (Subsoil)
2CKGJ	107-150	F	F		F	G	G	G	F (Subsoil)

## TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

30 cm	
20-40	CM
OBVIOUS	
VERY TH	ICK
HIGH	
0.024	
LOW	
T.OW	

MODERATE

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: GLEYED VARIANT OF UKALTA. THESE SOILS ARE IMPERFECTLY DRAINED, EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND GENERALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

# 09/01/93

SOIL SERIES:

UKALTA-SC

(scUKT)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION:

ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

PARENT MATERIAL:

(SALINE LOWER SUBSOIL) MODERATELY COARSE

SURFACE STONINESS:

SLIGHTLY

1-5%

GLACIOFLUVIAL/TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Texture		O.C.	рН	EC	Sat% SA	AR	
AH	0-25	10YR	2/2	VERY DARK BROWN	MMGR	FR	SL	4.2	6.	0.2	63.	
BM	25-65	10YR	4/3	BROWN-DARK BROWN	WMSBK	F	SL		6.4	0.3	53.	
2CSK	65-120	10YR	4/3	BROWN-DARK BROWN	MA	F	SCL		8.4	1.9	90. 1	17.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-25	G	G	G	F	G	F		F (Topsoil)
BM	25-65	F	G		F	G	G		F (Subsoil)
2CSK	65-120	F	F		F	G	P	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	20-40 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.024
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

#### SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF UKALTA WITH A SALINE AND/OR SODIC LOWER SUBSOIL. THE BM

HORIZON OR UPPER SUBSOIL IS NON SALINE-SODIC. THE LOWER SUBSOIL (OFTEN

THE UNDERLYING TILL) IS WEAKLY SALINE AND STRONGLY SODIC.

#### 09/01/93

SOIL SERIES:

VOLMER

(VOL)

LANDFORM:

VENEER

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

CHERNOZEMIC

JOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL:

SOIL CLASSIFICATION:

FINE GLACIOLACUSTRINE/
MEDIUM GLACIOLACUSTRINE

GLEYED ELUVIATED BLACK

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture		_	EC	Sat% SAR
AP	0-10	10YR	2/1	BLACK	MFGR	FR	L	3.7	7.9		58.
BGJ	50-60	10YR	3/4	DARK YELLOWISH BROWN	MMSBK	F	CL		7.8		46.
CLGJ	60-180	10YR	3/3	DARK BROWN	MA	F	SIL		7.7		34.

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G .	G	G	F		G		F (Topsoil)
BGJ	50-60	F	F		F		G		F (Subsoil)
CLGJ	60-180	F	G		F		G		F (Subsoil)

# TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
10-20	cm
OBVIOUS	
NONE	
LOW	
0.021	
LOW	
LOW	
MODERATI	Ξ

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

THESE SOILS ARE DEVELOPED IN GLACIOLACUSTRINE DEPOSITS THAT ARE FINE TEXTURED IN THE UPPER PROFILE AND MEDIUM TEXTURED IN THE LOWER PROFILE. VOLMER SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

# 09/01/93

SOIL SERIES: WETASKIWIN (WKN) LANDFORM: BLANKET
SOIL ZONE: THICK BLACK TYPICAL SLOPES: 1-5%

SOIL CLASSIFICATION: BLACK SOLODIZED SOLONETZ USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL: FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

#### TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-15	10YR	2/1	BLACK	MFGR	FR	L	4.5	5.7	0.2	61. 3.2
BNT	15-30	10YR	3/3	DARK BROWN	SMCOL	VF	CL		7.6	2.2	56. 18.5
CSK	30-180	10YR	4/2	DARK GRAYISH BROWN	MA	F	SICL		7.8	13.7	64. 16.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F	G	F	G	F (Topsoil)
BNT	15-30	P	F		F	G	G	U	U (Subsoil)
CSK	30-180	F	F		F	U	F	U	U (Subsoil)

#### TOPSOIL INTERPRETATIONS:

15 cm 15-25 cm NOT OBVIOUS NONE LOW 0.040 LOW LOW MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	SPR NO NO NO NO NO NO YES
MODERATE	IMPORTANT TEXTURE CHANGE:	NO NO
	15-25 cm NOT OBVIOUS NONE LOW 0.040 LOW LOW	15-25 cm HARD BEDROCK: NOT OBVIOUS NON-SODIC SOFTROCK: NONE SODIC SOFTROCK: LOW GRAVEL: 0.040 STONY LAYER: LOW FACE INSTABILITY: LOW SOLONETZIC B HORIZON: MODERATE SALINE OR SODIC LOWER SUBSOIL:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE AND IS SODIC. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT. THE LOWER SUBSOIL IS

SALINE AND SODIC.

# 09/01/93

SOIL SERIES:

WHITFORD

(WHF)

LANDFORM:

BLANKET 2-5%

SOIL ZONE:

THICK BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: SOLONETZIC BLACK

CHERNOZEMIC

SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL: MODERATELY FINE TILL

# TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP ·	0-15	10YR		VERY DARK GRAYISH BROWN	MFGR	FR	L	4.8	5.6	0.17	39.
BTNJ	15-50	2.5Y	5/4	LIGHT OLIVE BROWN	COL	F	CL		6.9	0.57	43.
CSK	50-110	2.5Y	4/4	OLIVE BROWN	MA	F	CL		8.1	5.39	43. 6.3

#### SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP.	0-15	G	G	G	F	G	G		F (Topsoil)
BTNJ	15-50	F ·	F		G	G	G		F (Subsoil)
CSK	50-110	F	F		F	P	G	F	P (Subsoil)

#### TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-25	am
10-23	cm
OBVIOUS	
NONE	
HIGH	
0.036	
LOW	
MODERATI	Ξ

# SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE BTNJ HORIZON HAS SOLONETZIC TENDENCIES. THE LOWER SUBSOIL IS SALINE AND SODIC.

HIGH

